



Robust Model Predictive Control for Fast Discharging of Retired Lithium-ion Battery Cells

Downloaded from: <https://research.chalmers.se>, 2026-04-18 04:20 UTC

Citation for the original published paper (version of record):

Yuan, M., Burman, A., Zou, C. (2025). Robust Model Predictive Control for Fast Discharging of Retired Lithium-ion Battery Cells. European Control Conference Piscataway N J Online Ecc(2025): 2464-2470. <http://dx.doi.org/10.23919/ECC65951.2025.11187090>

N.B. When citing this work, cite the original published paper.

Robust Model Predictive Control for Fast Discharging of Retired Lithium-ion Battery Cells

Meng Yuan, Adam Burman, and Changfu Zou

Abstract—The proper disposal and repurposing of end-of-life electric vehicle batteries are critical for maximizing their environmental benefits. This study introduces a robust model predictive control (MPC) framework designed to optimize the battery discharging process during pre-treatment, ensuring both efficiency and safety. The proposed method explicitly incorporates temperature constraints to prevent overheating and potential hazards. By leveraging a control-oriented equivalent circuit model integrated with thermal dynamics, the MPC algorithm dynamically adjusts the discharging profile to maintain safe operating temperatures. Additionally, the robust controller is designed to account for model mismatches between the nonlinear battery dynamics and the linearized model, ensuring reliable performance under varying conditions. The effectiveness of this approach is demonstrated through simulations comparing the robust MPC method with conventional discharging strategies, including constant current-constant voltage (CC-CV) and constant current-constant temperature (CC-CT) methods. Results indicate that the robust MPC framework significantly reduces discharging time while adhering to safety constraints, offering a promising solution for the recycling and second-life applications of lithium-ion batteries.

I. INTRODUCTION

Electric vehicles (EVs) have been widely adopted and are gaining popularity due to their potential to reduce carbon emissions. However, improper disposal of end-of-life batteries, such as placing them in landfills, diminishes these environmental benefits and causes new problems, such as soil contamination and water pollution [1], [2]. In EVs, batteries are typically retired when their capacity falls below a certain threshold, usually 70% or 80% of their original capacity [3]. Instead of discarding these batteries, they can be repurposed as energy storage systems, particularly when paired with renewable energy sources, for second-life use.

The rising demand for batteries underscores an increasing focus not only on the production of lithium-ion batteries but also on extending their lifespan through advanced battery management systems and recycling after second-life applications [4]–[6]. Lithium-ion batteries contain valuable materials, including lithium and high-grade copper and aluminum, and may also contain cobalt and nickel, depending on the active material. To prevent a future shortage of cobalt, nickel, and lithium and to ensure the sustainable life-cycle of batteries, it is essential to develop efficient

This work was supported by the European Union (EU)-funded Marie Skłodowska-Curie Actions (MSCA) Postdoctoral Fellowship (Grant No. 101110832), the Swedish Research Council (Grant No. 2023-04314), and Chalmers University of Technology through the Energy Area of Advance.

Meng Yuan, Adam Burman, and Changfu Zou are with the Department of Electrical Engineering, Chalmers University of Technology, 412 96 Gothenburg, Sweden. (Emails: meng.yuan@ieee.org; adambu@chalmers.se; changfu.zou@chalmers.se)

recycling technology for lithium batteries [7]. However, to ensure the safety of battery recycling, particularly during the disassembly of battery systems and mechanical processes, including crushing, sorting, and sieving processes, the first and fundamental step is to discharge each battery cell thoroughly [8], [9]. In principle, the lower residual charge capacity in the cell implies a safer recycling process.

At the same time, controlling temperature during battery discharge is critical since it relates to safety and stable discharge performance. On the one hand, maintaining a relatively high temperature during discharge can be beneficial, as experimental results indicate that higher battery temperatures during discharge can result in lower residual energy after a complete cycle [10]. On the other hand, a too-high temperature during discharging can lead to safety issues. If a lithium-ion battery is not effectively monitored during discharge, an external short circuit may occur, leading to a rapid rise in temperature. When the battery temperature reaches 77 to 121°C, venting and electrolyte leakage may occur [11]. Once thermal runaway begins, the internal structure of the battery changes, making it unsafe to operate or discharge [12]. At this stage, the battery must be handled according to predefined safety measures, as a high current through a damaged battery can result in an explosion.

Thus, selecting a temperature that is high yet remains within safe limits is crucial. For battery charging, the CC-CT (constant current-constant temperature) method is already a mature approach to maintaining temperature during charging [13]. This naturally leads us to consider using the CC-CT method for battery discharging as well, as to control temperature simultaneously.

Then the primary research problem in battery discharging becomes balancing the competing objectives of achieving a lower residual charge capacity and a faster discharge rate. This challenge is made more difficult by safety requirements, which require that temperatures stay within specific limits throughout discharge, and by the uncertainty of initial battery capacities. These constraints often result in slower discharge rates and frequent switching between constant current (CC) and constant voltage (CV) stages, further extending the discharge duration. Optimizing this process to meet both speed and safety objectives is therefore a critical area of focus in both academic and industrial research.

Given the need to balance discharge speed and temperature safety, model predictive control (MPC) is an effective approach for optimizing battery discharging. MPC is a constraint-based control method that optimizes control actions over a finite prediction horizon. It computes the

optimal control strategy by minimizing a cost function that penalizes deviations in both future states and control inputs, ensuring that states and control signals remain within predefined constraints [14], [15]. MPC is well-suited for battery discharging, as it can penalize both process time and temperature, enabling fast discharge while avoiding temperature violations to ensure safety. In [16], MPC is applied with a low-level equivalent circuit model (ECM) to manage cell-level charging of lithium-ion batteries.

However, to the best knowledge of the authors, there is limited research on using advanced controllers to battery discharge for safe recycling purpose, with the constant current method still prevalent in pre-treatment processes [17]. There is significant potential in exploring methods such as model predictive control to optimize discharge time while ensuring safety during the discharging process.

Therefore, the main contribution of this work is presenting a discharging framework of lithium batteries based on a robust MPC algorithm to accelerate the entire pre-treatment process time while ensuring a given temperature constraint is not violated for safety purposes. The resulting discharging profile is compared with three benchmark control strategies namely, CC-CV, CC-CT, and dynamic programming (DP).

The remainder of this article is organized as follows: In Section II, the cell-level equivalent circuit model is integrated with thermal modeling to serve as the control-oriented model, and the modeling procedure is described. Section III presents the formulation of conventional discharging controllers, including CC-CV, CC-CT, DP, and the proposed robust MPC control. The discharging results of a cell battery using the proposed method, along with benchmark controllers, are presented in Section IV. Finally, Section V concludes the article.

Notation: The real and natural numbers are denoted as \mathbb{R} and \mathbb{N} , respectively. Given two integers $a, b \in \mathbb{N}$, the integer range is denoted by $\mathbb{N}_{[a,b]} \triangleq \{i \in \mathbb{N} \mid a \leq i \leq b\}$. The symbol $x(i|k)$ stands for the predicted value of x based on the measurement at time k . The measurement value of x at time instant k is represented as $x(k)$. A diagonal matrix with main diagonal elements (a_1, \dots, a_n) is denoted by $\text{diag}(a_1, \dots, a_n)$.

II. MODELING

In this section, the model for controller design purposes is presented. An equivalent circuit model with a zero-dimension lumped mass heat equation is adopted as the control-oriented model.

A. Electrothermal model of battery

The schematic diagram of the system is shown in Fig. 1. The electrical behavior of the battery cell is modeled using the ECM, which consists of a voltage source representing the open-circuit voltage, a resistor R for internal resistance, and a parallel resistor-capacitor (RC) pair to capture the dynamic response of the system.

When modeling a battery using an ECM, multiple parallel RC pairs in series can be used to more accurately capture the




Fig. 1. Illustration of electrothermal modeling of a lithium-ion battery [18].

time dynamics [19]. This approach is especially beneficial for improving model accuracy when the system experiences rapid changes in input current. If the input current varies slowly or remains relatively stable, the system enters a quasi-steady state, making transient effects negligible compared to the overall operation.

Balancing model accuracy with computational efficiency is crucial when considering model complexity, parameter estimation, and computational power. In this work, the input current changes at a relatively low rate during the discharge cycle, indicating that a single RC pair is sufficient to capture the system dynamics.

The states used to describe the electrical model are state of charge $\text{SoC}(t)$, voltage over the RC pair $V_1(t)$, surface temperature $T_s(t)$, and core temperature $T_c(t)$. Then, the electrical and thermal governing equations for a lithium-ion battery are given as [18]:

$$\frac{d\text{SoC}(t)}{dt} = -\frac{I(t)}{3600C_n}, \quad (1a)$$

$$\frac{dV_1(t)}{dt} = -\frac{V_1(t)}{R_1C_1} + \frac{I(t)}{C_1}, \quad (1b)$$

$$\frac{dT_s(t)}{dt} = \frac{T_f - T_s(t)}{R_uC_s} - \frac{T_s(t) - T_c(t)}{R_cC_s}, \quad (1c)$$

$$\frac{dT_c(t)}{dt} = \frac{T_s(t) - T_c(t)}{R_cC_c} + \frac{I(t)}{C_c} [V_1(t) + R_0I(t)], \quad (1d)$$

where $I(t)$ is the input current, C_n is the nominal capacity of the battery cell, R_u and R_c are the heat convection and conduction resistances, respectively, T_f is the ambient temperature, and C_s and C_c are the surface and core heat capacity, respectively.

The measured system outputs include surface temperature $T_s(t)$ and the terminal voltage $V(t)$. The expression of V is a nonlinear combination of system states, and its mathematical representation is given as

$$V(t) \triangleq \varphi(\text{SoC}(t)) + V_1(t) + R_0I(t), \quad (2)$$

where $\varphi(\cdot)$ represents the open circuit voltage and is a nonlinear function of SoC.

B. State of energy computation

In this work, one of the key metrics used to evaluate various discharge strategies is the time required for complete discharge. The proposed method for determining full battery discharge involves measuring the extracted energy and comparing it to the nominal energy capacity. The extracted energy is calculated as follows:

$$E_o(t) = \int_0^t \frac{V(\tau)I(\tau)}{\eta} d\tau. \quad (3)$$

where η denotes the energy efficiency of the battery.

The nominal energy E_n , representing the total energy stored in the battery, is determined by fully discharging and charging it to full capacity. The conventional CC-CV method with a low current can be used for this process [20]:

$$E_n = \int_0^{T_f} V(t)I(t)dt, \quad (4)$$

where T_f is the time taken to charge the depleted battery to full capacity. Then, the state of energy (SoE) is defined as

$$\text{SoE}(t) = 1 - E_o(t)/E_n, \quad (5)$$

which can be discretized as:

$$\text{SoE}(k) = \text{SoE}(k-1) - \frac{V(k-1)I(k-1)\Delta t}{\eta E_n}, \quad (6)$$

where Δt represents the sampling time of the system [20]. Considering that the battery used for recycling was previously installed in an EV with a mature battery management system, the following assumption is made.

Assumption 1: The value of E_n is assumed to be known via a mature energy management system (EMS) when implementing the discharging controller for battery recycling. This assumption aligns with practical applications where mature EMS platforms reliably provide SoE data for control purposes.

The value of E_n is assumed to be known via a mature energy management system (EMS) when implementing the discharging controller for battery recycling. This assumption aligns with practical applications where mature EMS platforms reliably provide SoE data for control purposes.

Let the system states be $x(t) \triangleq [\text{SoC}(t), V_1(t), T_s(t), T_c(t)]^\top$, the input be $u(t) \triangleq I(t)$, $y(t) \triangleq [\text{SoE}(t), T_c(t)]^\top$ as the system outputs to be controlled, and $z(t) \triangleq [T_s(t), V(t)]^\top$ as the measurable system outputs. The compact form of the battery model is represented as:

$$\dot{x}(t) = f_c(x(t), u(t)), \quad (7a)$$

$$y(t) = h_c(x(t), u(t)), \quad (7b)$$

$$z(t) = g_c(x(t), u(t)). \quad (7c)$$

To implement a digital controller for real-time control, the continuous-time model (7) can be discretized as follows:

$$x(k+1) = f(x(k), u(k)), \quad (8a)$$

$$y(k) = h(x(k), u(k)), \quad (8b)$$

$$z(k) = g(x(k), u(k)). \quad (8c)$$

where $u(k) \approx u(k \cdot \Delta t)$, $k \in \mathbb{N}$.

For controller design purposes, the battery model in (8a) is linearized at different operating points as:

$$x(k+1) = Ax(k) + Bu(k) + w(k), \quad (9a)$$

$$y(k) = h(x(k), u(k)), \quad (9b)$$

where $w \in \mathcal{W} \subseteq \mathbb{R}^5$ is an unknown but bounded lumped disturbance that includes model mismatch due to linearization and parameter variation. Here, the nonlinear output is a function of the system states and input. Linearizing this output could lead to a loss of accuracy, particularly in capturing the inherent nonlinearities of batteries that are essential for accurate SoE estimation.

To control the core temperature, it is necessary to design an estimator to acquire the system state. In this work, a Kalman filter serves as the state estimator, based on the measured output $z(k)$. The process noise covariance and sensor noise covariance are the two design parameters for configuring this estimator.

III. CONTROLLER FORMULATION

In this section, we briefly discuss the benchmark controllers, namely CC-CV, CC-CT, and DP. Then, we provide a detailed formulation of the proposed controller.

A. Conventional approach

1) *CC-CV method:* Constant current-constant voltage (CC-CV) discharging remains the most widely used method for battery pre-treatment. In this method, the battery is initially discharged at a constant current until it reaches a pre-defined cut-off voltage. This is followed by a constant voltage phase, during which conventional feedback controllers, such as PI controllers, maintain the voltage until the cut-off current is reached [10]. The battery is considered fully discharged once the cut-off current value is achieved [20].

2) *CC-CT method:* The CC-CT controller operates similarly to the CC-CV controller, except that the constant voltage phase is replaced with a constant temperature phase. Since high temperatures during discharge can reduce residual energy, selecting the temperature setpoint involves a trade-off between minimizing remaining energy and ensuring safety.

3) *Dynamic programming:* When the battery system model is accurate, an optimization-based method can be used to compute the control input [21]. In this work, dynamic programming is employed to calculate the optimal discharging current profile, aiming to minimize the SoE as quickly as possible while adhering to the temperature constraint. This approach provides an offline solution to the




Fig. 2. Proposed control structure for battery discharging.

optimal discharging problem, with the optimal control input determined by solving the following optimization problem:

$$\min_u \begin{cases} N_h + w_1 |\text{SoE}(N_h|k)| \\ \quad + w_2 \sum_{i=0}^{N_h} u(i|k), & \text{if } \text{SoE}(i|k) \geq 0 \\ w_3 N_f + w_4 \sum_{i=0}^{N_f} u(i|k), & \text{if } \text{SoE}(N_f|k) < 0 \end{cases} \quad (10a)$$

subject to

$$x(i+1|k) = f(x(i|k), u(i|k)), \quad (10b)$$

$$y(i|k) = h(x(i|k), u(i|k)), \quad (10c)$$

$$T_c(i|k) \leq T_{\max}, \quad (10d)$$

$$0 \leq u(i|k) \leq u_{\max}, \quad (10e)$$

$$x(0|k) = [\text{SoC}(k), V(k), T_s(k), T_c(k)]^\top, \quad (10f)$$

where N_h and N_f represent prediction horizons corresponding to two distinct operational phases of the battery discharge process, based on the SoE, T_{\max} is the upper bound of the core temperature, u_{\max} is the upper bound of the control input.

B. Proposed approach

In this work, our goal is to achieve rapid battery discharge while consistently meeting temperature constraints. To this end, a robust MPC is employed as the controller, and the entire control structure is illustrated in Fig. 2.

We begin by defining a polyhedral set that encapsulates the state and input constraints required during the discharging process as follows:

$$(x(k), u(k)) \in \mathcal{L}, \quad (11)$$

where $\mathcal{L} \triangleq \{q \in \mathbb{R}^6 : A_q q \leq b_q\}$. For the linearized system (9a), its nominal model is given as:

$$\bar{x} = A\bar{x} + B\bar{u}, \quad (12)$$

where \bar{x} and \bar{u} are the nominal state and input, respectively.

Let the error between the linearized and nominal system be $e \triangleq x - \bar{x}$, and design the control action as:

$$u(k) = \bar{u}(k) + K(x(k) - \bar{x}(k)), \quad (13)$$

where K is the feedback control gain that is selected to ensure $(A+BK)$ is a Hurwitz matrix. Then, the dynamics of

the error system between the nominal and linearized systems become:

$$e(k+1) = A_K e(k) + w(k), \quad (14)$$

where $A_K = (A+BK)$. In order to design the robust MPC as the proposed discharging controller, the notation of a robust positively invariant (RPI) set is introduced first.

Definition 1: For the uncertain system (14), the set \mathcal{R} is a robust positively invariant if $A_K \mathcal{R} \oplus \mathcal{W} \subseteq \mathcal{R}$.

Then, if $x(0) \in \bar{x}(0) \oplus \mathcal{R}$, a tighter constraint for the state and input can be formulated as follows:

$$(\bar{x}(k), \bar{u}(k)) \in \bar{\mathcal{L}}, \quad (15)$$

with $\bar{\mathcal{L}} \triangleq \mathcal{L} \ominus (\mathcal{R} \times K\mathcal{R})$. By ensuring the tighter constraint satisfaction of (15) using control input (13), the original constraint (11) can be ensured and the uncertain system controlled is robustly admissible [22]. The computation of the minimal robust invariant set \mathcal{R} can be conducted based on the methods in [23].

In the following, we will design the robust MPC to compute the control input \bar{u} . With a given desired output $y_s \triangleq [\text{SoE}^*, T_c^*]^\top$, the optimal control policy \bar{u} is calculated by minimizing the following problem at each time instant k :

$$\min_{\bar{u}, \bar{x}(0|k)} \sum_{i=0}^{N-1} \left(\|y_s - y(i|k)\|_Q^2 + \|\bar{u}(i|k)\|_R^2 \right), \quad (16a)$$

subject to

$$\bar{x}(i+1|k) = A\bar{x}(i|k) + B\bar{u}(i|k), \quad (16b)$$

$$y(i|k) = h(x(i|k), u(i|k)), \quad (16c)$$

$$(\bar{x}(i|k), \bar{u}(i|k)) \in \bar{\mathcal{L}}, \quad (16d)$$

$$u_{\min} \leq \bar{u}(i+1|k) - \bar{u}(i|k) \leq u_{\max}, \quad i \in \mathbb{N}_{[0, N-1]}, \quad (16e)$$

$$\bar{x}(0|k) \in x(0) \oplus (-\mathcal{R}). \quad (16f)$$

At each time instant k , the control input is given as $u(k) = \bar{u}^*(0|k) + K(x(k) - \bar{x}^*(0|k))$. The cost function in (16) penalizes the SoE while taking account of the input change at each time step.

IV. RESULTS AND DISCUSSION

To demonstrate the effectiveness of the proposed controller, battery discharging is simulated using the CC-CV, CC-CT, dynamic programming, and the proposed robust MPC methods with a high-fidelity Simscape battery model in MATLAB. The performance of each controller is evaluated based on the time taken to complete the discharge and the satisfaction of temperature constraints.

Given that a higher battery temperature during discharge can enhance energy extraction and reduce residual energy, the core temperature tolerance is set to 40°C in this study [10], [24]. For the CC-CT controller, an additional test was conducted with a temperature tolerance of 35°C, with the results referred to as CC-CT1 and CC-CT2, respectively. This comparison is intended to illustrate the trade-off between discharging time and temperature constraint satisfaction.




Fig. 3. Battery discharging performance based on different methods: (a) SoE; (b) terminal voltage; (c) input current; (d) core temperature.

For a fair comparison between the different controllers, the batteries are assumed to be fully charged at the start of the simulation, with an ambient temperature of 20°C. The nominal state of energy is determined through the CC-CV discharging scheme from a fully charged battery.

For the CC-CV controller, the initial discharging current is set as 40 A. This constant current discharging process is followed by a constant voltage stage when the voltage drops below 3.45 V. The entire discharging process stops when the state of energy reaches 0. The controller gains are chosen as $K_P = 50$ and $K_I = 10$.

For the CC-CT controller, it starts with the same 40 A constant current phrase, followed by a temperature-maintaining process using a PI controller with parameters $K_P = 60$ and $K_I = 0.0061$. The tuning parameters for dynamic programming are chosen as $w_1 = 10^5$, $w_2 = 1/10^5$, $w_3 = 10$, $w_4 = 1/10^5$, $T_{\max} = 40$ and $u_{\max} = 40$, with a sampling time of 20 s.

For the proposed controller, the robust MPC is formulated using YALMIP [25], and the optimization is solved using the Mosek solver. The controller gains are chosen as $Q = \text{diag}(10^4, 10^4)$, and $R = 1$. The input constraints are chosen as $u_{\min} = -1$ and $u_{\max} = 1$. Although the proposed robust MPC framework works well in the Simulink environment, its computational efficiency could be improved for real-time industrial use by rewriting the code in a lower-level language like C or C++. This would help reduce solver delays and make it easier to run on embedded systems, making the approach more practical for large-scale battery recycling operations.

The discharging performance using four different methods is demonstrated in Fig. 3, while the discharging time and constraint satisfaction results are summarized in Table. I. The figures illustrate the discharging performance in terms of discharging speed, voltage and current profile, and thermal behavior.

It can be seen that the DP-based method achieves the fastest discharging time, however, the core temperature violates the constraint with the maximum temperature reaching around 50°C. This is mainly due to the model mismatch between the plant and the linearized model used when computing the control input.

The CC-CV method takes the longest time for discharging and does not ensure the temperature constraint either, since temperature information is not explicitly considered in this method. For the two CC-CT-based methods, we can see that the temperature constraint is violated when the temperature reference is set as 40°C and the constraint can be satisfied when a lower tolerance is set. However, this comes at the cost of a longer discharging time.

The proposed robust MPC-based method, on the other hand, prioritizes thermal safety, achieving a controlled and steady energy reduction that outperforms the slower CC-CT2. From Fig. 3(c) and Fig. 3(d), we can see that the proposed method dynamically adjusts the current profile when the core temperature closes to the tolerance value. There is a safety margin from the temperature threshold of

TABLE I
DISCHARGING PERFORMANCE FOR DIFFERENT METHODS

Method	Discharge time	Max. temp.	Cons. satis.
CC-CV	4 hrs 3 mins	60.63°C	No
CC-CT1	3 hrs 1 min	40.10°C	No
CC-CT2	3 hrs 35 mins	35.09°C	Yes
DP	2 hrs 28 mins	49.18°C	No
Proposed method	3 hrs 6 mins	38.69°C	Yes

40°C, demonstrating effective thermal management by the proposed method.

In Table. I, it can be seen that only the CC-CT2 method and the proposed method meet the temperature constraints. The proposed method, however, achieves a faster discharge time than the CC-CT2 method. Although the discharge time of the proposed method is slightly longer than that of the CC-CT1 method, it maintains a lower maximum temperature within the required limits. In summary, while the proposed method does not have the fastest discharge rate, it effectively balances discharge speed and thermal safety, making it suitable for applications that require both efficiency and safety in battery recycling.

In addition, the designed control framework can be applied to more complex battery models, such as multiphysics pseudo-two-dimensional models [26] or model-integrated neural network-based models [27]. For these detailed models, constraints can be imposed directly on safety-related states, such as maximum temperature and overpotential, to further increase discharge speed while maintaining safety. Although the computation time of the proposed discharging framework increases with model complexity, the improved accuracy can reduce model mismatches, resulting in less conservative outcomes. This, in turn, allows for higher temperatures during discharge, thereby reducing the overall process time.

V. CONCLUSIONS

This study presents a robust model predictive control framework for the efficient and safe discharging of lithium-ion batteries during pre-treatment. By integrating temperature constraints directly into the control strategy, the proposed method ensures that the battery temperature remains within safe limits, thereby preventing thermal runaway and potential hazards. The robust MPC approach outperforms traditional methods such as CC-CV, CC-CT, and dynamic programming by achieving faster discharge times while maintaining safety.

The simulation results demonstrate that the proposed method not only meets temperature constraints but also significantly reduces discharging time compared to conventional methods. Among the methods satisfying these constraints, the proposed method reduces discharging time by 13.28% compared to the conventional CC-CT approach. This improvement is particularly important for recycling and second-life applications of EV batteries, as it enhances both the efficiency and safety of the pre-treatment process.

In this work, we investigate cell-level discharging. Future research could explore thermal dynamic modeling and battery discharge at the pack level. Additionally, no current loop

is implemented, meaning the discharge current is generated directly from the controller's reference. PWM-based current control could also be considered in future work.

REFERENCES

- [1] Y. Tao, C. D. Rahn, L. A. Archer, and F. You, "Second life and recycling: Energy and environmental sustainability perspectives for high-performance lithium-ion batteries," *Science advances*, vol. 7, no. 45, p. eabi7633, 2021.
- [2] M. Shahjalal, P. K. Roy, T. Shams, A. Fly, J. I. Chowdhury, M. R. Ahmed, and K. Liu, "A review on second-life of li-ion batteries: Prospects, challenges, and issues," *Energy*, vol. 241, p. 122881, 2022.
- [3] E. Wood, M. Alexander, and T. H. Bradley, "Investigation of battery end-of-life conditions for plug-in hybrid electric vehicles," *Journal of Power Sources*, vol. 196, no. 11, pp. 5147–5154, 2011.
- [4] L. Wang, E. G. Collins, and H. Li, "Optimal design and real-time control for energy management in electric vehicles," *IEEE Transactions on Vehicular Technology*, vol. 60, no. 4, pp. 1419–1429, 2011.
- [5] F. Akar, Y. Tavlasoglu, and B. Vural, "An energy management strategy for a concept battery/ultracapacitor electric vehicle with improved battery life," *IEEE Transactions on Transportation Electrification*, vol. 3, no. 1, pp. 191–200, 2016.
- [6] Y. Yang, S. Bremner, C. Menictas, and M. Kay, "Modelling and optimal energy management for battery energy storage systems in renewable energy systems: A review," *Renewable and Sustainable Energy Reviews*, vol. 167, p. 112671, 2022.
- [7] G. Harper, R. Sommerville, E. Kendrick, L. Driscoll, P. Slater, R. Stolkin, A. Walton, P. Christensen, O. Heidrich, S. Lambert, *et al.*, "Recycling lithium-ion batteries from electric vehicles," *nature*, vol. 575, no. 7781, pp. 75–86, 2019.
- [8] S. Kim, J. Bang, J. Yoo, Y. Shin, J. Bae, J. Jeong, K. Kim, P. Dong, and K. Kwon, "A comprehensive review on the pretreatment process in lithium-ion battery recycling," *Journal of Cleaner Production*, vol. 294, p. 126329, 2021.
- [9] M. Shi, Y. Ren, J. Cao, Z. Kuang, X. Zhuo, and H. Xie, "Current situation and development prospects of discharge pretreatment during recycling of lithium-ion batteries: A review," *Batteries & Supercaps*, vol. 7, no. 2, p. e202300477, 2024.
- [10] A. Mondal, Y. Fu, W. Gao, and C. C. Mi, "Pretreatment of lithium ion batteries for safe recycling with high-temperature discharging approach," *Batteries*, vol. 10, no. 1, p. 37, 2024.
- [11] Y. Chen, Y. Kang, Y. Zhao, L. Wang, J. Liu, Y. Li, Z. Liang, X. He, X. Li, N. Tavajohi, *et al.*, "A review of lithium-ion battery safety concerns: The issues, strategies, and testing standards," *Journal of Energy Chemistry*, vol. 59, pp. 83–99, 2021.
- [12] L. Kong, Y. Li, and W. Feng, "Strategies to solve lithium battery thermal runaway: from mechanism to modification," *Electrochemical Energy Reviews*, vol. 4, no. 4, pp. 633–679, 2021.
- [13] M. Sabarimuthu, N. Senthilnathan, and M. Kamalesh, "Multi-stage constant current–constant voltage under constant temperature (mssc-cv-ct) charging technique for lithium-ion batteries in light weight electric vehicles (evs)," *Electrical Engineering*, vol. 105, no. 6, pp. 4289–4309, 2023.
- [14] M. Yuan, C. Manzie, M. Good, I. Shames, L. Gan, F. Keynejad, and T. Robinette, "Error-bounded reference tracking mpc for machines with structural flexibility," *IEEE Transactions on Industrial Electronics*, vol. 67, no. 10, pp. 8143–8154, 2019.
- [15] M. Yuan, Y. Wang, L. Li, T. Chai, and W. T. Ang, "Safety-based speed control of a wheelchair using robust adaptive model predictive control," *IEEE Transactions on Cybernetics*, 2023.
- [16] A. K. de Souza, G. Plett, and M. S. Trimboli, "Lithium-ion battery charging control using a coupled electro-thermal model and model predictive control," in *2020 IEEE Applied Power Electronics Conference and Exposition (APEC)*. IEEE, 2020, pp. 3534–3539.
- [17] L. W. Traub, "Calculation of constant power lithium battery discharge curves," *Batteries*, vol. 2, no. 2, p. 17, 2016.
- [18] C. Zou, X. Hu, Z. Wei, and X. Tang, "Electrothermal dynamics-conscious lithium-ion battery cell-level charging management via state-monitored predictive control," *Energy*, vol. 141, pp. 250–259, 2017.
- [19] Y. Li, T. Wik, C. Xie, Y. Huang, B. Xiong, J. Tang, and C. Zou, "Control-oriented modeling of all-solid-state batteries using physics-based equivalent circuits," *IEEE Transactions on Transportation Electrification*, vol. 8, no. 2, pp. 2080–2092, 2021.

- [20] Z. Wei, H. He, and J. Hu, "Unbiased model identification and state of energy estimation of lithium-ion battery," in *2020 IEEE Energy Conversion Congress and Exposition (ECCE)*. IEEE, 2020, pp. 5595–5599.
- [21] M. Xu, R. Wang, P. Zhao, and X. Wang, "Fast charging optimization for lithium-ion batteries based on dynamic programming algorithm and electrochemical-thermal-capacity fade coupled model," *Journal of Power Sources*, vol. 438, p. 227015, 2019.
- [22] D. Limón, I. Alvarado, T. Alamo, and E. F. Camacho, "Robust tube-based mpc for tracking of constrained linear systems with additive disturbances," *Journal of Process Control*, vol. 20, no. 3, pp. 248–260, 2010.
- [23] S. V. Rakovic, E. C. Kerrigan, K. I. Kouramas, and D. Q. Mayne, "Invariant approximations of the minimal robust positively invariant set," *IEEE Transactions on automatic control*, vol. 50, no. 3, pp. 406–410, 2005.
- [24] K. Chen and X. Li, "Accurate determination of battery discharge characteristics—a comparison between two battery temperature control methods," *Journal of Power Sources*, vol. 247, pp. 961–966, 2014.
- [25] J. Lofberg, "Yalmip: A toolbox for modeling and optimization in matlab," in *2004 IEEE international conference on robotics and automation (IEEE Cat. No. 04CH37508)*. IEEE, 2004, pp. 284–289.
- [26] Y. Li, T. Wik, Y. Huang, and C. Zou, "Nonlinear model inversion-based output tracking control for battery fast charging," *IEEE Transactions on Control Systems Technology*, 2023.
- [27] Y. Huang, C. Zou, Y. Li, and T. Wik, "Minn: Learning the dynamics of differential-algebraic equations and application to battery modeling," *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 2024.