



A meta-analysis of the relationship between climate change experience and climate change perception

Downloaded from: <https://research.chalmers.se>, 2026-05-18 14:41 UTC

Citation for the original published paper (version of record):

Xia, Z., Ye, J., Zhou, Y. et al (2022). A meta-analysis of the relationship between climate change experience and climate change perception. *Environmental Research Communications*, 4(10).
<http://dx.doi.org/10.1088/2515-7620/ac9bd9>

N.B. When citing this work, cite the original published paper.

PAPER • OPEN ACCESS

A meta-analysis of the relationship between climate change experience and climate change perception

To cite this article: Ziqian Xia *et al* 2022 *Environ. Res. Commun.* **4** 105005

View the [article online](#) for updates and enhancements.

You may also like

- [Psychological and experiential factors affecting climate change perception: learnings from a transnational empirical study and implications for framing climate-related flood events](#)
Gala Munoz-Carrier, Dana Thomsen and Gary J Pickering
- [Adopting LEDs changes attitudes towards climate change: experimental evidence from China](#)
Yu Gao, Giovanna d'Adda and Massimo Tavoni
- [How will climate change shape climate opinion?](#)
Peter D Howe, Jennifer R Marlon, Matto Mildenberger *et al.*

Environmental Research Communications



PAPER

A meta-analysis of the relationship between climate change experience and climate change perception

OPEN ACCESS

RECEIVED

27 July 2022

REVISED

3 October 2022

ACCEPTED FOR PUBLICATION

18 October 2022



PUBLISHED

31 October 2022

Original content from this work may be used under the terms of the [Creative Commons Attribution 4.0 licence](#).

Any further distribution of this work must maintain attribution to the author(s) and the title of the work, journal citation and DOI.



Ziqian Xia^{1,12} , Jinquan Ye^{2,12}, Yongan Zhou^{3,12}, Peter D Howe⁴ , Ming Xu^{5,6}, Xianchun Tan⁷, Xi Tian^{8,9,10} and Chao Zhang^{11,*} 

¹ School of Economics and Management, Tongji University, Shanghai, People's Republic of China

² School of Public Policy and Administration, Nanchang University, Nanchang, People's Republic of China

³ Chalmers University of Technology, Sweden

⁴ Department of Environment and Society, Utah State University, United States of America

⁵ School of Environment and Sustainability, University of Michigan, Ann Arbor, MI, United States of America

⁶ School of Environment, Tsinghua University, Beijing, People's Republic of China

⁷ Institutes of Science and Development, Chinese Academy of Sciences (CAS), Beijing, People's Republic of China

⁸ Research Center for Central China Economic and Social Development, Nanchang University, Nanchang, People's Republic of China

⁹ School of Economics and Management, Nanchang University, Nanchang, People's Republic of China

¹⁰ Jiangxi Ecological Civilization Research Institute, Nanchang University, Nanchang, People's Republic of China

¹¹ United Nation Environment-Tongji Institute of Environment for Sustainable Development, Tongji University, Shanghai, People's Republic of China

¹² As review team members, these authors contribute equally.

* Author to whom any correspondence should be addressed.

E-mail: chao_zhang@tongji.edu.cn

Keywords: climate change perception, extreme weather, meta-analysis, climate change experience

Supplementary material for this article is available [online](#)

Abstract

Will climate change experience shape people's climate change perception? To examine the evidence, we performed a pre-registered meta-analysis using data from 302 studies, covering 351,378 observations. Our results find that climate change experience only has a weak positive correlation with climate change awareness in general ($r = 0.098$, 95% CI 0.0614, 0.1348), and the effect sizes vary considerably across different climate events. General hazard and temperature anomalies experiences have significant correlations, but other events exhibit no or neglectable effects. The moderator analysis showed that self-reported studies result in higher correlations, whereas studies based on victims' actual experiences report lower effect sizes. Our study suggests that people's climate change experiences may not be effective in shaping their awareness of climate change, which is likely due to people's attribution style and adaptability. The importance of proactive education thus is further emphasized to raise the awareness of climate change.

1. Introduction

Human-induced climate change is increasing the frequency and severity of extreme weather events worldwide, such as drought, floods, heat waves and wildfires [1, 2]. Direct damages and widespread adverse impacts on human livelihood and well-being caused by these natural disasters call for inter-governmental collective actions and cooperation across different social classes [3, 4]. Climate change perception, referring to individuals' perceptions, beliefs, and concerns about climate change (table S2) [5, 6], is a prerequisite for mobilizing climate change mitigation or adaptation behaviors and is critical for massive collective behavior changes [7]. Further, awareness and perceptions can influence regional climate policymaking and nation-level climate goals through public opinion expression and public participation [8, 9]. Thus, understanding the public's perception is an important step in the effort to combat climate change. Over the past decades, from a worldwide scope, belief in climate change has been gradually increasing in all age groups according to a previous study [10]. However, climate change skeptics is still a prominent barrier to climate change mitigation and adaptation behaviours.

There could be various channels promoting perspective changes, for example, better education on scientific findings, more extensive mass media coverage, as well as personal experiences with extreme weather events. Compared to knowledge and information transfer processes, experiences are the most direct way that people can feel the real impacts of climate change, thus personal experience has received particular research interest [11]. A growing number of empirical studies have probed into questions of how climate change experiences affect perceptions of climate change and what factors make this effect different. With reference to previous studies [11–13], climate change experiences in this paper refer to self-reported or objectively recorded extreme weather events. Proxy variables representing extreme weather events include temperature, precipitation, and other objective indicators as well as subjective assessment of experiences.

To date, various insights regarding the impacts of extreme weather, abnormal temperatures, and natural disasters experiences on climate change perception have been gained, but are still controversial. Some studies have reported an unambiguous causal link between climate change experiences and perception [5, 12, 14, 15]. Others doubt the correlation may be negligible [16, 17]. Based on these studies, scholars have systematically reviewed the relationship from a holistic perspective. Weber [18, 19] provided a comprehensive review of the factors influencing the perception of climate change, and concluded that either local or global-scale warming impacts on individual beliefs. Borick and Rabe [20] further concluded that these kind of experiences will shape the public's global warming beliefs and their policy preferences. Sugerma [21] found a small but significant effect focusing on the beliefs change after experiencing local temperature anomalies. Howe [11, 13] pointed out that there are moderating effects of study design, samples and measurements.

These studies contributed significantly to our understanding of the relationship between climate change experiences perceptions, but several improvements are still needed to gain a more thorough and more detailed insight. First, many of the aforementioned studies failed to cover all types of climate change events but focused only on meteorological indicators such as temperature [2, 21, 22]. However, public perception of climate change is affected not only by temperature anomalies, but also by other climate hazards [23]. Second, an update on the review is necessary due to booming of relevant studies in recent years. Third, the correlation between climate change experience and perception, as well as its assessment is interfered by many study-level variables, need to be untangled to explore possible moderators in the relationship. Finally, controversy over the conclusions need to be clarified based on a more comprehensive summary of the growing number of empirical studies. Therefore, a meta-analysis based on large samples is of great importance to provide us with quantitative evidences [24].

This paper aims at filling current research gaps by conducting a more comprehensive and updated meta-analysis¹³ following open science practices. We examined the effects of various climate change experiences on perceptions, including extreme weather, unusual temperatures, long-term or short-term climatic conditions. Our data also includes studies of different regions, times, and research methods, covering more than 300 effect sizes extracted from 70 studies, which contains relatively more abundant cases compared to previous studies [5, 13, 21, 23]. With this advantage, we are able to explore the heterogeneity of existing researches and evaluate the relationship in a robust way. Below, we report our holistic evidence on how climate change experience affects public climate change awareness, perception and opinion in general and how study-level factors influence the effect.

2. Methods

2.1. Inclusion criteria and selection of studies

We first took account of all relevant literature from previous reviews [11, 18, 19, 25], and a new search for more recent ones was conducted. We searched article abstracts, keywords and titles for terms related to extreme weather and climate change in January 2022. A comprehensive search strategy was designed before pre-registration, and we selected *Web of Science (WoS)*, *PsycINFO* and *ScienceDirect* as our searching database (ref to supporting materials to see full search process). Searching keywords used include three clusters, namely climate change related keywords (i.e., 'Climate chang*', 'Global warming*', 'Climate risk*', 'Climate variabilit*', 'Climate extrem*' and 'Climate uncertaint*'), perception-related keywords (i.e., 'perception*', 'awareness', 'opinion*', 'attitude', 'belief*' and 'experience*'), and extreme weather related keywords (i.e., 'extreme', 'weather*', 'cyclone', 'drought', '*fire', 'flood*', 'hail storm', 'heat wave', 'sea level rise', 'storm', 'tornado', 'thunder', 'tropical storm', 'typhoon', 'wildfire', 'wild fire' and 'cold wave'). Additionally, we manually checked the following high-related journals, which are: *Environment and Behavior*, *Global Environmental Change*, *Journal of Environmental Psychology*, *Climatic Change*, *Environmental Politics*. The PRISMA flowchart of this paper is reported in supporting materials.

¹³ This meta-analysis is pre-registered at AsPredicted, and the protocol can be found in OSF page (https://osf.io/be9us/?view_only=d23f3a1ba4e842d4afed479c0842d360).

Once the metadata had been retrieved, Zotero was used to import and de-duplicate the literature information, with the ability to download accessible articles in bulk. We used Rayyan [26], a web and mobile app for systematic reviews, to initially screen the metadata. Two pre-trained raters performed independent screening with the assistance of Rayyan according to the coding manual, and the results were checked by another rater. Disputes that arose during this process were addressed by the corresponding author. We then retrieved the full text of the literature after completing the abstract screening process. For articles where full text is not available, we tried to reach out by searching for author information in the metadata, and if the contact fails, the article would not be included in the analysis (figure S2). In this paper, climate change perception was defined as the attitudes, beliefs, attribution and intentions towards climate change, and we only included studies that report the correlation coefficient (or other related statistics) between extreme weather and climate change perception [11, 18, 27]. We found a variety of acceptable extreme weather events, including cold wave, cyclones, droughts, floods, heatwaves, temperature anomalies, wildfires, and precipitation anomalies, etc. An overview of this criterion is provided in our research protocol.

2.2. Effect size calculation and moderators

We adopted Ringquist's suggestion that for r -based effects [28], we used the following rules for their calculation: (1) If an article reports correlation coefficients, we directly converted the correlation coefficients to Fisher's z . (2) If an article reports regression coefficients or t - or z - type statistics, we first converted the statistics to r and subsequently converted them to Fisher's z . (3) If an article uses an experimental design, we first calculated Cohen's d , and then converted it to Fisher's z . The calculation of effect sizes is shown in detail in the pre-registration file. In addition to the calculation of effect sizes, other possible moderators were also extracted from the article, such as the types of extreme weather, the way perception was measured, the country or region, the sample size, the duration of the disaster, etc. These moderating variables were used in the subsequent meta-regression analysis.

2.3. Research synthesis

Since most of the included studies have multiple outcome variables, to harmonize the dependency of effect sizes within studies, we estimated a multi-level meta-analysis model [29, 30], using the R package *metafor* [31]. The three-level model is consisted of three different levels of variability regarding effect sizes: the sampling variance of the individual extracted effect sizes (level 1), the variance between effect sizes extracted from the same study (level 2), and the variance between effect sizes extracted from different clusters (level 3) [30]. Variability of level 2 and 3 are estimated, while level-1 variability is assumed to be known and computed as the observed sampling variance of the extracted effect sizes. Before modelling, we checked the anomalous studies. Using *infl* function in *metafor* package, we eliminated possible outliers by calculating metrics such as cook's d [32]. Also, since meta-analysis is sensitive to estimators, we used multiple estimators (REML, ML, HS, DL) for regression in order to ensure the validity of the results [33]. Besides, the assessment of publication bias is a crucial part of refining meta-analytical analyses. We examined publication bias using funnel plots which can reflect the bias through asymmetry of the plot. As demonstrated in figure S3, there exist an asymmetry in the effect sizes, which indicates a potential publication bias.

3. Results

3.1. Sample description

We conducted a systematic search for studies related to climate change experiences and climate change perceptions, in which the samples exhibited a high degree of diversity and a visible increment. As many as 302 effect sizes of different climate change experiences were reported in the 70 articles eventually included in the study. Over twenty types of events related to climate change such as floods [23, 34], hurricanes [35, 36], temperature anomalies [37], droughts [12], precipitation anomalies [38, 39], and other climate-related natural hazards [40] are included. These samples covered 351,378 participants in 12 countries, among which 11,831 individuals (3.4%) were directly exposed to climate change events. We grouped these events into 12 categories, i.e., general temperature anomalies, cyclone, general hazard experience, flood, drought, general weather anomalies, precipitation, snow anomalies, heat wave, cold wave, wildfire and others (all the criteria for classification are presented in method section). Table 1 shows descriptive statistics for the dataset classified by different climate events, where general temperature anomalies accounts for 33% of the samples. Drought ranks second accounting for 8%. In the included articles, effect sizes were used to measure the magnitude of the correlation between climate change perception and personal experiences with climate events because they are independent of the unit of measurement and are not influenced by sample size (e.g., the correlation between reported typhoon weather experiences and reported climate change perceptions can be uniformly translated

Table 1. Descriptive statistics of the included effects.

Climate event	No. of effects	Percentage of total sample	Max effect	Min effect	Mean sample sizes
Cold wave	6	2%	0.140	−0.007	18945
Cyclone	22	8%	0.154	−0.098	2778
Drought	39	13%	0.214	0.000	8595
Flood	22	8%	1.033	−0.063	4555
General hazard experience	20	7%	0.427	−0.035	5387
General temperature anomalies	97	33%	0.929	−0.623	3123
General weather anomalies	17	6%	0.460	−0.064	1633
Heat wave	16	6%	0.203	−0.020	8687
Others	10	3%	0.637	−0.121	4331
Precipitation	24	8%	0.365	−0.182	6266
Snow anomalies	15	5%	0.289	−0.034	4123
Wildfire	2	1%	0.026	−0.007	16125

into effect sizes of the same scale). A higher value means a positive relationship of the climate-related event on climate change perception (more intensive climate event is associate with belief that climate change is human-induced or support for climate change policies, etc.). The effects of all climatic hazards featured conspicuous variability, with minimum values less than or equal to zero. Flood and general temperature anomalies have the two largest values of maximum effect size.

Meanwhile, measurements of climate change events (e.g., self-reported or objective data) and types of climate change perceptions were extracted and used to explain the heterogeneity in effect sizes. A full table of these data is displayed in supplementary information table S1.

3.2. Overall weak and limited correlation between climate change experience and climate change perception



By implementing multilevel meta-analysis, we first synthesized the effect sizes for all studies. After controlling for individual study errors, sampling error, and effect size dependency, we found positive but very weak effects ($r = 0.0981$, 95% CI: 0.0614, 0.1348; outliers were dropped, see Method section for detail). Considering the results of the meta-analysis are very sensitive to different models and estimators, we re-calculated the pooling effect using a different method [33]. In the most basic random effects model, the DerSimonian-Laird estimator was used, and the corresponding r was estimated to be 0.0544 (Hunter-Schmidt: 0.0542, Maximum-likelihood: 0.0629, Restricted maximum-likelihood: 0.0629; figure 1(A)), which still shows a negligible correlation. Despite substantial heterogeneity ($Q = 8513$), evidence shows that in general across all types of events, climate change experience is not correlated with climate change perception, and that the causal relationship between them is, furthermore, likely to be negligible [41].

We further successively explored the temporal evolutionary trends of effect sizes. In figure 1(B), the x -axis denotes the effect size (correlation coefficient between climate change awareness and climate change experience) and the y -axis represents the heterogeneity in the samples. The trajectory from gray to black reveals the evolutionary trend over time. This illustrates the process of changes in effect sizes as the number of studies increases, starting with the first paper in 2006 (denoted in light grey) and ending with the last study in 2022 (denoted in black). It is evident that the heterogeneity is low at the beginning (because the lack of literature), then increases as more studies of different designs are involved, and finally decreases again. The effect sizes fluctuate drastically in early years, then gradually stabilize and aggregate as the results accumulate. It is worth mentioning that during the entire time span covered by involved studies, the effect sizes fall into the weak effect interval less than 0.3 at most moments.

3.3. Most climate events have low effect on perception

Subgroup analysis was conducted to examine the heterogeneity associated with different types of climate-related events. Does exposure to a specific climate change event results in different levels of climate change perception? Based on the classification above, we performed a multilevel meta-analysis for each group, and as before, we controlled for correlation in the same article, heterogeneity across experiments, and statistical error. As shown in figure 2, the point estimates for all climate events are greater than zero, but the 95% confidence intervals for most estimates contain zero, which implies insignificant correlations. Only the effect size for floods, droughts, general temperature anomalies and general hazard events are significantly higher than zero, indicating a valid but weak correlation.

General hazard experience exhibits the highest correlation with climate change perception ($z = 0.154$ corresponding $r = 0.153$, $d = 0.312$). General hazard experience includes studies that did not clearly indicate a specific classification, such as studies using the description ‘experience of a natural disaster’ or ‘personal



experience with climate change' in the questionnaire. Also, a few studies using synthetic indices, such as the Climate Extreme Index, are also included in this category [42, 43].

General temperature anomalies likewise exhibit a result that is significant and close to the general extreme experience. In this subgroup, most studies use local temperatures or deviations of local temperatures from normal to measure climate change experiences. In a previous meta-analysis, the researchers included 31 climate change experiences specified as local temperatures to examine the relationship between the remaining climate change belief [21]. In their study, a low effect size was summarized ($d = 0.17$, corresponding $r = 0.085$). By expanding the sample size, we included 97 effect sizes for temperature or temperature anomalies (Heat wave was separated from Cold wave when high and low temperatures could be identified). We obtained a slightly larger effect size ($r = 0.10$, corresponding $d = 0.201$), and such effect size indicates a limited influence of temperature on the perception of climate change.

Droughts and floods both show weak but significant effects. Droughts include directly identifiable dry weather events, while precipitation anomalies (unspecified restricted or excess precipitation) are not included in this classification. Overall, compared to floods ($z = 0.0362$, corresponding $r = 0.0362$, $d = 0.072$), droughts ($z = 0.0437$, corresponding $r = 0.0437$, $d = 0.087$) reflect a higher effect size, but both of their effects are small.

Also, it is noted that the error of some types of climate-related events is substantial, such as the two categories: wildfires and others (see note in the figure 2). They both have small sample size (only two for wildfires), and the category of others contains a variety of events or measurement such as wind speed, sea level rise, and diseases due to climate change, which leads to high heterogeneity and errors.

Overall, our subgroup analyses suggest that the relationship between climate change experience and climate-related hazards is likely not significantly influenced by different climate change events. Most of the specific climate change experiences do not have a correlation with perceptions. However, general hazard experiences and general temperature experiences are weakly correlated with climate change perceptions, while negligible correlations existed for floods and droughts. Next, we will take a closer look at the other variables that predict the effect size in the moderation analysis.

3.4. Impact of moderators on the correlation

Meta-regression is used to examine the effect of experimental design on effect sizes. Key characteristics of the studies were selected as moderating variables, including the method of measurement (self-reported or objective), directly or indirectly exposure to climate event (victims or not), region of the research, whether it is a temperature-based study, whether behavior is studied, whether the sample size is large (namely, $N > 500$, follow the categorization of Nisa's study [44]), and the time of publication. These variables were treated as dummy variables if they are discrete, and we used multilevel meta-regression with REML estimators to compute the model.

As shown in table 2, we find that three moderating variables show significant impact on the value of effect size: method of measurement, whether the climate event was directly experienced, and the sample size of the study. Among these, climate change experiences measured by self-report significantly increased the effect size (p -value = 0.0009, standard error = 0.0370), implying that higher correlations may be observed in studies that use solely questionnaires rather than external indicators of experience. This result also indicates that, compared to actual climate change experiences, perceived climate change experiences are more correlated with climate change perception, confirming the hypothesis brought by previous systematic review [11]. Peoples' recognition of experiences of climate change events may be determined by their knowledge about the physical characteristics of climate change and their prior beliefs about the phenomenon. Thus, people who report such experiences may tend to have a better understanding of climate change and be more likely to believe that human-caused climate change is happening and poses a threat. Interestingly, direct exposure to climate change events (i.e., studies that used external indicators of direct exposure to climate-related events as a sample) reports a lower correlation compared to indirect exposure (p -value = 0.0199, standard error = 0.0623). A possible reason for this is that some people's feeling of negative impacts will elicit a state of aversive arousal [45] and people's refusal on attributing their extreme weather experience to the climate change [14]. Finally, studies with a broader spatial scale are more likely to report lower effect sizes, compared to studies focusing on small areas. The regression result for sample size is marginally significant (p -value = 0.0610, standard error = 0.0559), suggesting that small-scale studies may tend to report an overestimation of correlations.

4. Discussion

Can climate change experience influence climate change perception? Our answer is yes, but the influence is negligible. Based on current outcomes, we find that overall climate change experiences have positive but very weak effects on climate change perception. Such results can also be confirmed in most of the subgroup analyses,

Table 2. Meta-regression table: effect sizes as dependent variable.

Variables	Coefficient	Standard error	95% Upper bound	95% Lower bound	P-Value
Intercept	18.5898	14.8451	47.8125	−10.6329	0.2115
Measurement: (Baseline: Objective)					
Self-reported ^c	0.1248	0.0370	0.1977	0.0520	0.0009
Exposure: (Baseline: Indirect)					
Direct ^b	−0.1459	0.0623	−0.0232	−0.2685	0.0199
Region: (Baseline: America)					
Asia	−0.0456	0.0753	0.1028	−0.1939	0.5459
Europe	0.0862	0.0706	0.2251	−0.0527	0.2230
Oceania	0.0196	0.1407	0.2967	−0.2574	0.8891
World	−0.0103	0.1513	0.2876	−0.3081	0.9460
Temperature or not: (Baseline: Non-temp)					
Temperature	0.0057	0.0171	0.0393	−0.0279	0.7382
Behavior/Perception (Baseline: Behavior)					
Perception	0.0667	0.0429	0.1511	−0.0177	0.1211
Large study (N > 500) (Baseline: Non-large)					
Yes ^a	−0.1051	0.0559	0.0049	−0.2151	0.0610
Year					

^a : $p < 0.05$,

^b : $p < 0.01$


^c : $p < 0.001$

with only a few particular types of climate change-related experiences marginally influencing climate change perception (namely, general hazard and temperature anomalies, and drought and flood experiences). Of these, general hazard experience showed the highest effect size, and the inclusiveness of this subgroup may be the reason, as respondents may have grouped a variety of experiences into this category and amplified its impact on their own perceptions. The results are similar to previous meta-analyses with smaller samples [13] and corroborate the current controversial debate on this topic [11, 25].

We believe that there are several possible explanations for the weak correlation. First, for most studies, there may be temporal variations in subjects' perceptions when using large-scale research data matched with meteorological data. As in the case of climate change attention, the public's attention tends to peak after a climate change campaign occurred and then to decline rapidly in the following days [46]. Therefore, it is unlikely that an invariable state of people's perceptions of climate change can be obtained, considering the impact of extreme events on perception fades quickly over time [47]. Second, previous research suggested that there may be other strong moderating or mediating variables that determine whether climate change experiences increase climate change perception (e.g., pre-existing political orientation and environmental awareness) [48]. For example, some previous studies shew a strong social desirability effect in climate change communication, with some people even getting irritated and denying the existence of climate change due to their political association [14]. Third, it is somehow possible that climate change experiences will not successfully trigger reflection on climate change attribution [14]. Experience with climate change may only enhance physical knowledge of the environment, which has either a negative or no significant effect on perception [49]. Finally, cultural and geographical differences could also make the effect insignificant. Previous cross-cultural studies have illustrated that perceptions of temperature can increase climate change awareness only in Asia and Africa [5], whereas most of the studies included in the current paper are from North America and Europe, which may have led to a weak effect [5]. Overall, we believe that there are complex psychological mechanisms linking climate change experience and climate change awareness. Future research needs to further explore causal relationships behind the phenomenon.

On the other hand, self-reported studies show more significant correlations compared to studies using external indicators of climate-related experience. This partially supports the previous view that the subject's perception of climate change arises only if he/she relates the experience to climate change [45]. We subsequently infer that this may come from the individual's bias about the questionnaire setting, which helped subjects to make attributions by answering questions about their climate change experiences. This led to higher scores of perceptions on the follow-up question about climate change perception. At the same time, self-reporting also implies the influence of other uncertainties such as social desirability [50] effects and forgetfulness [51], which may have led to additional biases.

Paradoxically, a lower effect size may be reported for disaster victims: respondents who have directly experienced harm from actual climate change-related events. A possible explanation for this is that the



first-hand experience of the disaster is more likely to trigger individual’s intrinsic psychological defence mechanism. This occurs in studies of climate change proximity [45]. For example, when people feel negative emotions, they may mitigate such feelings by avoiding or not caring about the cause of the negative emotions, if they also have low self-efficacy to address or adapt to these kinds of experience. It is worth noting that since the investigation of disaster victims is likely to elicit their adverse emotional reactions, this may further deepen their harm while creating resistance to the research. Due to the limitations of the current research sample, we are unable to further explore such psychological mechanisms, but we stress that such research must be conducted in accordance with research ethics and give victims the most support and assistance.

Grounded on our study, we propose some challenges for future research: (1) Current research lacks theoretical explanations. One third of the research included in this paper do not provide a theoretical explanation for the correlation between climate change experience and climate change perception (figure S1). (2) Climate change perception has predictive power for climate change adaptation and mitigation behaviours, but there are still many potential barriers that prevent behaviours from occurring. Although there have been many studies focussing on inaction in environmental psychology [52, 53], different pro-environmental behaviours with high or low impact have different psychological mechanisms [54–56]. Upcoming studies may focus on the possible pathway of promoting climate change perception to actual behaviour. (3) Research in regions other than the United States needs to be expanded. Currently, 73% of involved studies are from U.S. samples, 12% from EU countries and there is a shortage of research in developing countries except China (9%) (figure 3). (4) Other climate change experiences that deserve attention, such as sea level rise and diseases due to climate change, are rarely seen in current studies.

At the same time, our research brings policy insights for those who communicating about climate change and decision makers. As we find that greater experience with the direct effects of climate change may be insufficient to prompt major changes in public opinion, we emphasize that improving attribution to the public may be essential for effective climate change communication. Media can increase communication of climate change reflection in the occurrence of extreme weather events thus to enhance public’s attribution. Also, more measures need to be taken to overcome the denial or little reflection of climate change related extremes brought about by political positions, conflicting personal values, and research design.

Acknowledgments

The authors gratefully acknowledge the financial support from Jiangxi Social Science Foundation (21ST06) and 'Shuguang Program' (21SG22) of Shanghai Municipal Education Commission.

Data availability statement

The data that support the findings of this study are openly available at the following URL: https://osf.io/be9us/?view_only=d23f3a1ba4e842d4afed479c0842d360.

Code availability

The codes generated for this paper are available in the Open Science Framework repository: https://osf.io/be9us/?view_only=d23f3a1ba4e842d4afed479c0842d360.

ORCID iDs

Ziqian Xia  <https://orcid.org/0000-0002-9551-0024>

Peter D Howe  <https://orcid.org/0000-0002-1555-3746>

Chao Zhang  <https://orcid.org/0000-0003-3686-4743>

References

- [1] Berglez P and Al-Saqaf W 2021 Extreme weather and climate change: social media results, 2008–2017 *Environ Hazards [Internet]*. **20** 382–99
- [2] Moore F C, Obradovich N, Lehner F and Baylis P 2019 Rapidly declining remarkability of temperature anomalies may obscure public perception of climate change *Proc Natl Acad Sci U S A*. **116** 4905–10
- [3] Van Aalst M K 2006 The impacts of climate change on the risk of natural disasters *Disasters*. **30** 5–18
- [4] Albright E A 2020 Disaster-driven discussion *Nat Clim Chang*. **10** 12–3
- [5] Lee T M, Markowitz E M, Howe P D, Ko C Y and Leiserowitz A A 2015 Predictors of public climate change awareness and risk perception around the world *Nat Clim Chang*. **5** 1014–20
- [6] Yang J, Gounaridis D, Liu M, Bi J and Newell J P 2021 Perceptions of climate change in China: open-ended surveys in six cities. *Earth's Future* **9** 12
- [7] Hornsey M J, Harris E A and Fielding K S 2018 Relationships among conspiratorial beliefs, conservatism and climate scepticism across nations *Nat Clim Chang [Internet]*. **8** 614–20
- [8] Brosch T 2021 Affect and emotions as drivers of climate change perception and action: a review *Curr Opin Behav Sci [Internet]*. **42** 15–21
- [9] Werfel S H 2017 Household behaviour crowds out support for climate change policy when sufficient progress is perceived *Nat Clim Chang*. **7** 512–5
- [10] Milfont T L, Zubielevitch E, Milojev P and Sibley C G 2021 Ten-year panel data confirm generation gap but climate beliefs increase at similar rates across ages *Nat Commun [Internet]*. **12** 1–8
- [11] Howe P D, Marlon J R, Mildemberger M and Shield B S 2019 How will climate change shape climate opinion? *Environ. Res. Lett.* **14** 11
- [12] Marlon J R et al 2021 Hot dry days increase perceived experience with global warming *Glob Environ Chang [Internet]*. **68** 102247
- [13] Howe P D 2021 Extreme weather experience and climate change opinion *Curr Opin Behav Sci [Internet]*. **42** 127–31
- [14] Boudet H, Giordano L, Zanocco C, Satein H and Whitley H 2020 Event attribution and partisanship shape local discussion of climate change after extreme weather *Nat Clim Chang [Internet]*. **10** 69–76
- [15] Demski C, Capstick S, Pidgeon N, Sposato R G and Spence A 2017 Experience of extreme weather affects climate change mitigation and adaptation responses *Clim Change [Internet]*. **140** 149–64
- [16] Shum R Y 2012 Effects of economic recession and local weather on climate change attitudes *Clim Policy*. **12** 38–49
- [17] Marquart-Pyatt S T, McCright A M, Dietz T and Dunlap R E 2014 Politics eclipses climate extremes for climate change perceptions *Glob Environ Chang [Internet]*. **29** 246–57
- [18] Weber E U 2010 What shapes perceptions of climate change? *Wiley Interdiscip Rev Clim Chang*. **1** 332–42
- [19] Weber E U 2016 What shapes perceptions of climate change? New research since 2010 *Wiley Interdiscip Rev Clim Chang*. **7** 125–34
- [20] Borick C P and Rabe B G 2017 *Personal Experience, Extreme Weather Events, and Perceptions of Climate Change*. (Oxford, United Kingdom: Oxford Research Encyclopedia of Climate Science)
- [21] Sugerman E R, Li Y and Johnson E J 2021 Local warming is real: a meta-analysis of the effect of recent temperature on climate change beliefs. *Curr Opin Behav. Sci.* **42** 121–6
- [22] Mumenthaler C, Renaud O, Gava R and Brosch T 2021 The impact of local temperature volatility on attention to climate change: evidence from spanish tweets *Glob Environ Chang [Internet]*. **69** 102286
- [23] Spence A, Poortinga W, Butler C and Pidgeon N F 2011 Perceptions of climate change and willingness to save energy related to flood experience *Nat Clim Chang [Internet]*. **1** 46–9
- [24] Gurevitch J, Koricheva J, Nakagawa S and Stewart G 2018 Meta-analysis and the science of research synthesis *Nature [Internet]*. **555** 175–82
- [25] Hornsey M J, Harris E A, Bain P G and Fielding K S 2016 Meta-analyses of the determinants and outcomes of belief in climate change *Nat Clim Chang*. **6** 622–6
- [26] Ouzzani M 2017 Rayyan — a web and mobile app for systematic reviews *Syst Rev*. **2016** 1–10

- [27] Bradley G L, Babutsidze Z, Chai A and Reser J P 2020 The role of climate change risk perception, response efficacy, and psychological adaptation in pro-environmental behavior: a two nation study *J Environ Psychol [Internet]*. **68** 101410
- [28] Ringquist E 2013 *Meta-analysis for public management and policy*. (New Jersey, NJ: Wiley)
- [29] Assink M and Wibbelink C J M 2016 Fitting three-level meta-analytic models in R: A step-by-step tutorial *Quant Methods Psychol*. **12** 154–74
- [30] Cheung M W L 2014 Modeling dependent effect sizes with three-level meta-analyses: a structural equation modeling approach *Psychol Methods*. **19** 211–29
- [31] Viechtbauer W 2010 Conducting meta-analyses in R with the metafor package *J Stat Softw*. **36** 1–48
- [32] Viechtbauer W and Cheung M W W L 2010 Outlier and influence diagnostics for meta-analysis *Res Synth Methods*. **1** 112–25
- [33] van der Linden S and Goldberg M H 2020 Alternative meta-analysis of behavioral interventions to promote action on climate change yields different conclusions *Nat Commun [Internet]*. **11** 10–1
- [34] Ogunbode C A, Doran R and Böhm G 2020 Individual and local flooding experiences are differentially associated with subjective attribution and climate change concern *Clim. Change* **162** 2243–55
- [35] Wilson R S, Herziger A, Hamilton M and Brooks J S 2020 From incremental to transformative adaptation in individual responses to climate-exacerbated hazards *Nature Climate Change. Nature Research* **10** 200–8
- [36] Tanim S H, Wiernik B M, Reader S and Hu Y 2021 Predictors of hurricane evacuation decisions: a meta-analysis *J Environ Psychol [Internet]*. 101742
- [37] Marlon J R, van der Linden S, Howe P D, Leiserowitz A, Woo S H L and Broad K 2019 Detecting local environmental change: the role of experience in shaping risk judgments about global warming *J Risk Res [Internet]*. **22** 936–50
- [38] Dai J, Kesternich M, Löschel A and Ziegler A 2015 Extreme weather experiences and climate change beliefs in China: An econometric analysis *Ecol Econ [Internet]*. **116** 310–21
- [39] Myers T A, Maibach E W, Roser-Renouf C, Akerlof K and Leiserowitz A A 2013 The relationship between personal experience and belief in the reality of global warming *Nat Clim Chang [Internet]*. **3** 343–7
- [40] Van Valkengoed A M and Steg L 2019 Meta-analyses of factors motivating climate change adaptation behaviour *Nat Clim Chang*. **9** 158–63
- [41] Akoglu H 2018 User's guide to correlation coefficients *Turkish J Emerg Med*. **18** 91–3
- [42] Brulle R J, Carmichael J and Jenkins J C 2012 Shifting public opinion on climate change: An empirical assessment of factors influencing concern over climate change in the U.S., 2002-2010 *Clim. Change* **114** 169–88
- [43] Carmichael J T, Brulle R J and Huxster J K 2017 The great divide: understanding the role of media and other drivers of the partisan divide in public concern over climate change in the USA, 2001–2014 *Clim. Change* **141** 599–612
- [44] Nisa C F, Bélanger J J, Schumpe B M and Faller D G 2019 Meta-analysis of randomised controlled trials testing behavioural interventions to promote household action on climate change *Nat. Commun.* **10** 1–13
- [45] Brügger A, Dessai S, Devine-Wright P, Morton T A and Pidgeon N F 2015 Psychological responses to the proximity of climate change *Nat Clim Chang [Internet]*. **5** 1031–7
- [46] Sisco M R, Pianta S, Weber E U and Bosetti V 2021 Global climate marches sharply raise attention to climate change: Analysis of climate search behavior in 46 countries *J Environ Psychol [Internet]*. **75** 101596
- [47] Beckage B et al 2018 Linking models of human behaviour and climate alters projected climate change *Nat Clim Chang [Internet]*. **8** 79–84
- [48] Hoffmann R, Muttarak R, Peisker J and Stanig P 2022 Climate change experiences raise environmental concerns and promote Green voting *Nat Clim Chang*. **12** 148–55
- [49] Shi J, Visschers V H M, Siegrist M and Arvai J 2016 Knowledge as a driver of public perceptions about climate change reassessed *Nat Clim Chang*. **6** 759–62
- [50] Chao Y L L and Lam S P P 2011 Measuring responsible environmental behavior: Self-reported and other-reported measures and their differences in testing a behavioral model *Environ Behav*. **43** 53–71
- [51] Lange F and Dewitte S 2019 Measuring pro-environmental behavior: Review and recommendations *J Environ Psychol*. **63** 92–100
- [52] Lacroix K, Gifford R and Chen A 2019 Developing and validating the dragons of Inaction Psychological Barriers (DIPB) scale *J Environ Psychol [Internet]*. **63** 9–18
- [53] Wang C, Geng L and Rodríguez-Casallas J D 2021 How and when higher climate change risk perception promotes less climate change inaction *J. Clean. Prod.* **321** 128952
- [54] Cologna V, Berthold A and Siegrist M 2022 Knowledge, perceived potential and trust as determinants of low- and high-impact pro-environmental behaviours *J Environ Psychol* **79** 101741
- [55] Van Valkengoed A M et al 2021 Theory enhances impact. reply to: the case for impact-focused environmental psychology *J Environ Psychol*. **75** 101597
- [56] Nielsen K S, Cologna V, Lange F, Brick C and Stern P C 2021 The case for impact-focused environmental psychology *J Environ Psychol*. **74** 10–2