

Contents lists available at ScienceDirect

Sexual & Reproductive Healthcare

journal homepage: www.elsevier.com/locate/srhc



Difference between

Corrigendum

Corrigendum to "Room4Birth – The effect of giving birth in a hospital birthing room designed with person-centred considerations: A Swedish randomised controlled trial" [Sex. Reprod. Healthc. 32 (2022) 100731]

Lisa Goldkuhl^{a,b,*}, Hanna Gyllensten^{a,c}, Cecily Begley^d, Helle Wijk^{a,e,f,g}, Christina Nilsson^h, Göran Lindahl^{f,g}, Anna-Karin Ringqvist^b, Kerstin Uvnäs-Mobergⁱ, Marie Berg^{a,b,j}

^a Institute of Health and Care Sciences, Sahlgrenska Academy, Arvid Wallgrens backe, Box 457, 405 30, University of Gothenburg, Gothenburg, Sweden

^b Department of Obstetrics and Gynaecology, Sahlgrenska University Hospital, Diagnosvagen 11, 41685 Gothenburg, Region Västra Götaland, Sweden

^c University of Gothenburg Centre for Person-Centred Care (GPCC), Sahlgrenska Academy, University of Gothenburg, Gothenburg, Sweden

^d School of Nursing and Midwifery, Trinity College Dublin, The University of Dublin, College Green, Dublin 2, Ireland

e Department of Quality Assurance and Patient Safety, Sahlgrenska University Hospital, Blå stråket 5, 413 45, Region Västra Götaland, Gothenburg, Sweden

^f Centre for Healthcare Architecture (CVA), Chalmers University of Technology, Chalmersplatsen 4, 412 96 Gothenburg, Sweden

⁸ Department of Architecture and Civil Engineering, Building Design, Chalmers University of Technology, Chalmersplatsen 4, 412 96 Gothenburg, Sweden

(continued on next column)

^h Munkebäck Antenatal Clinic, Munkebäckstorg 6, 416 73 Gothenburg, Region Västra Götaland, Sweden

ⁱ University of Agriculture (SLU), Almas Allé 8, 750 07, Uppsala University, Sweden

^j Faculty of Medicine and Community Health, Evangelical University of Africa, Bukavu, DR Congo

The authors regret that errors during preparation of the fear of birth scale values (FOBS) have been noted after publication of the original article. The errors occur in Table 3. The correct numbers are listed in the table below:

(continued)

	New room (n = 204)	Regular room (n = 202)	Р	Difference between group, Means (95% CI)
Fear during childbi	rth (FOB scale 0-	-100) ^g		
Mean (SD)	32.6 (25.2)	34.7 (24.1)	0.34	-2,1 (-6,9; 2,7)
Median	26.8 (12.9,	28.8 (14.0,		
(Interquartile range)	46.6)	51.0)		

(n = 204) room (n = group, Means (95% 202) CI) Cut-off ≥60 34 (16.8%) 32 (15.8%) 0.79 Fear of giving birth again (FOB scale 0-100)8 Mean (SD) 36.7 (28.3) 38.0 (25.7) 0.62 -1,3 (-6,6; 4,0) Median 32.5 (11.0, 36.0 (15.9, 59.0) (Interquartile 53.5) range) 40 (19.8%) 49 (24.3%) Cut-off >60 0.34

Regular

P

New room

g 2 missing values

The authors would like to apologise for any inconvenience caused.

DOI of original article: https://doi.org/10.1016/j.srhc.2022.100731.

* Corresponding author at: Arvid Wallgrens backe, Box 457, 405 30 Gothenburg, Sweden. *E-mail address:* lisa.goldkuhl@gu.se (L. Goldkuhl).

https://doi.org/10.1016/j.srhc.2023.100883

Available online 29 June 2023 1877-5756/© 2023 The Author(s). Published by Elsevier B.V. This is an open access article under the CC BY license (http://creativecommons.org/licenses/by/4.0/).