

# Trends in electric vehicles research

Downloaded from: https://research.chalmers.se, 2025-12-05 01:47 UTC

Citation for the original published paper (version of record):

Haghani, M., Sprei, F., Kazemzadeh, K. et al (2023). Trends in electric vehicles research. Transportation Research Part D: Transport and Environment, 123. http://dx.doi.org/10.1016/j.trd.2023.103881

N.B. When citing this work, cite the original published paper.

research.chalmers.se offers the possibility of retrieving research publications produced at Chalmers University of Technology. It covers all kind of research output: articles, dissertations, conference papers, reports etc. since 2004. research.chalmers.se is administrated and maintained by Chalmers Library



Contents lists available at ScienceDirect

# Transportation Research Part D

journal homepage: www.elsevier.com/locate/trd



# Trends in electric vehicles research

Milad Haghani <sup>a,\*</sup>, Frances Sprei <sup>b</sup>, Khashayar Kazemzadeh <sup>b</sup>, Zahra Shahhoseini <sup>c</sup>, Jamshid Aghaei <sup>d</sup>

- <sup>a</sup> Centre for Integrated Transport Innovation (rCITI), School of Civil and Environmental Engineering, The University of New South Wales, UNSW Sydney, Australia
- <sup>b</sup> Department of Space, Earth and Environment, Chalmers University of Technology, Gothenburg, Sweden
- <sup>c</sup> Transport for NSW, Sydney, Australia
- <sup>d</sup> School of Engineering and Technology, Central Queensland University, Rockhampton, QLD, Australia

#### ARTICLE INFO

#### Keywords: Electric vehicles Vehicle electrification Climate change Carbon emission Temporal research trends

#### ABSTRACT

Electrification of vehicles has been recognised as a key part of meeting global climate change targets and a key aspect of sustainable transport. Here, an integrative and bird's-eye view of scholarly research on Electric Vehicles (EV) is provided with a focus on an objective and quantitative determination of research trends. The analyses suggest that areas of EV research linked to (i) charging infrastructure, (ii) EV adoption, (iii) thermal management systems and (iv) routing problem have been the distinct trending topics in recent years. While hybrid EV proves to have been a dominant keyword, its frequency of use has either flattened out in recent years or is notably on the decline across major subfields of EV research. The findings provide objective indications about the directions to which EV research is currently headed. A secondary outcome is the determination of references that have been most instrumental in developing each major stream of EV research.

#### 1. Introduction

The history of Electric Vehicles (EVs) is as old as the history of the automobile. Actually, the first experimental light-weight EVs appeared already in the mid-1830 s, and at the beginning of the 20th century, they were the most common vehicle type in the US. However, by the end of World War I, they had lost the race against the internal combustion engine (ICE) vehicle and disappeared from the market (Høyer, 2008). While a number of factors contributed to the success of the ICE vehicle, limited range and expensive batteries, were major contributors (Duarte et al., 2021; Patil et al., 2022). These two barriers have continued to hinder EVs from gaining real market breakthroughs through the decades (Chakraborty et al., 2020).

There have been waves of EVs during the last 100 years, pushed by policy to address resource constraints related to fossil fuels, primarily during World War II to save fuel prioritised for the military, and during the 70s, due to the oil crisis. From the 90s onward, the curbing of emissions—at first mainly related to local air quality and later carbon emissions affecting climate change—has been the main political motivator. In California, the promotion of EVs started in the 90s to address smog issues, especially in Los Angeles, leading to the Zero Emission Vehicle mandates instituted by the California Air Resources Board. Even though these were amended to Lower Emissions Vehicles, they still had an influence on technological development such as batteries for hybrid EVs (Bedsworth and

E-mail address: milad.haghani@unsw.edu.au (M. Haghani).

https://doi.org/10.1016/j.trd.2023.103881

<sup>\*</sup> Corresponding author.

#### Taylor, 2007).

Commercial modern hybrid vehicles were first available in Japan strongly pushed by governmental initiated R&D support programs to advance, at first, battery EVs, and later, other alternative fuel vehicles (Åhman, 2006). Pushes from the government have either been directed toward R&D support for the industry, not surprisingly prevalent in car-producing countries such as Japan and Germany (Altenburg et al., 2016) and/or market support. The most prominent example of market support is probably Norway which also has the largest market share with 86% of new sold cars in 2021 (IEA, 2022). The background of the success is a long history of high subsidies that started already in the 1990 s making EVs price competitive with conventional vehicles (Figenbaum, 2017). China is one of the countries that has pushed hardest for EVs, especially after 2009. The strong push is motivated both by air quality and the opportunity to leap-frog technical development and seriously compete in the automotive industry (Daina et al., 2017; Altenburg et al., 2022). In the EU, the tightening of tail-pipe  $CO_2$  targets for the automotive industry has in recent years led to increased market shares of EVs (Iwan et al., 2021).

Driven by the political push in several countries, the research and development of EVs have significantly intensified since the 1990 s which can be observed in an increasing number of patents being registered (Wolbertus et al., 2021; Altenburg et al., 2022). The effects of this development on the scientific literature have, so far, not been documented. There have been several reviews concerning EVs, but these have mainly been focused on specific subjects within the field such as consumer preferences (Liao et al., 2017) and adoption (Coffman et al., 2017); incentives (Hardman, 2019); business models (Ziegler et al., 2022); charging infrastructure (Shareef et al., 2016; Funke et al., 2019); connections with the electric grid (Richardson, 2013); environmental impacts (Hawkins et al., 2012a, 2012b). However, there is, to our knowledge, no overall computational review of the literature on EVs, its different components and fields, and connections and how these have developed over time at a broader scope. Different topic experts within the field of EV may have different perceptions about the composition and research trends of the field. The current work is aimed to address this knowledge gap by providing an objective and quantitative determination of the trends in EV research. We believe that, given the multidisciplinary nature of the research on EV, scholars and practitioners can benefit from a broad-scope computational analysis of the literature, providing insights that otherwise are not obtainable from conventional literature analysi with smaller scope. This can encourage synergy and collaboration between scholars that reside in various sectors of this research, and more importantly, can provide an objective categorisation of research streams within the field along with a quantitative determination of the extent of activities within each stream and their variations over time. This ultimately leads to the determination of hot topics, cold topics and emerging topics within this research field. A side outcome of the analyses is the determination of the fundamental references that have been instrumental to the development of each research stream within the field of EV. This can facilitate future conventional reviews within this field. The analyses identify temporal variations and trends in EV literature based on objective metrics obtained from nearly 34,000 articles on EVs. Overall, the findings of the study provide objective indications as to the directions to which the scholarly literature of EVs is currently headed.

### 2. Methods and data

Search strategy—The underlying data for the study was sourced from the Web of Science (WoS) Core Collection. The choice of database is based on the fact that WoS data has more specificity, while e.g. Google Scholar is not capable of generating the needed data. WoS and Scopus have shown to have high overlapping content (Mongun & Paul-Hus, 2016). A simple term-based search query string was formulated as (TI="electric vehicle\*" OR AK="electric vehicle\*") and applied to the Advanced Search section of the WoS. In this query, TI and AK respectively specify Field Tags for Title and Author Keywords of articles. The number of identified items prior to 1990 was insignificant, so the results were confined to 1990–2021. No restriction was set on the document type. Therefore, the search essentially identifies any document indexed by the WoS and published since 1990 till December 2021 that have mentioned electric vehicle(s) in their title or keyword list. Nearly N=34,000 articles were identified and their details were exported and stored in the form of text files. This information includes for each document, the title, list of authors and their affiliations (country and institute), journal name, year of publication, abstract text, keywords and reference list. All search queries have been made in English which excludes literature only published in local languages and thus might miss some developments and trends happening within national research communities.

Visaluisation of Similarities analysis— Scientometric methods were used on the data to obtain high level insight on the development EV literature. The method of Visualisation of Similarities (VOS) (Van Eck et al., 2010) was employed to discover divisions of the EV literature. Additionally, VOSviewer software and its embedded text mining algorithms were used to identify specific phrases from each publication's title and abstract and to identify clusters of such terms.

<sup>&</sup>lt;sup>1</sup> The methodology of computational review suits particularly multidisciplinary topics such as EV, in that, it enables researchers of each subdomain to become familiar with the general trends in other subdomains. For example, in this case, the study introduces research trends generated by transportation researchers to electrical engineers and vice versa. This aim cannot be fulfilled through conventional and manual systematic literature reviews due, simply, to the limited capacity of individual researchers to process, categorise and synthesise large sets of articles.

<sup>&</sup>lt;sup>2</sup> One should note that that there are alternative terms to "electric vehicle(s)", such as "electric cars", or "new energy vehicles", but in order to maximise the specificity of the dataset (i.e., to minimise potential false positives), we only used the mainstream and dominant term in the search query. We investigated the number of articles that mentioned "new energy vehicle(s)" or "electric car(s)" in either title or keywords, but not "electric vehicle(s)", in order to estimate the number of items that our search might have missed. The answer was 632, which constitutes only 1.8% of the overall size of the existing data.

In the VOS method, the similarity between any two objects i an j is shown by their Euclidean distance,  $\tau_{ij}$ , and is measured via Equation (1) where  $\sigma_{ij}$  is the number of co-occurrences of objects i and j, while  $\delta_i$  and  $\delta_j$  represent their respective number of total occurrences (Haghani et al., 2021):

$$\tau_{ij} = \frac{\sigma_{ij}}{\delta_i \delta_j} \tag{1}$$

A two-dimensional mapping is provided as the outcome of the analysis by minimising the weighted sum of the squared Euclidean distances between all pairs of elements (Equation (2).

$$MinV(\mathbf{P}_1, \dots, \mathbf{P}_n) = \sum_{i \le j} \tau_{ij} ||\mathbf{P}_i - \mathbf{P}_j||^2$$
(2)

An additional constraint is that the average distance between pairs of objects has to be equal to unity. Equation (3) is used to find the spatial locations of items where  $P_i = (x_i, y_i)$  is the vector of position for item i in a two-dimensional map, and  $\|\cdot\|$  signifies the Euclidean norm.

$$s.t.\frac{\sum_{i < j} \tau_{ij} \|\mathbf{P}_i - \mathbf{P}_j\|}{n(n-1)/2} = 1 \tag{3}$$

The outcomes of this analysis constitute the core component of the findings presented in the following section, titled "composition and macroscale trends of EV research".

Document co-citation analysis—Major topics within the EV literature, their temporal trends and influential references were investigated using the methodology of Document Co-citation Analysis proposed by Chen (2010). This method essentially investigates the reference lists of all N = 34,000 EV articles and identifies clusters of references that are often cited jointly in EV papers. The method rests on the assumption that groups of reference that are often co-cited represent the knowledge foundation of a certain topic/stream. As result, by identifying such clusters, the following can be obtained. (i) One can objectively determine fundamental references of each research stream through the number of times they are referenced in EV papers (i.e., local citation count) as well as sudden spikes in frequency of being referenced (i.e., local citation burst) as well as the frequency of times that they are cited jointly with references of other clusters, known as centrality, a metric of the broadness of impact for the reference. (ii) Through inspection of the cohort of EV papers that created (cited) each cluster of references, one can identify the topic that the cluster represents. (iii) By analysing citation activities of these citing articles (i.e., EV papers) over time, one can determine temporal variation in the magnitude of research on each of the topics and determine areas of research that are trending or those that are slowing down. This methodology has been illustrated in an abstract way in Fig. 1. Note that in this context, EV papers within the dataset of N = 34,000 articles are referred to as citing articles, to contrast with their frequently cited references. The cited references, clearly, could be EV papers themselves (i.e., be present in the dataset of citing articles too) or be outsiders of EV research, references not necessarily related to EV, but frequently cited by EV papers, and hence important to knowledge development on EV.

The outcomes of this analysis are presented in the section titled "temporal trends and influential references in EV research".

#### 3. Composition and macroscale trends of EV research

### 3.1. Geographical and field distribution of EV research

Geographical origins of EV studies were analysed using country affiliation of authors listed on the set of N=34,000 articles in the data. Data showed that nearly 27.5% of EV articles (n=9,346 items) have, at least, one author affiliated with institutes of China. Other countries whose authors/institutes have a strong presence in EV research are the USA (n=5,466), Germany (n=2,048), India (n=2,010), and Canada (n=1,746) (see Fig. 2 (a) and (b) for more details). The dominance of contributions of authors from China over the last decade has been such that the rate of accumulation of studies in this research (i.e., the number of papers published annually) has been constantly consistent with the rate of publications from China (See Fig. 2 (c)). The dominance of research in China shows that the governmental push toward EVs to increase competitiveness of China as an automotive power has had an effect on academia as well (Altenburg et al., 2022). The rate of publications in any other one of the top five countries has been slower than China during the last decade. However, since 2019, the number of EV publications originating from China appears to have flattened out and instead, the biggest (relative) growth rate of EV research is currently observed in India.

The extent of international collaborations was also investigated based on the country affiliation of authors listed in the papers. Articles with at least two authors affiliated with organisations of two different countries were deemed international collaborations. Data showed that only 20.8% of EV research has overall been comprised of international collaborations. Instead, 79.2% of studies have been domestic research (Fig. 2 (d)). This is slightly less than the overall degree of international collaboration in scholarly literature in general, estimated to be around 25% (Haghani et al., 2022). The closest attempt to analysing collaborations in fields adjacent to EV research is the study of Aleixandre-Tudó et al. (2019) where a triangle of international collaboration in Renewable Energy research was identified but no quantitative estimate has been provided comparable to that of the current study.<sup>3</sup>

<sup>&</sup>lt;sup>3</sup> This type of analysis is currently absent in most other fields and topics, making it difficult to make a direct comparison of the extent of international collaboration across different fields.




Fig. 1. An abstract illustration of the concept of document co-citation network.

Data also shows that the gap between domestic and international publications has been increasingly widening. Strikingly, during 2021, the number of internationally collaborated EV papers showed a drop compared to 2020 whereas the number of domestic papers continued to grow strongly, an observation that appears to be in contrast with most other areas of scholarly research (Haghani and Bliemer, 2023), and an indication that the state of international collaboration in EV research may still not be quite strong compared to many other research fields and topics.

The strongest link of collaboration between countries is observed between China and USA with n=870 joint papers. This is followed by collaborations between China and England, China and Canada, USA and Canada, and USA and South Korea. These constitute the five strongest links of country collaboration in EV research (Fig. 2 (e)).


The impact of international collaboration on the overall impact of research has been a matter of investigation by several studies. It has been shown that research that entails international collaboration is overall more impactful than purely domestic studies (Van Raan, 1998). This is an indicator that in most fields, including EV, more impactful findings can emerge as a result of a higher level of international collaborations between scholars of that field. This may be particularly the case in a multidisciplinary topic such as EV.

The distribution of EV research across various fields of research was also investigated. To this end, the WoS categories in which the source (journal) of each article has been indexed, were used as the main determinant. The number of such categories was very large, but the majority of the fields could be aggregated across five major disciplines: (1) Electrical Engineering & Computer Science (comprised of WoS categories Engineering Electrical & Electronic, Telecommunications, Computer Science & Information Systems, Computer Science Theory & Methods, Computer Science Artificial Intelligence, Computer Science Interdisciplinary Applications, Computer Science Hardware Architecture, Computer Science Software Engineering, Computer Science Cybernetics) (2) Energy & Fuels (comprised of the WoS category Energy and Fuels), (3) Environmental Studies (comprised of WoS categories Environmental Studies, Environmental Sciences, Engineering Environmental and Green & Sustainable Science Technology), (4) Transportation (comprised of WoS categories Transportation Science & Technology, and Transportation), and (5) Materials Science & Chemistry (comprised of WoS categories Materials Science Multidisciplinary, Materials Science Coating Films, Materials Science Characterization Testing, Chemistry Physical, Electrochemistry, Chemistry Multidisciplinary, Chemistry Analytical, Chemistry Applied, Chemistry Inorganic Nuclear, Chemistry Organic, Engineering Chemical, Materials Science Composites, Materials Science Biomaterials, and Nanoscience Nanotechnology).

In determining the allocation of each study, only those that purely belonged to the subcategories of only one of these five major/aggregate disciplines were considered and not those of any other. Results showed clearly that EV is predominantly Electrical Engineering research, followed by Energy & Fuels, Environmental Studies, Materials Science & Chemistry and Transportation (See Fig. 2 (f), (g)). Since 2010 especially, EV research has been growing very steeply in Electrical Engineering, although since 2017 this trend has changed and there are signs of research developments slowing down in Electrical Engineering (Fig. 2 (f)). Instead, in more recent years (i.e., 2016 and onwards), the growth of EV research within the Energy & Fuels as well as Environmental Studies disciplines has been most notable. The growth of EV research in the Transportation as well as Materials Science domains remains relatively modest and fluctuating.

#### 4. Keywords in EV research


Top keywords in EV research were identified based on their frequency of mention as well as the percentage of frequency, relative to the total number EV papers (Fig. 3). Keywords that are simple variations of one another (e.g., "battery" and "batteries", or "vehicle to



**Fig. 2.** (a) Primary origins of EV research based on the number of scholarly publications, (b) top twenty countries active in EV research, (c) variation of the magnitude of EV research in in top five countries over time, (d) the extent of domestic and international collaboration in EV research and its variation over time, (e) strongest links of country collaboration in EV research, (f) variation in the magnitude of EV research activity (reflected in the number of publications) across major disciplines, (g) the share of EV publications distributed across major disciplines.

grid", "V2G" and "vehicle-to-grid" or "optimisation" and "optimization") were combined. The frequency of keywords was also quantified separately for publications of the top five countries (Fig. 4) as well as separately for publications emerged during time periods of 5 years since 1990 (Fig. 5). Same determination was also made for publications across the top five major disciplines identified earlier (Table 1). For the discipline-based analysis, the average year of publication of each keyword was also calculated, by averaging publication year of the papers on which each keyword has been listed. The obvious and dominant keywords of "electric vehicle(s)" was ignored in these analyses.

The most dominant keyword in the EV literature was, by a large margin, "hybrid EV". However, an interesting observation was noteworthy. The keyword "hybrid EV" is distinctly older than any other major keyword in the EV literature. The average year of publication of "hybrid EV" in the overall literature is 2014.40 (note that the fraction is the result of averaging). Among these top keywords, the followings, on the other hand, are comparatively the youngest: "optimisation" (2017.61), "charging station" (2018.14), "wireless power transfer" (2018.07), "EV charging" (2019.33). Among the major keywords, the most cited one is "lithium-ion battery" (average citation of 34.45 and average normalised citation of 2.48). A frequency heatmap of all major keywords of EV research can be



**Fig. 3.** (a) Most frequent keywords in EV research along with their percentage of frequency (normalised by the total number of papers, N = 34,000), (b) variation in the frequency of the term combination "Hybrid EV" in titles of EV articles across time and various major disciplines.

downloaded from this link. Hybrid EVs were the first modern commercialised electrified vehicles resulting from policy pushes in California and Japan (Åhman, 2006; Bedsworth and Taylor, 2007). Thus, hybrids formed the base for a lot of the empirical research. As battery technology has improved, these have been replaced by plug-in hybrid electric vehicles (PHEV) and battery electric vehicle (BEV), hence the decrease in importance for the research community.

Further analysis confirmed that the frequent mention of "hybrid EV" as a keyword is not confined to a specific country or specific discipline. In all those subsets, this keyword is distinctly the oldest compared to other frequent keywords. The keyword is the top keyword of publications from China and USA and the second top keyword of publications from India and Germany and the third most frequent keyword of publications from Canada. In other words, in countries whose EV publications are relatively younger (e.g., India, Germany and Canada), the prominence of this keyword is less distinct.

A similar observation was made when considering the five major disciplines. Environmental Studies is relatively the youngest domain of EV research (as demonstrated earlier), and as such, the EV literature presents many relatively young top keywords in that domain and the prominence of "hybrid EV" is less distinct in that discipline. As Fig. 3 also shows, the frequency of the use of this keyword has been notably declining in Electrical Engineering sector of EV research since 2015. To further re-affirm this observation, top keywords over four time periods were determined (Fig. 5). While during the first three periods, "hybrid EV" is the most dominant keyword, in the most recent period, its position has been replaced by "optimisation".

The shift in keywords is partly reflective of the development of the EV industry and policies that have experienced significant changes in recent years. Policy pushes in California and Japan led to the commercialisation of hybrid EVs in the early 2000 s, resulting in the dominance of the keyword "hybrid EV" in early EV research. However, as battery technology improved, hybrid EVs were replaced by plug-in hybrid electric vehicles (PHEVs) and battery electric vehicles (BEVs), leading to a decline in the prominence of the keyword "hybrid EV" in recent years. This shift in focus is reflected in the emergence of keywords such as "optimisation" and "wireless power transfer," suggesting a shift towards optimising and improving the efficiency of EV technology. Additionally, the increasing prominence of keywords such as "EV charging" and "charging station" reflect the growing importance of infrastructure development in




Fig. 4. Top keywords across five countries that contributed the most to EV research: (a) China, (b) USA, (c) India, (d) Germany and (e) Canada.

the EV industry.

The shift towards BEVs and PHEVs is also reflected in government policy development.

The shift towards BEVs and PHEVs is also reflected in government policy development. Many countries have implemented policies to promote the adoption of EVs, including tax incentives, subsidies, and mandates for automakers to produce a certain percentage of




Fig. 5. Keyword frequency in EV research across various time periods: (a) 2016-2021, (b) 2011-2015, (c) 2006-2010, (d) 2001-2005.

EVs. For example, China has set a goal for new energy vehicles, including EVs, to account for 20% of all car sales by 2025 (Guo et al., 2022). The European Union has recently decided to completely phase out the sales of internal combustion engine vehicles by 2035.

#### 4.1. Term co-occurrence and bibliographic coupling in EV research

Patterns of terminology co-occurrence were investigated using the VOS methodology to determine major divisions of EV research through semantic aspects. In doing so, the texts of titles and abstracts of EV papers were analysed. The analysis determined clusters of terms frequently co-mentioned in the titles and abstracts of EV papers, thereby identifying major sectors/divisions of the field. This methodology resulted in four clusters each representing a major division of EV research (Fig. 6 (a)). These divisions can be characterised as the following: cluster (i) infrastructure, adoption, market, policy and network (shown red), cluster (ii) experimental division (shown green), cluster (iii) control systems and strategy (shown blue) and cluster (iv) batteries (shown grey). Each cluster can be considered to represent a major division of the EV literature.

In terms of terminology use, cluster (i) has a very specific set of terminologies that are not often shared with other clusters. This cluster represents a more applied division of this field, studying markets and actual use of the vehicles, while the other clusters are more related to the technical development of the vehicle and its components. As such, on the term co-occurrence network, cluster (i) resides remotely from the other three clusters. Terminologies of the three other clusters/divisions, however, are more intertwined. An overlay of the average year of publication of these terms (Fig. 6(c)) also demonstrates that cluster (i) is overall comprised of relatively younger terms and thus representative of a relatively younger division of EV research compared to the three other clusters.

<sup>4</sup> https://eur-lex.europa.eu/eli/reg/2023/851/oj.

**Table 1**Top keywords of EV research across major disciplines along with their average year of publication.

Electrical Engineering & Computer Science	Avg year	Energy & Fuels	Avg year	Environmental Studies	Avg year	Materials Science & Chemistry	Avg year	Transportation	Avg year
battery	2018.03	optimization	2019.12	life cycle assessment	2019.3	battery	2016.5	hybrid electric vehicle	2014.44
optimisation	2018.04	hybrid electric vehicle	2017.3	charging station	2019.81	hybrid electric vehicle	2011.9	charging station	2018.32
hybrid electric vehicle	2014.99	lithium-ion battery	2019.35	lithium-ion battery	2019.57	lithium-ion battery	2017.78	optimization	2016.46
smart grid	2016.27	energy management	2018.81	battery electric vehicle	2019.25	fuel cell	2016.8	simulation	2015.46
charging station	2018.06	charging station	2019.33	renewable energy	2019.94	state of charge	2017.4	energy management	2015.62
vehicle-to-grid	2016.94	vehicle-to- grid	2019.3	optimization	2019.77	charging station	2018.1	PHEV	2014.01
energy management	2017.52	battery	2018.87	hybrid electric vehicle	2018.01	energy storage	2017.6	battery electric vehicle	2017.17
electric vehicle charging	2019.24	renewable energy	2019.32	sustainability	2019.71	induction motor	2016.9	plug-in hybrid EV	2014.59
renewable energy	2018.3	smart grid	2018.08	recycling	2019.79			dynamic programming	2016.67
wireless power transfer	2018.09	energy storage	2019.43					1 0 0	
energy storage	2016.6	wireless power transfer	2019.02						

The three other clusters all include terms that that can be considered relatively the oldest terms in EV research, demonstrating that they constitute pioneering areas. However, within clusters (ii-iv), a few distinctly young terms are also identifiable including "wireless power transfer" (2018.07) (with the number in bracket showing the average year of publication) and "model predictive control" (2018.4). An overlay of the average normalised citations to the terms (normalised based on their age) shows that clusters (i) and (iv) embody more highly cited terms. The highest cited terms are "lithium" and "lithium-ion battery" (in cluster (iv)) and "greenhouse (gas) emission" and "survey" (in cluster (i)). Readers can access and explore an online interactive version of the term co-occurrence network through the link provided in the caption of Fig. 6.


An alternative way to objectively determine divisions of EV research is to apply the VOS methodology to the reference lists of EV articles, i.e., to investigate a network of bibliographically coupled articles (Haghani et al., 2022), those that have high degrees of similarities in their reference lists. This calculation has been made and shown in the bottom left part of Fig. 6 (Fig. 6 (b)). This provides a less aggregate way of partitioning this research topic, as this analysis maintains the individuality of the articles.

In the network of article bibliographic coupling shown in Fig. 6, each node represents an individual paper, one of the items in the dataset of N = 34,000 articles. Readers can reproduce an interactive version of this network on an online platform using the source files provided in the Online Supplementary Material. An examination of the content of this network determines that there are two clusters in this network that can be regarded as the source for the division of *infrastructure*, *adoption*, *market*, *policy and network* (i.e., cluster (i)) in the term co-occurrence network (shown in different tones of red in Fig. 6 (b)). In other words, the cluster/division of *infrastructure*, *adoption*, *market*, *policy and network* gets split into two-subdivision in the article bibliographic analysis. The explanation for this split is that, there are two subdivisions within this division that are openly identifiable through their patterns of referencing, but they share highly overlapping terminologies (hence, their merging with each other in the term-cooccurrence network). This means that, there is heterogeneity within that division that goes undetected when terminologies are considered as the entity of analysis. There are two subdivisions of this division that use different sets of references while using similar languages. When analyses are conducted at the level of terms, the distinction between the two is undetectable. But when analysis is conducted at the level of individual articles (and the similarity of their reference lists), then this distinction is manifested.

A similar pattern is observable with respect to the *experimental division* splitting into two subdivisions at the level of article bibliographic coupling (clusters shown in two different tones of green). Divisions of *control systems* and *batteries*, however, each have a single representative at the level of article coupling. In terms of the patterns of referencing, the division of *control systems* appears to not have much in common with the rest of the body of EV literature, reflected in its respective cluster located far apart from the mainstream body of the network. An overlay of the year of publications (Fig. 6 (d)) shows that, consistent with our observations based on term co-occurrence, the *experimental*, *control systems* and *battery* divisions have a relatively higher concentration of relatively older papers, showing that they are pioneering divisions of this research.

#### 5. Temporal trends and influential references in EV research

At the lowest level of aggregation, trends in EV research were analysed using patterns of document co-referencing. This provides the highest level of resolution and details amongst all analyses presented in this work on EV research. Outcomes of this analysis are the



**Fig. 6.** Structure and major divisions of EV research based on (a) patterns of term co-occurrence (top) and similarity of article references, i.e., (b) bibliographic coupling (bottom left). An overlay of average publication year has been provided on both term co-occurrence (c) and bibliographic coupling maps (d). An interactive version of the term co-occurrence network can be accessed via this link. Via source files provided in the Supplementary Material, readers will be able to create an interactive version of the bibliographic coupling network in the online VOS platform.

determination of major stream/topics/themes of EV research, influential references for each stream, and the time-related variations in activities for each stream, thereby objectively determining trending and pioneering topics as well as those that are losing traction. The analysis results are presented in Fig. 7 in both network view (Fig. 7(a)) and timeline view modes (Fig. 7b)), and further details are also included in in the  $A^{**}$ ppendix. The state of the document co-citation network has also been displayed at various points in time since 1990 (across periods of five years) in Fig. 8. The link in the caption of Fig. 8 also provides a dynamic year-by-year visualisation of the state of the network.

The document co-citation analysis identifies 17 major themes/streams within the EV literature. In the networks presented in Fig. 7, each theme is represented by a specific cluster. Each cluster is comprised of frequently co-cited references in the EV literature. Each of those references are represented by a node and the links connecting them represent instances of co-citation by EV articles. The size of each node is proportional to the number of local citations to that reference, i.e., the number of times that the reference has appeared in the reference lists of EV articles. Nodes that are marked with a red ring represent those to which a burst (sudden spike) in local citations has been recorded. Each burst is characterised by the year of onset, its duration, and its strength. The thickness of the red rings is





Fig. 7. Clusters of co-cited documents in EV research in (a) network view mode and (b) timeline view mode.

proportional to the burst's duration. For each cluster, the number of cited references, the average and range of the year of cited references, as well as the average and range of the year of citing articles have been calculated (see the A\*\*ppendix). Clusters whose average/range of year of cited references is a smaller number generally have a relatively older knowledge foundation. Clusters whose



**Fig. 8.** The state of EV research at various points in time over the last two decades. A year-by-year dynamic visualisation of the state of document co-citation network can be accessed in the Online Supplementary Material as well as this link.

average/range of year of citing articles is a larger number, are generally younger clusters.

It is important to differentiate between the age of a cluster (as represented by its citing articles) and the age of its knowledge foundation (as represented by its cited references). Theoretically, a cluster can be relatively new but have a relatively old knowledge foundation. At the bottom of Fig. 7, the timeline view presents insights about the age of knowledge foundation of clusters by aligning references of each cluster based on their year of publications (Fig. 7(b)). By contrast, in the network view (top part of the figure), clusters that are thematically closer are visualised spatially closer (Fig. 7(a)).

For each cluster, by extracting frequent terms and noun phrases from the titles of the citing articles, a number of top objectives/ algorithmic descriptors have been determined. This algorithm takes into account the frequency of appearance of each term in the titles of the citing articles as well as the *coverage* of the citing article (i.e., the number of references of the cluster that the citing article cites)




Fig. 9. The magnitude of research activities of each of the major topics of EV research (as determined by document co-citation clusters) in terms of the number of citing articles (red lines, left vertical axes) and total coverage to the references of each cluster (green lines, right vertical axes). (For interpretation of the references to colour in this figure legend, the reader is referred to the web version of this article.)

while giving more weight to terms extracted from citing articles with higher coverage. Guided by these objectively determined terms and by examining the content of citing articles of each cluster, an author-defined descriptor/label has also been determined for each cluster and presented on the network. In Fig. 8, links that are made visually salient on the network represent areas of the network that have been active (co-citation occurring) during a specific year. Activities of the citing articles of each cluster (i.e., the total number of citing articles that cite references of each cluster, as well as the total number of references that they cite (total coverage)) were also calculated for each year during the period of 1990–2021. This outcome is presented in Fig. 9 and is key for determining hot topics, cold topics and emerging topics of the field on an objective basis.

Nine out of 17 clusters have increased their activity especially after 2010 (namely clusters #0,1, 2, 5, 7, 10, 11, and 15). These clusters cover different areas of EV research ranging from modelling of the system, battery management, fuels cells and hybrid systems as well the development of charging infrastructure and market. There are four clusters that have had the strongest development in recent years, and those are cluster #2 (EV adoption and market development), #7 (charging infrastructure), #11 (thermal management system) and #15 (routing problem).

Research activity in cluster #2 (EV adoption and market development) took off around 2010, corresponding with the development of the commercial market for EVs and has been increasing steadily since then. While the cluster itself is more recent, it relies on references from further back in time (see Fig. 7(b)). Cited references that have generated the highest burst are related to cost projections and developments (Thiel et al., 2010), especially of batteries (Nykvist et al., 2015), and consumer perceptions (Axsen et al., 2010; Cocron et al., 2011).

Cluster #7 is about the development and needs related to the charging infrastructure with related areas such as transportation networks and urban areas. Activity within this stream started to grow after 2012, i.e., around the start of the growth of the commercial market for EVs. Cited articles with the strongest burst develop different methods and algorithms to optimally allocate charging stations (Shahraki et al., 2015; Dong et al., 2016; Xiang et al., 2016).

Cluster #10 and #11, as well as #4 all deal with research related to batteries. While cluster #10 and #11 have continued to increase, cluster #4 (batteries and battery management) fluctuated more over time. The general growth of these clusters occurred after 2010. Cluster #4 is more general related to lithium-ion batteries and battery management systems, while cluster #10 looks more specifically into DC converters and battery chargers, and cluster #11 concerns thermal management of batteries. Thus, we can see that battery-related research has developed more specific clusters rather than clusters consisting of the broader articles. The articles with the strongest burst are related to the determination of state-of-charge of batteries (Piller et al, 2001); battery degradation in connection to V2G applications (Peterson et al., 2010a, 2010b); EVs impact on the grid (Rahman et al, 1993); and a more general article concerning batteries and ultracapacitors (Burke, 2007).

Cluster #15 covers areas related to the development of algorithms for vehicle routing problem and location-routing problem. This cluster, along with clusters #2, #7 and #11, constitute the trendiest research topics of EV literature at the moment. This trend and the rapid accumulation of papers on this topic is also reflected in several review articles that have been published on the topic in the recent years (Erdelić et al., 2019; Asghari et al., 2021; Qin et al., 2021). The most popular reference of this research stream is the study of Schneider et al. (2014).

Five clusters seem to have peaked in activity and are no longer that productive. Cluster #3 (electric motors and powertrains) and #6 (in-wheel motors and control strategies) both concern motor solutions. Cluster #3 is of more general character and cluster #6 regards specific solutions such as in-wheel motors and control strategies. For these two clusters, the most cited references are from the early 2000 s. Chan (2002) is an overview paper on EV technology, while Hori (2004) focuses more on motion control techniques applied to EVs. Clusters #9 and #16 are instead related to charging solutions, namely wireless charging and vehicle to grid. While these are still being discussed in the public domain, the research interest in the subjects seems to have dwindled.

Another cluster with decrease in activity is cluster #8 concerned with the environmental assessment of electric vehicles especially concerning emissions of greenhouse gases and life-cycle emissions. The decrease in activity in recent years could be an effect that the environmental benefits of EVs have been established and are less questioned today compared to early on in the development process. Interestingly, the papers with the highest citation burst are concerned with the environmental effects of PHEVs (Samaras et al., 2008; Bradley et al., 2009; Shiau et al., 2009).

Clusters #12 (electric vehicle application), #13 (battery string and equalizer), and #14 (balancing algorithm) all have had much smaller activity than the other clusters. Cluster #12 and #14 are more related to early technical EV research related to specific solutions such as semi-controlled batteries and inverters, while #13 seems to still have some activities.

#### 6. Discussions and conclusions

Electrification is a key technology within the transport field to reach climate goals. While the history of electrification is as old as the history of the automobile, it is not until the last 20 years that we see that the research has really gained momentum. In this paper, we have studied the scholarly research trends by analysing patterns of document co-referencing of the period 1990–2021. Our results show several interesting trends, gaps, and need for future development of EV research, industry, and policy.

The dominant research fields have been electrical engineering & computer science. We see a certain leveling off in research activity in these fields during recent years. However, we believe this might be a temporary result given the continued need for research and development of autonomous driving technologies in EV. These will be necessary to improve transportation safety and efficiency and to minimise energy consumption by optimising driving patterns and reducing traffic congestion. However, this development needs to be aligned with policies not to induce more traffic and thus energy demand (Sprei, 2018).

Energy & fuels and environmental studies are gaining in activity (even though the narrower environmental assessment of EVs has

peaked). With more EVs on the road, the demand for electricity to power these vehicles will increase, impacting the energy sector. Thus, we see that this is an area with expected growth, especially related to the integration of renewable energy. For example, research trends in the United States have shown that EV adoption is driving a transition to cleaner sources of electricity generation, such as wind and solar power (Taalbi et al., 2021).

In addition, the development of new battery technologies for EVs has led to innovations in energy storage, which has applications beyond the transportation sector. Advances in battery technology could lead to the creation of more efficient and cost-effective energy storage solutions for renewable energy sources like wind and solar power. In China, the government is investing heavily in the development of advanced battery technologies for both EVs and energy storage applications (Li et al., 2019).

Furthermore, the adoption of EVs will also impact the oil and gas industry as it reduces the demand for fossil fuels used in transportation. This shift towards electric vehicles will create new challenges and opportunities in the energy industry, requiring a comprehensive understanding of the relationship between EVs and energy-related fields. Future research could develop this further by investigating how EV research trends compare to other energy-related fields to better understand the broader implications of EVs on the energy sector. By studying the trends and identifying the uniqueness of EV research, we can develop a comprehensive approach to meet the energy needs of the future while reducing carbon emissions. This can be achieved by analysing and comparing research trends in other domains, such as renewable energy, energy storage, and sustainable transportation. Overall, the relationship between EVs and energy-related fields is complex and multi-dimensional. As such, a comprehensive understanding of this relationship is essential to effectively address the challenges and opportunities posed by the growing adoption of EVs.

We find relatively low international collaboration within EV research compared to other fields. Thus, further efforts can be made to improve this since, generally, research with international collaboration is more impactful than purely domestic studies (Van Raan, 1998). Special efforts should be made to incorporate researchers from emerging economies and developing countries that also need to transition to EVs to reach climate targets. Even from an industrial strategic point of view, international collaboration is required to achieve standardisation, reduce costs, increase interoperability, and ensure safety and reliability for consumers. This requires greater collaboration between governments, industry, and academia to align regulations and incentives with technological advancements and consumer needs.

EV adoption and market development is one of the growing research clusters and is predicted to continue growing given the challenges lying ahead to reach 100% BEV penetration in all markets. While most of the research, so far, has focused on early adopters, more focus is needed on reaching mainstream consumers and laggards. Increased public education and awareness are needed about the benefits of EVs in reducing greenhouse gas emissions and combating climate change. Thus, more research is needed to understand how this is done effectively and relates to attitudes in different socio-demographic groups. Research is also needed on how incentives can be implemented in different markets, the effects on government revenues and expenditures, and how incentives in the end should be phased out.

Closely related to EV adoption and market development is the development of charging infrastructure where we find a growing research activity that is not expected to saturate in the near future given the policy interest among others in the EU with the new Alternative Fuel Infrastructure Regulation (AFIR) mandating the deployment of charging and hydrogen refuelling in its member states. Challenges related to charging infrastructure deployment will be even more prominent with the electrification of heavy-duty vehicles as well.

Our findings are in line with other reviews such as (Broadbent et al., 2022) that identified gaps in the areas of battery technology, charging infrastructure, and policy frameworks to support the uptake of EVs. Other researchers have emphasised the need for interdisciplinary research to address complex issues related to EVs. For instance, in Debnath et al. (2021), it is argued for more research on the social, economic, and political dimensions of EV adoption, including issues related to equity and access to charging infrastructure.

From the research clusters, we find, not surprisingly, that different battery-related research has been central to EV research. Research and development efforts should continue to focus on improving battery technology to continue to decrease the cost of EVs. In addition, increased investment in the recycling and reuse of EV batteries is necessary to reduce waste and minimise the environmental impact of the EV industry. We thus see a continuous need for interdisciplinary research combining areas such as environmental research, chemical and material sciences, and electrical engineering on this topic.

# **Declaration of Competing Interest**

The authors declare that they have no known competing financial interests or personal relationships that could have appeared to influence the work reported in this paper.

#### Acknowledgments

Milad Haghani acknowledges the research funding provided by Australian Research Council (ARC) grant DE210100440.

The authors are thankful for the constructive feedback received from three anonymous reviewers during the peer review process of this paper.

# Appendix A

Appendix. —Clusters of co-cited references in EV research

Cluster ID Descriptor Top terms	Cluster statistics - size - silhouette score - mean year - year range - mean year (citing) - year range (citing)		Influential references Highest local citation count		Strongest citation burst (strength, duration)			Highest centrality		Highest coverage citing articles	
Cluster #0 plug-in electric vehicle systems	S	1006	Clement-Nyns et al. (2010)	1165	Kempton et al. (2005a)	86.06	2009–2014	Göransson et al. (2010)	0.02	Mahmoudzadeh Andwari et al. (2017)	50
and modelling - plug-in electric vehicle	SS	0.799	Kempton et al. (2005b)	725	Clement- Nyns et al. (2010)	73.46	2012–2015			Ahmadian et al. (2020)	49
<ul> <li>smart grid</li> <li>hybrid electric</li> </ul>	MY	2012	Lopes et al. (2011)	540	Tomić et al. (2007)	51.96	2008–2016			Chang et al. (2018)	46
vehicle - distribution network	YR	1965–2020	Pieltain Fernandez et al. (2011)	536	Lopes et al. (2011)	43.35	2012–2015			Aghaei et al. (2016)	46
<ul> <li>distribution</li> <li>system</li> </ul>	MY(citing)	2017	Qian et al. (2011)	505	Sortomme et al. (2011)	40.12	2012–2015			Ashique et al. (2017)	46
	YR(citing)	2010–2021	Sortomme et al. (2011)	494	Sekyung et al. (2010)	38.93	2012–2015			Banol Arias et al. (2019)	43
			Deilami et al. (2011)	468	Guille et al. (2009)	33.42	2010–2015			Abdalrahman et al. (2017)	40
			Sekyung et al. (2010)	445	Peterson et al. (2010a)		2011–2014			Arfeen et al. (2019)	38
			Tomić et al. (2007)	403	Rotering et al. (2011)	30.19	2012–2015			Alshahrani et al. (2019)	38
			Gan et al. (2013)	390						Al-Ogaili et al. (2019)	3
Cluster #1 power management in	S	485	Chan-Chiao et al. (2003)	428	Chan-Chiao et al. (2003)	51.17	2005–2012	Baumann et al. (2000)	0.02	Ibrahim et al. (2021)	5
EV and HEV - hybrid electric vehicle	SS	0.874	Salmasi (2007)	307	Baumann et al. (2000)	43.7	2003–2012	Powell et al. (1998)	0.02	Huang et al. (2017)	38
- parallel hybrid EV - energy	MY	2009	Sciarretta et al. (2004)	295	Schouten et al. (2002)	40.43	2003–2012		0.02	Alyakhni et al. (2021)	3'
management - plug-in hybrid	YR	1970–2020	Namwook et al. (2011)	269	Sciarretta et al. (2004)	36.48	2005–2013		0.02	Hu et al. (2021)	3
	MY(citing)	2016	Sciarretta et al. (2007)	268	Powell et al. (1998)	31.88	2000–2012	(2006a)		Chen et al. (2021)	3:
	YR(citing)	2003–2021		256	Delprat et al. (2004)	31.84	2005–2013			Biswas et al. (2019)	3
			Borhan et al. (2012)	238	Emadi et al. (2005)	30.29	2005–2013			*Qiuming et al. (2008b)	3
			Pisu et al. (2007)	219	*Guzzella et al. (2007)	27.08	2009–2016			İnci et al. (2021)	3
			Moura et al. (2011)	217	Chau et al. (2002)	26.05	2006–2013			Enang et al. (2017)	3
			Musardo et al. (2005) Jinming et al.	209 202							
Cluster #2 electric vehicle	s	429	(2008) Egbue et al. (2012)	451	Nykvist et al. (2015)	21.21	2016–2019	Heffner et al.	0.02	Coffman et al. (2016)	4
adoption and market	SS	0.916	Sierzchula et al.	324	Thiel et al.	18.08	2011–2016	(2007)		Brückmann et al.	4
development - electric vehicle adoption	MY	2010	(2014) Hidrue et al. (2011)	312	(2010) Axsen et al. (2010)	12.83	2012–2016			(2021) Ghosh (2020)	3

Cluster ID Descriptor Fop terms	Cluster statistics - size - silhouette score - mean year - year range - mean year (citing) - year range (citing)		Influential references Highest local citation count		Strongest cita (strength, dur	rst	Highest centrality		Highest coverage citing articles		
- alternative fuel vehicle	YR	1962–2020	Rezvani et al. (2015)	290	Cocron et al. (2011)	12.36	2012–2017			Mahmoudzadeh Andwari et al.	38
- empirical study	MY(citing)	2018	Pearre et al. (2011)	244	Williams et al. (2012)	11.95	2013–2016			(2017) Fazeli et al. (2021)	34
	YR(citing)	1993–2021	Nykvist et al. (2015)	239	Sovacool et al. (2009)	11.6	2015–2017			He et al. (2018)	3
			Graham-Rowe et al. (2012)	203	Bjerkan et al. (2016)	11.6	2010–2015			He et al. (2016)	3
			Carley et al. (2013)	188	Perujo et al. (2010)	11.44	2018–2021			Axsen et al. (2018)	3
			Sovacool et al. (2009)	185 170			2012–2015			Hardman et al. (2018) Broadbent et al.	3
			Al-Alawi et al. (2013)	170						(2018)	3
Cluster #3 electric motors and powertrains	S	409	Chan (2007)	529	Chan (2002)	83.19	2002–2014	Ehsani et al. (1997)	0.02	Das et al. (2017)	23
<ul> <li>reluctance motor</li> <li>hybrid electric</li> </ul>	SS	0.869	Chan (2002)	339	Ehsani et al. (1997)	37.24	2005–2013			Chan et al. (2010)	2
vehicle - permanent	MY	2002	Chan et al. (2010)	257	Wipke et al. (1999)	36.52	1999–2012			Chau et al. (2008)	2
magnet - induction motor	YR		Chau et al. (2008)		Chan (2007)	35.78	2004–2012			*Dang Hoang et al. (2014)	1
	MY(citing)	2012	Markel et al. (2002)	202	Markel et al. (2002)	35.58	2008–2014			Chau et al. (2007)	
	YR(citing)	1996–2021	Zhu et al. (2007)	194	*Chan et al. (2001)	35.38	2005–2012			*Hu et al. (2015)	
			*Larminie et al. (2003) Wipke et al.	172 171	Chau et al. (2008) Lukic et al.	27.89 26.09	2003–2013 2009–2014			Estima et al. (2012) Doucette et al.	1
			(1999) de Santiago et al.		(2004) *Larminie	25.55	2009–2014			(2011)	1
			(2012)	102	et al. (2003)	20.00	2005–2012				
Cluster #4 batteries and	S	366	Plett (2004)	612	Piller et al. (2001)	30.39	2005–2015			Ibrahim et al. (2021)	4
battery management	SS	0.905	Lu et al. (2013)	406	Peterson et al. (2010b)	29.09	2011–2016			Cuma et al. (2015)	4
- lithium-ion batteries	MY	2009	Chen et al. (2006)	245	Sun et al. (2016)	25.23	2016–2018			Farmann et al. (2015)	3
<ul> <li>battery management</li> </ul>	YR	1957–2020	Peterson et al. (2010)	227	Plett (2004)	24.29	2004–2014			Hannan et al. (2017)	3
system- equivalent circuit model	MY(citing)	2016	Hu et al. (2012)	217	Chen et al. (2006)	20.09	2009–2014			Jaguemont et al. (2016)	3
	YR(citing)	2005–2021	Wang et al. (2011b)	203	Hannan et al. (2017)	19.59	2018–2021			Alyakhni et al. (2021)	3
			Vetter et al. (2005)	194	Plett (2004)	19.35	2004–2015			Mahmoudzadeh Andwari et al. (2017)	3
Cluster #5 fuel cells and hybrid systems	S	343	Emadi et al. (2008)	326	Emadi et al. (2008)	35.5	2009–2014	Affanni et al. (2005)	0.02	How et al. (2019) Ibrahim et al. (2021)	4
- hybrid energy storage system - fuel cell	SS	0.897	Tie et al. (2013)	317	Khaligh et al. (2010)	29.86	2012–2016		0.02	Hoque et al. (2017)	2
- hybrid electric vehicle	MY	2010	Khaligh et al. (2010)	254	Moreno et al. (2006)	21.32	2010–2016	>		Hemmati et al. (2016)	2
- plug-in electric vehicle- energy	YR	1995–2020	Jian et al. (2012)	245	Lukic et al. (2008)	20.62	2006–2013			Alyakhni et al. (2021)	2
	MY(citing)	2016	Lukic et al.	228	Ortuzar et al.	20.42	2009-2012			İnci et al. (2021)	2

Cluster ID Descriptor Top terms	cluster statis - size - silhouette s - mean year - year range - mean year - year range	ccore (citing)	Influential refere Highest local cita count	Strongest cita (strength, du		rst	Highest centrality		Highest coverage citing articles		
	YR(citing)	2005–2021	Moreno et al. (2006)	177	*Judek et al. (2008)	19.33	2008–2015			Mahmoudzadeh Andwari et al. (2017)	23
			Hannan et al. (2014)	146			2017–2021			Ghosh (2020)	23
			Trovão et al. (2013)	112						Das et al. (2017)	20
			Song et al. (2015)	104						Kasimalla et al. (2018)	20
Cluster #6 in-wheel motors	S	322	Hori (2004)	319	Hori (2004)	32.81	2005–2015	*Gillespie (1992)	0.03	Chen et al. (2018)	14
and control	SS	0.928	Zeraoulia et al. (2006)	150	Sakai et al. (1999)	30.01	2002-2015	(1992)		Chen et al. (2019)	14
strategies - in-wheel motor	MY	2007	Deb et al. (2002)	146	Terashima	20.64	2003–2014			Goggia et al.	13
<ul> <li>independent- drive electric vehicle</li> </ul>	YR	1981–2019	*R (2012)	118	et al. (1997) Hori et al. (1998)	19.77	2000–2012			(2015) Cao et al. (2017)	13
- direct yaw-	MY(citing)	2016	Wang et al.	112	Zeraoulia	17.44	2008-2014			Lin et al. (2019)	13
moment control- rear wheel	YR(citing)	1999–2021		110	et al. (2006) Shimizu et al.	17.4	1999–2012			De Filippis et al.	12
			(1999) Cong et al. (2009)	97	(1997) Mutoh et al.	14.78	2008-2011			(2018)	
			Zhai et al. (2016)		(2007)						
Cluster #7 charging	S	250	Liu et al. (2013)	237	Xiang et al. (2016)	15.14	2018–2021	Eberle et al. (2010)	0.02	Kchaou- Boujelben (2021)	59
infrastructure - charging station - charging	SS	0.941	He et al. (2013)	223	Dong et al. (2016)	13.31	2018–2021			Asghari and Mirzapour Al-e- hashem, 2021	44
infrastructure - transportation	MY	2015	Dong et al. (2014)	211	Shahraki et al. (2015)	12.92	2018–2021			Fazeli et al. (2021)	27
network - urban area	YR	1974–2020	Sadeghi-Barzani et al. (2014)	183	Zhang et al. (2016)	11.91	2018–2021			Jang (2018)	27
	MY(citing)	2019	Zheng et al. (2014)	162	Sioshansi (2012)	11.46	2014–2017			Aghalari et al. (2021)	25
	YR(citing)	2013–2021	Kuby et al. (2005)	161	Li et al. (2016)	11.2	2017–2021			Bilal et al. (2020)	24
			Wang et al. (2013)	151	Andrenacci et al. (2016)	10.78	2018–2021			Ju et al. (2019)	24
			Lam et al. (2014)	151	Awasthi et al. (2017)	10.65	2018–2021			Ahmad et al. (2017)	23
			Mak et al. (2013)	138	(2017)					Al-Hanahi et al. (2021)	23
			Frade et al. (2011)	134						(2021)	
Cluster #8 environmental assessment	S	238	Hawkins et al. (2012a)	307	Samaras et al. (2008)	40.57	2009–2015			Asghari and Mirzapour Al-e- hashem, 2021	40
- greenhouse gas emission	SS	0.914	Samaras et al. (2008)	206	Bradley et al. (2009)	28.27	2009–2013			Ibrahim et al. (2021)	40
- life cycle - environmental	MY	2013	Bradley et al. (2009)	166	Stephan et al. (2008)	24.33	2009–2015			Asef et al. (2021)	23
benefit	YRHardman	1982–2020	Hawkins et al.	142	Shiau et al.	22.02	2010–2014			Habib et al.	19
	et al. () MY(citing)	2018	(2012b) Notter et al.	140	(2009) Silva et al.	18.9	2010–2014			(2018a) Haram et al.	18
	YR(citing)	2010–2021	(2010) Wu et al. (2015)	128	(2009) Shiau et al.	13.12	2011–2013			(2021) Cusenza et al.	17
			Neubauer et al.	127	(2010) *Kalhammer	13.1	2008–2015			(2019) Habib et al.	17
			(2014) Fiori et al. (2016)	108	et al. (2007)					(2018b) Franzò et al.	17
										(2021) (continued on next p	

Cluster ID Descriptor Top terms	Cluster stati - size - silhouette - mean year - year range - mean year - year range	score (citing)	Influential refere Highest local cita count		Strongest cita (strength, du		rst	Highest centrality		Highest coverage citing articles	
			Nordelöf et al.	100						Hung et al.	17
Cluster #9 wireless	S	235	(2014) Siqi et al. (2015)	282	Covic et al. (2007)	19.46	2011–2016			(2021) Machura et al. (2019)	51
charging - dynamic wireless	SS	0.988	Wang et al. (2005)	272	Mi et al. (2016)	18.67	2018–2021			Covic and Boys (2013a)	48
charging - inductive power	MY	2010	Covic and Boys (2013b)	238	Wang et al. (2005)	18.02	2013–2015			Siqi et al. (2015)	43
transfer- wireless power transfer	YR	1978–2020	Budhia et al. (2013)	233	Sallan et al. (2009)	16.06	2013–2016			Covic and Boys (2013a)	40
system	MY(citing)	2017	Budhia et al. (2011)	214	*Madawala et al. (2011)	15.97	2013–2017			Patil et al. (2018)	40
	YR(citing)	2013–2021	Kurs et al. (2007)	177	*Stielau et al. (2000)	14.8	2013–2017			Ahmad et al. (2018)	36
			Shin et al. (2014)	177	Lee et al. (2010)	14.08	2013–2015			Aziz et al. (2019)	32
			Wang et al. (2004)	148						Bi et al. (2016)	32
										Niu et al. (2019) Mahesh et al. (2021)	31 30
Cluster #10 battery chargers	S	220	Yilmaz et al. (2013)	758	Rahman et al. (1993)	33.47	2010–2015	Chan et al. (1997)	0.06	Khaligh et al. (2012)	17
- DC convertor - integrated battery charger	SS	0.944	Gomez et al. (2003)	176	Hajimiragha et al. (2010)	19.68	2011–2015		0.02	Habib et al. (2018b)	16
- on-board battery charger	MY	2008	Young-Joo et al. (2009)	165	Morrow et al. (2008)	19.32	2010–2014	(2011)		Khaligh et al. (2019)	15
charger	YR	1982–2019	Khaligh et al. (2012)	158	Emadi et al. (2006)	17.09	2007–2014			Gu et al. (2013)	14
	MY(citing)	2017	Hajimiragha et al. (2010)	143	Young-Joo et al. (2009)	16.16	2010–2013			Dusmez et al. (2013)	13
	YR(citing)	1999–2021	Emadi et al. (2006)	125	Mapelli et al. (2010)	14.33	2011–2015			Al-Hanahi et al. (2021)	12
			Etezadi-Amoli et al. (2010)	114	Kramer et al. (2008)	13.12	2010–2014				
			Dubey et al. (2015)	113	Kuperman et al. (2013)	13.07	2014–2016				
			Haghbin et al. (2013)	101	Chan et al. (1997)	12.85	1999–2014				
			Rahman et al. (1993)	100	Egan et al. (2007)	12.25	2011–2015				
Cluster #11 thermal management	S	204	Burke (2007)	137	Burke (2007)	32.62	2008–2013	Brown et al. (2010)	0.03	Lu et al. (2020)	31
system - thermal	SS	0.954	Bandhauer et al. (2011)	122	*Husain (2003)	21	2005–2013	Fuller et al. (1994)	0.02	Ibrahim et al. (2021)	28
management - heat pipe - thermal	MY	2011	Rao et al. (2011)	119	*Tremblay et al. (2007)	15.21	2013–2016		0.02	Bibin et al. (2020)	27
performance	YR	1965–2020	Jaguemont et al. (2016)	115	Campanari et al. (2009)	13.29	2010–2015		0.02	Lin et al. (2021)	26
	MY(citing)	2018	Mahmoudzadeh Andwari et al. (2017)	113	Hu et al. (2017)	12.68	2018–2021		0.02	Kumar et al. (2020)	26
	YR(citing)	2002–2021		110	Bradley and Quinn (2010)	11.93	2011–2016			Mali et al. (2021)	25
			Pesaran (2002)	110	Smith et al. (2006)	11.88	2012–2014			Kannan et al. (2021)	25
			*Tremblay et al. (2007)	104	Gu et al. (2000)	11.51	2013–2016			Kim et al. (2019)	23
										(continued on next p	age)

Cluster ID Descriptor Top terms	- size - silhouette - mean year - year range - mean year - year range	score	Influential refere Highest local cita count		Strongest cita (strength, dui		rst	Highest centrality		Highest coverage citing articles	
	year range	(citing)	Bernardi et al.	101							
Cluster #12 electric-vehicle	S	112	(2019) Delucchi et al. (2001)	46	*Rand et al. (1998)	11.97	1999–2008	et al.	0.04	Johansson et al. (2000)	18
application - EV application - semi-controlled	SS	0.996	*Rand et al. (1998)	18	Lam et al. (2006)	9.05	2007–2011	(2001) *Rand et al. (1998)	0.03	McNicol et al. (1999)	18
battery - charging power	MY	1993	Lam et al. (2006)	14	Delucchi et al. (2001)	8.53	2011–2016	<b>(</b> )		Meissner (1997)	12
converter	YR	1962–2011	Cooper (2004)	8	Cooper (2004)	5.3	2005–2009			Ahman (2003)	11
	MY(citing)	2002			Lam et al. (1995)	4.05	1997–2006			Santini et al. (2000)	9
	YR(citing)	1997-2011			(1330)					(2000)	
Cluster #13 battery string	S	107	Gallardo-Lozano et al. (2014)	75	Kutkut et al. (1999)	10.56	2007–2014			*Park et al. (2007a)	46
and equalizer - series-connected	SS	0.986	Shang et al. (2015)	50	Lee et al. (2005)	10.51	2007–2015			* Park et al. (2007b)	45
battery string coupling-	MY	2004	Lee et al. (2005)	47	Ming et al. (2000)	8.66	2006–2009			Shang et al. (2017a)	25
capacitor	YR	1978–2018	Kim et al. (2013)	35	(2000) Kim et al. (2013)	8.55	2015–2017			Shang et al. (2017b)	24
equalizer- using multi-winding	MY(citing)	2014	Lee et al. (2006)	31	Lee et al.	8.14	2007-2013			Shang et al.	24
transformer	YR(citing)	2004–2020	Baughman et al.	25	(2006) Hong-Sun	7.56	2013–2017			(2017c) Shang et al.	23
			(2008) Hong-Sun et al.	23	et al. (2009) Shang et al.	7.44	2016–2019			(2017d) *Kimball et al.	18
			(2009) Imtiaz et al.	21	(2015) Chiasson	7.06	2006-2011			(2007)	
			(2013) Kutkut et al. (1999)	21	et al. (2005)						
Cluster #14	S	82	Kim et al. (2014) Takahashi et al.	20 26	Jahns (1987)	11.12	1996–2014	Bose et al.	0.02	Chan (1993)	28
balancing algorithm	SS	0.988	(1986) Jahns (1987)	23	Takahashi	11.06	2006–2015	(1988) *Ferdowsi	0.02	Rahman (2007)	22
<ul> <li>balancing algorithm</li> </ul>	MY	1996	Rodriguez et al.	20	et al. (1986) Faiz et al.	7.18	2005–2010	(2007)			
<ul> <li>three-level neutral point</li> </ul>	YR	1978–2014	(2002) Soong (1994)	18	(2003) Jahns et al.	6.16	2007-2012				
<ul><li>DC-bus voltage</li><li>three-level</li></ul>	MY(citing)	2009	Nabae et al.	14	(1986) Soong (1994)	6.01	2000–2016				
inverter	YR(citing)	1993–2019	(1981) Faiz et al. (2003)	11	Buja et al.	5.95	2007-2010				
	. 0.		Jahns et al.	10	(2004) Morimoto	4.59	2000–2009				
			(1986) Buja et al. (2004)		et al. (1990) *Ehsani et al.	4.57	2005–2010				
			Teichmann et al.		(2003) Casadei et al.		2006–2009				
Cluster #15	S	73	(2005) Schneider et al.	199	(2002) Yang et al.	8.77	2018–2021	* A rtm oior	0.02	Asghari et al.	36
routing problem - routing problem	3	73	(2014)	199	(2015)	6.77	2010-2021	et al. (2010)	0.02	(2021)	30
<ul> <li>partial recharge</li> <li>green mixed fleet</li> </ul>	SS	0.98	Erdoğan et al. (2012)	143	Lin et al. (2016)	8.3	2018–2021			Erdelić et al. (2019)	32
vehicle - location-routing	MY	2015	Goeke et al. (2015)	107	**	5.79				Kucukoglu et al. (2021)	31
problem - green vehicle	YR	1987–2020	Hiermann et al. (2016)	103	Liao et al. (2016)	5.11	2017–2019			Keskin et al. (2019)	28
,	MY(citing)	2019	Felipe et al. (2014)	102	C					Qin et al. (2021)	27
	YR(citing)	2016–2021	2 2	97						Rastani et al. (2021)	24
			* *							(continued on next p	page)

Cluster ID Descriptor Top terms	Cluster statistics - size - silhouette score - mean year - year range - mean year (citing) - year range (citing)		Influential references Highest local citation count		Strongest cita (strength, du		st	Highest centrality	Highest coverage citing articles	
			Yang et al. (2015) Montoya et al. (2017)	87					Yang et al. (2021) Duman et al. (2021)	23 23
			Desaulniers et al. (2016)	82						
Cluster #16 vehicle to grid	S	26	Kempton et al. (2005a)	803	Kempton et al. (2005b)	101.43	2009–2014		Kempton et al. (2005a)	14
<ul> <li>vehicle-to-grid system</li> </ul>	SS	0.992	Kempton et al. (1997)	298	Kempton et al. (1997)	25.44	2010–2014		Kempton et al. (2005b)	12
<ul> <li>wind power integration</li> </ul>	MY	2001	Lave et al. (2002)	16	Lave et al. (2002)	6.98	2008–2015		Ben Sassi et al. (2021)	4
- V2G frequency regulation	YR	1996–2007							Lemoine et al. (2008)	4
- small scale energy	MY(citing)	2015							Sachan et al. (2021)	3
management	YR(citing)	2005–2021								

#### Appendix B. Supplementary material

Supplementary data to this article can be found online at https://doi.org/10.1016/j.trd.2023.103881.

#### References

Abdalrahman, A., Zhuang, W., 2017. A Survey on PEV Charging Infrastructure: Impact Assessment and Planning. Energies 10 (10).

Affanni, A., Bellini, A., Franceschini, G., Guglielmi, P., Tassoni, C., 2005. Battery choice and management for new-generation electric vehicles. IEEE Trans. Ind. Electron. 52 (5), 1343–1349.

Aghaei, J., Nezhad, A.E., Rabiee, A., Rahimi, E., 2016. Contribution of Plug-in Hybrid Electric Vehicles in power system uncertainty management. Renew. Sustain. Energy Rev. 59, 450–458.

Aghalari, A., Salamah, D.E., Marino, C., Marufuzzaman, M., 2021. Electric vehicles fast charger location-routing problem under ambient temperature. Annals of Operations Research.

Ahmad, A., Khan, Z.A., Saad Alam, M., Khateeb, S., 2017. A Review of the Electric Vehicle Charging Techniques, Standards, Progression and Evolution of EV Technologies in Germany. Smart Sci. 6 (1), 36–53.

Ahmad, A., Alam, M.S., Chabaan, R., 2018. A Comprehensive Review of Wireless Charging Technologies for Electric Vehicles. IEEE Trans. Transp. Electrif. 4 (1), 38–63

Ahmadian, A., Mohammadi-Ivatloo, B., Elkamel, A., 2020. A Review on Plug-in Electric Vehicles: Introduction, Current Status, and Load Modeling Techniques. J. Mod Power Syst. Clean Energy 8 (3), 412–425.

Ahman, M., 2003. Assessing the future competitiveness of alternative powertrains. Int. J. Veh. Des. 33 (4).

Åhman, M., 2006. Government policy and the development of electric vehicles in Japan. Energy Policy 34 (4), 433–443.

Al-Alawi, B.M., Bradley, T.H., 2013. Review of hybrid, plug-in hybrid, and electric vehicle market modeling Studies. Renew. Sustain. Energy Rev. 21, 190–203. Aleixandre-Tudó, J.L., Castelló-Cogollos, L., Aleixandre, J.L., Aleixandre-Benavent, R., 2019. Renewable energies: Worldwide trends in research, funding and international collaboration. Renew. Energy 139, 268–278.

Al-Hanahi, B., Ahmad, I., Habibi, D., Masoum, M.A.S., 2021. Charging Infrastructure for Commercial Electric Vehicles: Challenges and Future Works. IEEE Access 9, 121476–121492.

Al-Ogaili, A.S., Tengku Hashim, T.J., Rahmat, N.A., Ramasamy, A.K., Marsadek, M.B., Faisal, M., Hannan, M.A., 2019. Review on Scheduling, Clustering, and Forecasting Strategies for Controlling Electric Vehicle Charging: Challenges and Recommendations. IEEE Access 7, 128353–128371.

Alshahrani, S., Khalid, M., Almuhaini, M., 2019. Electric Vehicles Beyond Energy Storage and Modern Power Networks: Challenges and Applications. IEEE Access 7, 99031–99064.

Altenburg, T., Schamp, E.W., Chaudhary, A., 2016. The emergence of electromobility: Comparing technological pathways in France, Germany, China and India. Sci. Public Policy 43 (4), 464–475.

Altenburg, T., Corrocher, N., Malerba, F., 2022. China's leapfrogging in electromobility. A story of green transformation driving catch-up and competitive advantage. Technol. Forecast. Soc. Chang. 183, 121914.

Alyakhni, A., Boulon, L., Vinassa, J.-M., Briat, O., 2021. A Comprehensive Review on Energy Management Strategies for Electric Vehicles Considering Degradation Using Aging Models. IEEE Access 9, 143922–143940.

Amjad, S., Neelakrishnan, S., Rudramoorthy, R., 2010. Review of design considerations and technological challenges for successful development and deployment of plug-in hybrid electric vehicles. Renew. Sustain. Energy Rev. 14 (3), 1104–1110.

Amjadi, Z., Williamson, S.S., 2010. Power-Electronics-Based Solutions for Plug-in Hybrid Electric Vehicle Energy Storage and Management Systems. IEEE Trans. Ind. Electron. 57 (2), 608–616.

Andrenacci, N., Ragona, R., Valenti, G., 2016. A demand-side approach to the optimal deployment of electric vehicle charging stations in metropolitan areas. Appl. Energy 182, 39–46.

Arfeen, Z.A., Khairuddin, A.B., Munir, A., Azam, M.K., Faisal, M., Arif, M.S.B., 2019. En route of electric vehicles with the vehicle to grid technique in distribution networks: Status and technological review. Energy Storage 2 (2).

- Artmeier, A., Haselmayr, J., Leucker, M., Sachenbacher, M., 2010. The Shortest Path Problem Revisited: Optimal Routing for Electric Vehicles. In: KI 2010: Advances in Artificial Intelligence, pp. 309–316.
- Asef, P., Milan, M., Lapthorn, A., Padmanaban, S., 2021. Future Trends and Aging Analysis of Battery Energy Storage Systems for Electric Vehicles. Sustainability 13 (24)
- Asghari, M., Al-e-hashem, S., 2021. Green vehicle routing problem: A state-of-the-art review. Int. J. Prod. Econ. 231.
- Asghari, M., Mirzapour Al-e-hashem, S.M.J., 2021. Green vehicle routing problem: A state-of-the-art review. Int. J. Prod. Econ. 231.
- Ashique, R.H., Salam, Z., Bin Abdul Aziz, M.J., Bhatti, A. R., 2017. Integrated photovoltaic-grid dc fast charging system for electric vehicle: A review of the architecture and control. Renew. Sustain. Energy Rev. 69: 1243-1257.
- Awasthi, A., Venkitusamy, K., Padmanaban, S., Selvamuthukumaran, R., Blaabjerg, F., Singh, A.K., 2017. Optimal planning of electric vehicle charging station at the distribution system using hybrid optimization algorithm. Energy 133, 70–78.
- Axsen, J., Kurani, K.S., 2010. Anticipating plug-in hybrid vehicle energy impacts in California: Constructing consumer-informed recharge profiles. Transp. Res. Part D: Transp. Environ. 15 (4), 212–219.
- Axsen, J., Wolinetz, M., 2018. Reaching 30% plug-in vehicle sales by 2030: Modeling incentive and sales mandate strategies in Canada. Transp. Res. Part D: Transp. Environ. 65, 596–617.
- Aziz, A.F.A., Romlie, M.F., Baharudin, Z., 2019. Review of inductively coupled power transfer for electric vehicle charging. IET Power Electron. 12 (14), 3611–3623. Bandhauer, T.M., Garimella, S., Fuller, T.F., 2011. A Critical Review of Thermal Issues in Lithium-Ion Batteries. J. Electrochem. Soc. 158 (3).
- Banol Arias, N., Hashemi, S., Andersen, P.B., Traeholt, C., Romero, R., 2019. Distribution System Services Provided by Electric Vehicles: Recent Status, Challenges, and Future Prospects. IEEE Trans. Intell. Transp. Syst. 20 (12), 4277–4296.
- Baughman, A.C., Ferdowsi, M., 2008. Double-Tiered Switched-Capacitor Battery Charge Equalization Technique. IEEE Trans. Ind. Electron. 55 (6), 2277–2285. Baumann, B.M., Washington, G., Glenn, B.C., Rizzoni, G., 2000. Mechatronic design and control of hybrid electric vehicles. IEEE/ASME Trans. Mechatron. 5 (1), 58–72.
- Bedsworth, L.W., Taylor, M.R., 2007. Learning from California's zero-emission vehicle program. California Economic Policy 3 (4).
- Ben Sassi, H., Alaoui, C., Errahimi, F., Es-Sbai, N., 2021. Vehicle-to-grid technology and its suitability for the Moroccan national grid. J. Storage Mater. 33.
- Bernardi, D., Pawlikowski, E., Newman, J., 2019. A General Energy Balance for Battery Systems. J. Electrochem. Soc. 132 (1), 5-12.
- Bi, Z., Kan, T., Mi, C.C., Zhang, Y., Zhao, Z., Keoleian, G.A., 2016. A review of wireless power transfer for electric vehicles: Prospects to enhance sustainable mobility. Appl. Energy 179, 413–425.
- Bibin, C., Vijayaram, M., Suriya, V., Sai Ganesh, R., Soundarraj, S., 2020. A review on thermal issues in Li-ion battery and recent advancements in battery thermal management system. Mater. Today:. Proc. 33, 116–128.
- Bilal, M., Rizwan, M., 2020. Electric vehicles in a smart grid: a comprehensive survey on optimal location of charging station. IET Smart Grid 3 (3), 267–279.
- Biswas, A., Emadi, A., 2019. Energy Management Systems for Electrified Powertrains: State-of-the-Art Review and Future Trends. IEEE Trans. Veh. Technol. 68 (7), 6453–6467.
- Bjerkan, K.Y., Nørbech, T.E., Nordtømme, M.E., 2016. Incentives for promoting Battery Electric Vehicle (BEV) adoption in Norway. Transp. Res. Part D: Transp. Environ. 43, 169–180.
- Borhan, H., Vahidi, A., Phillips, A.M., Kuang, M.L., Kolmanovsky, I.V., Di Cairano, S., 2012. MPC-Based Energy Management of a Power-Split Hybrid Electric Vehicle. IEEE Trans. Control Syst. Technol. 20 (3), 593–603.
- Bose, B.K., Szczesny, P.M., 1988. A MICROCOMPUTER-BASED CONTROL AND SIMULATION OF AN ADVANCED IPM SYNCHRONOUS MACHINE DRIVE SYSTEM FOR ELECTRIC VEHICLE PROPULSION. IEEE Trans. Ind. Electron. 35 (4), 547–559.
- Bradley, T.H., Frank, A.A., 2009. Design, demonstrations and sustainability impact assessments for plug-in hybrid electric vehicles. Renew. Sustain. Energy Rev. 13 (1), 115–128.
- Bradley, T.H., Quinn, C.W., 2010. Analysis of plug-in hybrid electric vehicle utility factors. J. Power Sources 195 (16), 5399-5408.
- Broadbent, G.H., Drozdzewski, D., Metternicht, G., 2018. Electric vehicle adoption: An analysis of best practice and pitfalls for policy making from experiences of Europe and the US. Geogr. Compass 12 (2).
- Broadbent, G.H., Allen, C.I., Wiedmann, T., Metternicht, G.I., 2022. Accelerating electric vehicle uptake: Modelling public policy options on prices and infrastructure. Transp. Res. A Policy Pract. 162, 155–174.
- Brown, S., Pyke, D., Steenhof, P., 2010. Electric vehicles: The role and importance of standards in an emerging market. Energy Policy 38 (7), 3797-3806.
- Brückmann, G., Willibald, F., Blanco, V., 2021. Battery Electric Vehicle adoption in regions without strong policies. Transp. Res. Part D: Transp. Environ. 90. Budhia, M., Covic, G.A., Boys, J.T., 2011. Design and Optimization of Circular Magnetic Structures for Lumped Inductive Power Transfer Systems. IEEE Trans. Power Electron. 26 (11), 3096–3108.
- Budhia, M., Boys, J.T., Covic, G.A., Huang, C.-Y., 2013. Development of a Single-Sided Flux Magnetic Coupler for Electric Vehicle IPT Charging Systems. IEEE Trans. Ind. Electron. 60 (1), 318–328.
- Buja, G.S., Kazmierkowski, M.P., 2004. Direct Torque Control of PWM Inverter-Fed AC Motors—A Survey. IEEE Trans. Ind. Electron. 51 (4), 744-757.
- Burke, A.F., 2007. Batteries and Ultracapacitors for Electric, Hybrid, and Fuel Cell Vehicles. Proc. IEEE 95 (4), 806-820.
- Campanari, S., Manzolini, G., Garcia de la Iglesia, F., 2009. Energy analysis of electric vehicles using batteries or fuel cells through well-to-wheel driving cycle simulations. J. Power Sources 186 (2), 464–477.
- Cao, W., Liu, H., Lin, C., Chang, Y., Liu, Z., Szumanowski, A., 2017. Co-Design Based Lateral Motion Control of All-Wheel-Independent-Drive Electric Vehicles with Network Congestion. Energies 10 (10).
- Carley, S., Krause, R.M., Lane, B.W., Graham, J.D., 2013. Intent to purchase a plug-in electric vehicle: A survey of early impressions in large US cites. Transp. Res. Part D: Transp. Environ. 18, 39–45.
- Casadei, D., Profumo, F., Serra, G., Tani, A., 2002. FOC and DTC: two viable schemes for induction motors torque control. IEEE Trans. Power Electron. 17 (5), 779–787.
- Chakraborty, D., Hardman, S., Tal, G., 2020. Why do some consumers not charge their plug-in hybrid vehicles? Evidence from Californian plug-in hybrid owners. Environ. Res. Lett. 15 (8), 084031.
- Chan, C.C., 1993. An overview of electric vehicle technology. Proc. IEEE 81 (9), 1202-1213.
- Chan, C.C., 2002. The state of the art of electric and hybrid vehicles. Proc. IEEE 90 (2), 247-275.
- Chan, C.C., 2007. The state of the art of electric, hybrid, and fuel cell vehicles. Proc. IEEE 95 (4), 704-718.
- Chan, C.C., Bouscayrol, A., Chen, K.Y., 2010. Electric, Hybrid, and Fuel-Cell Vehicles: Architectures and Modeling. IEEE Trans. Veh. Technol. 59 (2), 589-598.
- Chan, C.C., Chau, K.T., 1997. An overview of power electronics in electric vehicles. IEEE Trans. Ind. Electron. 44 (1), 3–13.
- Chan, C.C., Chau, K.T., 2001. Modern electric vehicle technology. Oxford University Press, Oxford England; New York.
- Chan-Chiao, L., Huei, P., Grizzle, J.W., Jun-Mo, K., 2003. Power management strategy for a parallel hybrid electric truck. IEEE Trans. Control Syst. Technol. 11 (6), 839–849.
- Chang, N., Faruque, M.A., Shao, Z., Xue, C.J., Chen, Y., Baek, D., 2018. Survey of Low-Power Electric Vehicles: A Design Automation Perspective. IEEE Des. Test 35 (6), 44–70.
- Chau, K.T., Chan, C.C., 2007. Emerging energy-efficient technologies for hybrid electric vehicles. Proc. IEEE 95 (4), 821-835.
- Chau, K.T., Chan, C.C., Chunhua, L., 2008. Overview of Permanent-Magnet Brushless Drives for Electric and Hybrid Electric Vehicles. IEEE Trans. Ind. Electron. 55 (6), 2246–2257.
- Chau, K.T., Wong, Y.S., 2002. Overview of power management in hybrid electric vehicles. Energ. Conver. Manage. 43 (15), 1953–1968.
- Chen, L., Chen, T., Xu, X., Cai, Y., Jiang, H., Sun, X., 2018. Multi-Objective Coordination Control Strategy of Distributed Drive Electric Vehicle by Orientated Tire Force Distribution Method. IEEE Access 6, 69559–69574.

5690-5701

- Chen, Y., Chen, S., Zhao, Y., Gao, Z., Li, C., 2019. Optimized Handling Stability Control Strategy for a Four In-Wheel Motor Independent-Drive Electric Vehicle. IEEE Access 7. 17017–17032.
- Chen, Z., Liu, Y., Ye, M., Zhang, Y., Chen, Z., Li, G., 2021. A survey on key techniques and development perspectives of equivalent consumption minimisation strategy for hybrid electric vehicles. Renew. Sustain. Energy Rev. 151.
- Chen, M., Rincon-Mora, G.A., 2006. Accurate electrical battery model capable of predicting runtime and I-V performance. IEEE Trans. Energy Convers. 21 (2), 504-511
- Chiasson, J., Vairamohan, B., 2005. Estimating the state of charge of a battery. IEEE Trans. Control Syst. Technol. 13 (3), 465-470.
- Clement-Nyns, K., Haesen, E., Driesen, J., 2010. The Impact of Charging Plug-In Hybrid Electric Vehicles on a Residential Distribution Grid. IEEE Trans. Power Syst. 25 (1), 371–380.
- Cocron, P., Bühler, F., Neumann, I., Franke, T., Krems, J.F., Schwalm, M., Keinath, A., 2011. Methods of evaluating electric vehicles from a user's perspective—the MINI E field trial in Berlin. IET Intel. Transport Syst. 5 (2), 127–133.
- Cocron, P., F. Buhler, I. Neumann, T. Franke, J. F. Krems, M. Schwalm, Keinath, A., 2011. "Methods of evaluating electric vehicles from a user's perspective the MINI E field trial in Berlin." IET Intelligent Transport Systems 5(2).
- Coffman, M., Bernstein, P., Wee, S., 2016. Electric vehicles revisited: a review of factors that affect adoption. Transp. Rev. 37 (1), 79–93.
- Coffman, M., Bernstein, P., Wee, S., 2017. Electric vehicles revisited: a review of factors that affect adoption. Transp. Rev. 37 (1), 79-93.
- Cong, G., Mostefai, L., Denai, M., Hori, Y., 2009. Direct Yaw-Moment Control of an In-Wheel-Motored Electric Vehicle Based on Body Slip Angle Fuzzy Observer. IEEE Trans. Ind. Electron. 56 (5), 1411–1419.
- Cooper, A., 2004. Development of a lead-acid battery for a hybrid electric vehicle. J. Power Sources 133 (1), 116-125.
- Covic, G. A. and J. T. Boys (2013). "Inductive Power Transfer." Proceedings of the IEEE 101(6): 1276-1289.
- Covic, G.A., Boys, J.T., 2013b. Modern Trends in Inductive Power Transfer for Transportation Applications. IEEE Journal of Emerging and Selected Topics in Power Electronics 1 (1), 28–41.
- Covic, G.A., Boys, J.T., Kissin, M.L.G., Lu, H.G., 2007. A Three-Phase Inductive Power Transfer System for Roadway-Powered Vehicles. IEEE Trans. Ind. Electron. 54 (6), 3370–3378.
- Cuma, M.U., Koroglu, T., 2015. A comprehensive review on estimation strategies used in hybrid and battery electric vehicles. Renew. Sustain. Energy Rev. 42, 517–531.
- Cusenza, M.A., Bobba, S., Ardente, F., Cellura, M., Di Persio, F., 2019. Energy and environmental assessment of a traction lithium-ion battery pack for plug-in hybrid electric vehicles. J. Clean. Prod. 215, 634–649.
- Daina, N., Sivakumar, A., Polak, J.W., 2017. Electric vehicle charging choices: Modelling and implications for smart charging services. Transportation Research Part C: Emerging Technologies 81, 36–56.
- Dang Hoang, K. and K. Atallah (2014). A rapid concept development technique for electric vehicle powertrains. 2014 International Conference on Connected Vehicles and Expo (ICCVE): 191-198.
- Das, H.S., Tan, C.W., Yatim, A.H.M., 2017. Fuel cell hybrid electric vehicles: A review on power conditioning units and topologies. Renew. Sustain. Energy Rev. 76, 268–291.
- De Filippis, G., Lenzo, B., Sorniotti, A., Gruber, P., De Nijs, W., 2018. Energy-Efficient Torque-Vectoring Control of Electric Vehicles With Multiple Drivetrains. IEEE Trans. Veh. Technol. 67 (6), 4702–4715.
- de Santiago, J., Bernhoff, H., Ekergård, B., Eriksson, S., Ferhatovic, S., Waters, R., Leijon, M., 2012. Electrical Motor Drivelines in Commercial All-Electric Vehicles: A Review. IEEE Trans. Veh. Technol. 61 (2), 475–484.
- Deb, K., Pratap, A., Agarwal, S., Meyarivan, T., 2002. A fast and elitist multiobjective genetic algorithm: NSGA-II. IEEE Trans. Evol. Comput. 6 (2), 182–197.
- Debnath, R., Bardhan, R., Reiner, D.M., Miller, J., 2021. Political, economic, social, technological, legal and environmental dimensions of electric vehicle adoption in the United States: A social-media interaction analysis. Renew. Sustain. Energy Rev. 152, 111707.
- Deilami, S., Masoum, A.S., Moses, P.S., Masoum, M.A.S., 2011. Real-Time Coordination of Plug-In Electric Vehicle Charging in Smart Grids to Minimize Power Losses and Improve Voltage Profile. IEEE Trans. Smart Grid 2 (3), 456–467.
- Delprat, S., Lauber, J., Guerra, T.M., Rimaux, J., 2004. Control of a Parallel Hybrid Powertrain: Optimal Control. IEEE Trans. Veh. Technol. 53 (3), 872–881. Delucchi, M.A., Lipman, T.E., 2001. An analysis of the retail and lifecycle cost of battery-powered electric vehicles. Transp. Res. Part D: Transp. Environ. 6 (6), 371–404.
- Desaulniers, G., Errico, F., Irnich, S., Schneider, M., 2016. Exact Algorithms for Electric Vehicle-Routing Problems with Time Windows. Oper. Res. 64 (6), 1388–1405. Dong, J., Liu, C., Lin, Z., 2014. Charging infrastructure planning for promoting battery electric vehicles: An activity-based approach using multiday travel data. Transportation Research Part C: Emerging Technologies 38, 44–55.
- Dong, X., Mu, Y., Jia, H., Wu, J., Yu, X., 2016. Planning of Fast EV Charging Stations on a Round Freeway. IEEE Trans. Sustainable Energy 7 (4), 1452–1461. Doucette, R.T., McCulloch, M.D., 2011. Modeling the CO2 emissions from battery electric vehicles given the power generation mixes of different countries. Energy Policy 39 (2), 803–811.
- Doyle, M., Fuller, T.F., Newman, J., 1993. Modeling of Galvanostatic Charge and Discharge of the Lithium/Polymer/Insertion Cell. J. Electrochem. Soc. 140 (6), 1526–1533.
- Duarte, G., Silva, A., Baptista, P., 2021. Assessment of wireless charging impacts based on real-world driving patterns: Case study in Lisbon, Portugal. Sustain. Cities Soc. 71.
- Dubey, A., Santoso, S., 2015. Electric Vehicle Charging on Residential Distribution Systems: Impacts and Mitigations. IEEE Access 3, 1871-1893.
- Duman, E.N., Taş, D., Çatay, B., 2021. Branch-and-price-and-cut methods for the electric vehicle routing problem with time windows. Int. J. Prod. Res. 1–22. Dusmez, S., Khaligh, A., 2013. A Compact and Integrated Multifunctional Power Electronic Interface for Plug-in Electric Vehicles. IEEE Trans. Power Electron. 28 (12),
- Eberle, D.U., von Helmolt, D.R., 2010. Sustainable transportation based on electric vehicle concepts: a brief overview. Energ. Environ. Sci. 3 (6).
- Egan, M.G., O'Sullivan, D.L., Hayes, J.G., Willers, M.J., Henze, C.P., 2007. Power-Factor-Corrected Single-Stage Inductive Charger for Electric Vehicle Batteries. IEEE Trans. Ind. Electron. 54 (2), 1217–1226.
- Egbue, O., Long, S., 2012. Barriers to widespread adoption of electric vehicles: An analysis of consumer attitudes and perceptions. Energy Policy 48, 717–729.
- Ehsani, M., G. Yimin and S. Gay (2003). Characterization of electric motor drives for traction applications. <u>IECON'03. 29th Annual Conference of the IEEE Industrial Electronics Society (IEEE Cat. No.03CH37468)</u>: 891-896.
- Ehsani, M., Rahman, K.M., Toliyat, H.A., 1997. Propulsion system design of electric and hybrid vehicles. IEEE Trans. Ind. Electron. 44 (1), 19–27.
- Emadi, A., Rajashekara, K., Williamson, S.S., Lukic, S.M., 2005. Topological overview of hybrid electric and fuel cell vehicular power system architectures and configurations. IEEE Trans. Veh. Technol. 54 (3), 763–770.
- Emadi, A., Williamson, S.S., Khaligh, A., 2006. Power electronics intensive solutions for advanced electric, hybrid electric, and fuel cell vehicular power systems. IEEE Trans. Power Electron. 21 (3), 567–577.
- Emadi, A., Young Joo, L., Rajashekara, K., 2008. Power Electronics and Motor Drives in Electric, Hybrid Electric, and Plug-In Hybrid Electric Vehicles. IEEE Trans. Ind. Electron. 55 (6), 2237–2245.
- Enang, W., Bannister, C., 2017. Modelling and control of hybrid electric vehicles (A comprehensive review). Renew. Sustain. Energy Rev. 74, 1210–1239.
- Erdelić, T., Carić, T., 2019. A Survey on the Electric Vehicle Routing Problem: Variants and Solution Approaches. J. Adv. Transp. 2019, 1–48.
- Erdoğan, S., Miller-Hooks, E., 2012. A green vehicle routing problem. Transportation Research Part E: Logistics and Transportation Review 48 (1), 100–114. Estima, J.O., Marques Cardoso, A.J., 2012. Efficiency Analysis of Drive Train Topologies Applied to Electric/Hybrid Vehicles. IEEE Trans. Veh. Technol. 61 (3),
- Estima, J.O., Marques Cardoso, A.J., 2012. Efficiency Analysis of Drive Train Topologies Applied to Electric/Hybrid Vehicles. IEEE Trans. Veh. Technol. 61 (3), 1021–1031.
- Etezadi-Amoli, M., Choma, K., Stefani, J., 2010. Rapid-Charge Electric-Vehicle Stations. IEEE Trans. Power Delivery 25 (3), 1883–1887.

- Faiz, J., Sharifian, M.B.B., Keyhani, A., Proca, A.B., 2003. Sensorless direct torque control of induction motors used in electric vehicle. IEEE Trans. Energy Convers. 18 (1), 1–10.
- Farmann, A., Waag, W., Marongiu, A., Sauer, D.U., 2015. Critical review of on-board capacity estimation techniques for lithium-ion batteries in electric and hybrid electric vehicles. J. Power Sources 281, 114–130.
- Fazeli, S.S., Venkatachalam, S., Chinnam, R.B., Murat, A., 2021. Two-Stage Stochastic Choice Modeling Approach for Electric Vehicle Charging Station Network Design in Urban Communities. IEEE Trans. Intell. Transp. Syst. 22 (5), 3038–3053.
- Felipe, A., Ortuño, M.T., Righini, G., Tirado, G., 2014. A heuristic approach for the green vehicle routing problem with multiple technologies and partial recharges. Transportation Research Part E: Logistics and Transportation Review 71, 111–128.
- Ferdowsi, M., 2007. Plug-in Hybrid Vehicles A Vision for the Future, IEEE Vehicle Power and Propulsion Conference 2007, 457-462.
- Figenbaum, E., 2017. Perspectives on Norway's supercharged electric vehicle policy. Environ. Innov. Soc. Trans. 25, 14-34.
- Fiori, C., Ahn, K., Rakha, H.A., 2016. Power-based electric vehicle energy consumption model: Model development and validation. Appl. Energy 168, 257–268. Frade, I., Ribeiro, A., Gonçalves, G., Antunes, A.P., 2011. Optimal Location of Charging Stations for Electric Vehicles in a Neighborhood in Lisbon, Portugal.
- Transportation Research Record: Journal of the Transportation Research Board 2252 (1), 91–98.
- Franzò, S., Nasca, A., 2021. The environmental impact of electric vehicles: A novel life cycle-based evaluation framework and its applications to multi-country scenarios. J. Clean. Prod. 315.
- Fuller, T.F., Doyle, M., Newman, J., 1994. Simulation and Optimization of the Dual Lithium Ion Insertion Cell. J. Electrochem. Soc. 141 (1), 1-10.
- Funke, S.A., Sprei, F., Gnann, T., Plotz, P., 2019. How much charging infrastructure do electric vehicles need? A review of the evidence and international comparison. Transportation Research Part D-Transport and Environment 77, 224–242.
- Gallardo-Lozano, J., Romero-Cadaval, E., Milanes-Montero, M.I., Guerrero-Martinez, M.A., 2014. Battery equalization active methods. J. Power Sources 246, 934–949.
- Gan, L., Topcu, U., Low, S.H., 2013. Optimal decentralized protocol for electric vehicle charging. IEEE Trans. Power Syst. 28 (2), 940-951.
- Ghosh, A., 2020. Possibilities and Challenges for the Inclusion of the Electric Vehicle (EV) to Reduce the Carbon Footprint in the Transport Sector: A Review. Energies 13 (10).
- Gillespie, T.D., 1992. Fundamentals of vehicle dynamics. PA, Society of Automotive Engineers, Warrendale.
- Goeke, D., Schneider, M., 2015. Routing a mixed fleet of electric and conventional vehicles. Eur. J. Oper. Res. 245 (1), 81-99.
- Goggia, T., Sorniotti, A., De Novellis, L., Ferrara, A., Gruber, P., Theunissen, J., Steenbeke, D., Knauder, B., Zehetner, J., 2015. Integral Sliding Mode for the Torque-Vectoring Control of Fully Electric Vehicles: Theoretical Design and Experimental Assessment. IEEE Trans. Veh. Technol. 64 (5), 1701–1715.
- Gomez, J.C., Morcos, M.M., 2003. Impact of EV battery chargers on the power quality of distribution systems. IEEE Trans. Power Delivery 18 (3), 975–981. Göransson, L., Karlsson, S., Johnsson, F., 2010. Integration of plug-in hybrid electric vehicles in a regional wind-thermal power system. Energy Policy 38 (10),
- 5482–5492.

  Graham-Rowe, E., Gardner, B., Abraham, C., Skippon, S., Dittmar, H., Hutchins, R., Stannard, J., 2012. Mainstream consumers driving plug-in battery-electric and plug-in hybrid electric cars: A qualitative analysis of responses and evaluations. Transp. Res. A Policy Pract. 46 (1), 140–153.
- Gu, B., Lin, C.-Y., Chen, B., Dominic, J., Lai, J.-S., 2013. Zero-Voltage-Switching PWM Resonant Full-Bridge Converter With Minimized Circulating Losses and Minimal Voltage Stresses of Bridge Rectifiers for Electric Vehicle Battery Chargers. IEEE Trans. Power Electron. 28 (10), 4657–4667.
- Gu, W.B., Wang, C.Y., 2000. Thermal-Electrochemical Modeling of Battery Systems. J. Electrochem. Soc. 147 (8).
- Guille, C., Gross, G., 2009. A conceptual framework for the vehicle-to-grid (V2G) implementation. Energy Policy 37 (11), 4379-4390.
- Guo, Z., Li, T., Shi, B., Zhang, H., 2022. Economic impacts and carbon emissions of electric vehicles roll-out towards 2025 goal of China: An integrated input-output and computable general equilibrium study. Sustainable Production and Consumption 31, 165–174.
- Guzzella, L., Sciarretta, A., 2007. Vehicle propulsion systems: introduction to modeling and optimization. Springer, Berlin; New York.
- Habib, S., Khan, M.M., Abbas, F., Sang, L., Shahid, M.U., Tang, H., 2018a. A Comprehensive Study of Implemented International Standards, Technical Challenges, Impacts and Prospects for Electric Vehicles. IEEE Access 6, 13866–13890.
- Habib, S., Khan, M.M., Abbas, F., Tang, H., 2018b. Assessment of electric vehicles concerning impacts, charging infrastructure with unidirectional and bidirectional chargers, and power flow comparisons. Int. J. Energy Res. 42 (11), 3416–3441.
- Haghani, M., Behnood, A., Oviedo-Trespalacios, O., Bliemer, M.C., 2021. Structural anatomy and temporal trends of road accident research: Full-scope analyses of the field. J. Saf. Res. 79, 173–198.
- Haghani, M., Abbasi, A., Zwack, C.C., Shahhoseini, Z., Haslam, N., 2022. Trends of research productivity across author gender and research fields: A multidisciplinary and multi-country observational study. PLoS One 17 (8), e0271998.
- Haghani, M., Bliemer, M.C., 2023. Emerging trends and influential outsiders of transportation science. Transportation Letters 15 (5), 386–422. https://doi.org/10.1080/19427867.2022.2057397.
- Haghbin, S., Lundmark, S., Alakula, M., Carlson, O., 2013. Grid-Connected Integrated Battery Chargers in Vehicle Applications: Review and New Solution. IEEE Trans. Ind. Electron. 60 (2), 459–473.
- Hajimiragha, A., Canizares, C.A., Fowler, M.W., Elkamel, A., 2010. Optimal Transition to Plug-In Hybrid Electric Vehicles in Ontario, Canada, Considering the Electricity-Grid Limitations. IEEE Trans. Ind. Electron. 57 (2), 690–701.
- Hallaj, S.A., Selman, J.R., 2000. A Novel Thermal Management System for Electric Vehicle Batteries Using Phase-Change Material. J. Electrochem. Soc. 147 (9), 3231.
- Hannan, M.A., Azidin, F.A., Mohamed, A., 2014. Hybrid electric vehicles and their challenges: A review. Renew. Sustain. Energy Rev. 29, 135–150.
- Hannan, M.A., Lipu, M.S.H., Hussain, A., Mohamed, A., 2017. A review of lithium-ion battery state of charge estimation and management system in electric vehicle applications: Challenges and recommendations. Renew. Sustain. Energy Rev. 78, 834–854.
- Haram, M.H.S.M., Lee, J.W., Ramasamy, G., Ngu, E.E., Thiagarajah, S.P., Lee, Y.H., 2021. Feasibility of utilising second life EV batteries: Applications, lifespan, economics, environmental impact, assessment, and challenges. Alex. Eng. J. 60 (5), 4517–4536.
- Hardman, S., 2019. Understanding the impact of reoccurring and non-financial incentives on plug-in electric vehicle adoption—a review. Transp. Res. A Policy Pract. 119, 1–14.
- Hardman, S., Jenn, A., Tal, G., Axsen, J., Beard, G., Daina, N., Figenbaum, E., Jakobsson, N., Jochem, P., Kinnear, N., Plötz, P., Pontes, J., Refa, N., Sprei, F., Turrentine, T., Witkamp, B., 2018. A review of consumer preferences of and interactions with electric vehicle charging infrastructure. Transp. Res. Part D: Transp. Environ. 62, 508–523.
- Hawkins, T.R., Gausen, O.M., Strømman, A.H., 2012a. Environmental impacts of hybrid and electric vehicles—a review. Int. J. Life Cycle Assess. 17 (8), 997–1014. Hawkins, T.R., Singh, B., Majeau-Bettez, G., Strømman, A.H., 2012b. Comparative Environmental Life Cycle Assessment of Conventional and Electric Vehicles. J. Ind. Ecol. 17 (1), 53–64.
- He, S.Y., Kuo, Y.-H., Wu, D., 2016. Incorporating institutional and spatial factors in the selection of the optimal locations of public electric vehicle charging facilities: A case study of Beijing, China. Transportation Research Part C: Emerging Technologies 67, 131–148.
- He, F., Wu, D., Yin, Y., Guan, Y., 2013. Optimal deployment of public charging stations for plug-in hybrid electric vehicles. Transp. Res. B Methodol. 47, 87–101. He, X., Zhan, W., 2018. How to activate moral norm to adopt electric vehicles in China? An empirical study based on extended norm activation theory. J. Clean. Prod. 172, 3546–3556.
- Heffner, R.R., Kurani, K.S., Turrentine, T.S., 2007. Symbolism in California's early market for hybrid electric vehicles. Transp. Res. Part D: Transp. Environ. 12 (6), 396–413.
- Hemmati, R., Saboori, H., 2016. Emergence of hybrid energy storage systems in renewable energy and transport applications A review. Renew. Sustain. Energy Rev. 65, 11–23.
- Hidrue, M.K., Parsons, G.R., Kempton, W., Gardner, M.P., 2011. Willingness to pay for electric vehicles and their attributes. Resour. Energy Econ. 33 (3), 686–705. Hiermann, G., Puchinger, J., Ropke, S., Hartl, R.F., 2016. The Electric Fleet Size and Mix Vehicle Routing Problem with Time Windows and Recharging Stations. Eur. J. Oper. Res. 252 (3), 995–1018.

- Hong-Sun, P., Chong-Eun, K., Chol-Ho, K., Gun-Woo, M., Joong-Hui, L., 2009. A Modularized Charge Equalizer for an HEV Lithium-Ion Battery String. IEEE Trans. Ind. Electron. 56 (5), 1464–1476.
- Hoque, M.M., Hannan, M.A., Mohamed, A., Ayob, A., 2017. Battery charge equalization controller in electric vehicle applications: A review. Renew. Sustain. Energy Rev. 75, 1363–1385.
- Hori, Y., 2004. Future Vehicle Driven by Electricity and Control—Research on Four-Wheel-Motored "UOT Electric March II". IEEE Trans. Ind. Electron. 51 (5), 954-962
- Hori, Y., Toyoda, Y., Tsuruoka, Y., 1998. Traction control of electric vehicle: Basic experimental results using the test EV "UOT Electric March". IEEE Trans. Ind. Appl. 34 (5), 1131–1138.
- How, D.N.T., Hannan, M.A., Hossain Lipu, M.S., Ker, P.J., 2019. State of Charge Estimation for Lithium-Ion Batteries Using Model-Based and Data-Driven Methods: A Review. IEEE Access 7, 136116–136136.
- Høyer, K.G., 2008. The history of alternative fuels in transportation: The case of electric and hybrid cars. Util. Policy 16 (2), 63-71.
- Hu, Y., C. Gan, W. Cao and Y. Fang (2015). Tri-port converter for flexible energy control of PV-fed electric vehicles. 2015 IEEE International Electric Machines & Drives Conference (IEMDC): 1063-1070.
- Hu, X., Li, S., Peng, H., 2012. A comparative study of equivalent circuit models for Li-ion batteries. J. Power Sources 198. 359–367.
- Hu, X., Zou, C., Zhang, C., Li, Y., 2017. Technological Developments in Batteries: A Survey of Principal Roles, Types, and Management Needs. IEEE Power Energ. Mag. 15 (5), 20–31.
- Hu, X., Han, J., Tang, X., Lin, X., 2021. Powertrain Design and Control in Electrified Vehicles: A Critical Review. IEEE Trans. Transp. Electrif. 7 (3), 1990–2009. Huang, Y., Wang, H., Khajepour, A., He, H., Ji, J., 2017. Model predictive control power management strategies for HEVs: A review. J. Power Sources 341, 91–106. Hung, C.R., Völler, S., Agez, M., Majeau-Bettez, G., Strømman, A.H., 2021. Regionalized climate footprints of battery electric vehicles in Europe. J. Clean. Prod. 322. Husain, I., 2003. Electric and hybrid vehicles: design fundamentals. CRC Press, Boca Raton, Fla.
- Ibrahim, A., Jiang, F., 2021. The electric vehicle energy management: An overview of the energy system and related modeling and simulation. Renew. Sustain. Energy Rev. 144.
- Imtiaz, A.M., Khan, F.H., 2013. "Time Shared Flyback Converter" Based Regenerative Cell Balancing Technique for Series Connected Li-Ion Battery Strings. IEEE Trans. Power Electron. 28 (12), 5960–5975.
- İnci, M., Büyük, M., Demir, M.H., İlbey, G., 2021. A review and research on fuel cell electric vehicles: Topologies, power electronic converters, energy management methods, technical challenges, marketing and future aspects. Renew. Sustain. Energy Rev. 137.
- Iwan, S., Nürnberg, M., Jedliński, M., Kijewska, K., 2021. Efficiency of light electric vehicles in last mile deliveries–Szczecin case study. Sustain. Cities Soc. 74, 103167.
- Jaguemont, J., Boulon, L., Dubé, Y., 2016. A comprehensive review of lithium-ion batteries used in hybrid and electric vehicles at cold temperatures. Appl. Energy 164, 99–114.
- Jahns, T.M., 1987. Flux-Weakening Regime Operation of an Interior Permanent-Magnet Synchronous Motor Drive. IEEE Trans. Ind. Appl. IA-23(4), 681–689. Jahns, T.M., Kliman, G.B., Neumann, T.W., 1986. Interior Permanent-Magnet Synchronous Motors for Adjustable-Speed Drives. IEEE Trans. Ind. Appl. IA-22(4), 738–747.
- Jang, Y.J., 2018. Survey of the operation and system study on wireless charging electric vehicle systems. Transportation Research Part C: Emerging Technologies 95, 844,866
- Jian, C., Emadi, A., 2012. A New Battery/UltraCapacitor Hybrid Energy Storage System for Electric, Hybrid, and Plug-In Hybrid Electric Vehicles. IEEE Trans. Power Electron. 27 (1), 122–132.
- Jinming, L., Huei, P., 2008. Modeling and Control of a Power-Split Hybrid Vehicle. IEEE Trans. Control Syst. Technol. 16 (6), 1242-1251.
- Johansson, B., Mårtensson, A., 2000. Energy and environmental costs for electric vehicles using CO2-neutral electricity in Sweden. Energy 25 (8), 777-792.
- Ju, Y., Ju, D., Santibanez Gonzalez, E.D.R., Giannakis, M., Wang, A., 2019. Study of site selection of electric vehicle charging station based on extended GRP method under picture fuzzy environment. Comput. Ind. Eng. 135, 1271–1285.
- Judek, S. and K. Karwowski (2008). Supply of electric vehicles via magnetically coupled air coils. 2008 13th International Power Electronics and Motion Control Conference: 1497-1504.
- Kalhammer, F. R., B. M. Kopf, D. H. Swan, V. P. Roan and M. P. Walsh (2007). Status and Prospects for Zero Emissions Vehicle Technology.
- Kannan, C., Vignesh, R., Karthick, C., Ashok, B., 2021. Critical review towards thermal management systems of lithium-ion batteries in electric vehicle with its electronic control unit and assessment tools. Proceedings of the Institution of Mechanical Engineers, Part D: Journal of Automobile Engineering 235 (7), 1783–1807
- Kasimalla, V.K., N. S. G and V. Velisala,, 2018. A review on energy allocation of fuel cell/battery/ultracapacitor for hybrid electric vehicles. Int. J. Energy Res. 42 (14), 4263-4283
- Kchaou-Boujelben, M., 2021. Charging station location problem: A comprehensive review on models and solution approaches. Transportation Research Part C: Emerging Technologies 132.
- Kempton, W., Letendre, S.E., 1997. Electric vehicles as a new power source for electric utilities. Transp. Res. Part D: Transp. Environ. 2 (3), 157-175.
- Kempton, W., Tomić, J., 2005a. Vehicle-to-grid power fundamentals: Calculating capacity and net revenue. J. Power Sources 144 (1), 268-279.
- Kempton, W., Tomić, J., 2005b. Vehicle-to-grid power implementation: From stabilizing the grid to supporting large-scale renewable energy. J. Power Sources 144 (1), 280–294.
- Keskin, M., Çatay, B., 2016. Partial recharge strategies for the electric vehicle routing problem with time windows. Transportation Research Part C: Emerging Technologies 65, 111–127.
- Keskin, M., Laporte, G., Çatay, B., 2019. Electric Vehicle Routing Problem with Time-Dependent Waiting Times at Recharging Stations. Comput. Oper. Res. 107, 77–94.
- Khaligh, A., D'Antonio, M., 2019. Global Trends in High-Power On-Board Chargers for Electric Vehicles. IEEE Trans. Veh. Technol. 68 (4), 3306-3324.
- Khaligh, A., Dusmez, S., 2012. Comprehensive Topological Analysis of Conductive and Inductive Charging Solutions for Plug-In Electric Vehicles. IEEE Trans. Veh. Technol. 61 (8), 3475–3489.
- Khaligh, A., Zhihao, L., 2010. Battery, Ultracapacitor, Fuel Cell, and Hybrid Energy Storage Systems for Electric, Hybrid Electric, Fuel Cell, and Plug-In Hybrid Electric Vehicles: State of the Art. IEEE Trans. Veh. Technol. 59 (6), 2806–2814.
- Kim, C.-H., Kim, M.-Y., Moon, G.-W., 2013. A Modularized Charge Equalizer Using a Battery Monitoring IC for Series-Connected Li-Ion Battery Strings in Electric Vehicles. IEEE Trans. Power Electron. 28 (8), 3779–3787.
- Kim, M.-Y., Kim, C.-H., Kim, J.-H., Moon, G.-W., 2014. A Chain Structure of Switched Capacitor for Improved Cell Balancing Speed of Lithium-Ion Batteries. IEEE Trans. Ind. Electron. 61 (8), 3989–3999.
- Kim, J., Oh, J., Lee, H., 2019. Review on battery thermal management system for electric vehicles. Appl. Therm. Eng. 149, 192-212.
- Kimball, J.W., Kuhn, B.T., Krein, P.T., 2007. Increased Performance of Battery Packs by Active Equalization. IEEE Vehicle Power and Propulsion Conference 2007, 323–327.
- Kramer, B., Chakraborty, S., Kroposki, B., 2008. A review of plug-in vehicles and vehicle-to-grid capability. In: 2008 34th Annual Conference of IEEE Industrial Electronics, pp. 2278–2283.
- Kuby, M., Lim, S., 2005. The flow-refueling location problem for alternative-fuel vehicles. Socioecon. Plann. Sci. 39 (2), 125–145.
- Kucukoglu, I., Dewil, R., Cattrysse, D., 2021. The electric vehicle routing problem and its variations: A literature review. Comput. Ind. Eng. 161.
- Kumar, P., Chaudhary, D., Varshney, P., Varshney, U., Yahya, S.M., Rafat, Y., 2020. Critical review on battery thermal management and role of nanomaterial in heat transfer enhancement for electrical vehicle application. J. Storage Mater. 32.
- Kuperman, A., Levy, U., Goren, J., Zafransky, A., Savernin, A., 2013. Battery Charger for Electric Vehicle Traction Battery Switch Station. IEEE Trans. Ind. Electron. 60 (12), 5391–5399.

- Kurs, A., Karalis, A., Moffatt, R., Joannopoulos, J.D., Fisher, P., M. Soljačić,, 2007. Wireless Power Transfer via Strongly Coupled Magnetic Resonances. Science 317 (5834), 83–86.
- Kutkut, N.H., Wiegman, H.L.N., Divan, D.M., Novotny, D.W., 1999. Design considerations for charge equalization of an electric vehicle battery system. IEEE Trans. Ind. Appl. 35 (1), 28–35.
- Lam, L.T., Louey, R., 2006. Development of ultra-battery for hybrid-electric vehicle applications. J. Power Sources 158 (2), 1140-1148.
- Lam, L.T., Ozgun, H., Lim, O.V., Hamilton, J.A., Vu, L.H., Vella, D.G., Rand, D.A.J., 1995. Pulsed-current charging of lead/acid batteries a possible means for overcoming premature capacity loss? J. Power Sources 53 (2), 215–228.
- Lam, A.Y.S., Yiu-Wing, L., Xiaowen, C., 2014. Electric Vehicle Charging Station Placement: Formulation, Complexity, and Solutions. IEEE Trans. Smart Grid 5 (6), 2846–2856.
- Larminie, J., Lowry, J., 2003. Electric vehicle technology explained. Hoboken, N.J., J. Wiley, West Sussex, England.
- Lave, L.B., MacLean, H.L., 2002. An environmental-economic evaluation of hybrid electric vehicles: Toyota's Prius vs. its conventional internal combustion engine Corolla. Transp. Res. Part D: Transp. Environ. 7 (2), 155–162.
- Lee, Y.S., Cheng, M.W., 2005. Intelligent Control Battery Equalization for Series Connected Lithium-Ion Battery Strings. IEEE Trans. Ind. Electron. 52 (5), 1297–1307. Lee, Y.S., Cheng, G.T., 2006. Quasi-Resonant Zero-Current-Switching Bidirectional Converter for Battery Equalization Applications. IEEE Trans. Power Electron. 21 (5), 1213–1224.
- Lee, S., Huh, J., Park, C., Choi, N.-S., Cho, G.-H., Rim, C.-T., 2010. On-Line Electric Vehicle using inductive power transfer system. IEEE Energy Conversion Congress and Exposition 2010, 1598–1601.
- Lemoine, D.M., Kammen, D.M., Farrell, A.E., 2008. An innovation and policy agenda for commercially competitive plug-in hybrid electric vehicles. Environ. Res. Lett. 3 (1).
- Li, S., Huang, Y., Mason, S.J., 2016. A multi-period optimization model for the deployment of public electric vehicle charging stations on network. Transportation Research Part C: Emerging Technologies 65, 128–143.
- Li, Y., Liu, K.L., Foley, A.M., Zulke, A., Berecibar, M., Nanini-Maury, E., Van Mierlo, J., Hoster, H.E., 2019. Data-driven health estimation and lifetime prediction of lithium-ion batteries: A review. Renew. Sustain. Energy Rev. 113.
- Liao, C.-S., Lu, S.-H., Shen, Z.-J.-M., 2016. The electric vehicle touring problem. Transp. Res. B Methodol. 86, 163-180.
- Liao, F., Molin, E., van Wee, B., 2017. Consumer preferences for electric vehicles: a literature review. Transp. Rev. 37 (3), 252-275.
- Lin, C., Liang, S., Chen, J., Gao, X., 2019. A Multi-Objective Optimal Torque Distribution Strategy for Four In-Wheel-Motor Drive Electric Vehicles. IEEE Access 7, 64627–64640.
- Lin, J., Zhou, W., Wolfson, O., 2016. Electric Vehicle Routing Problem. Transp. Res. Procedia 12, 508-521.
- Lin, J., Liu, X., Li, S., Zhang, C., Yang, S., 2021. A review on recent progress, challenges and perspective of battery thermal management system. Int. J. Heat Mass Transf. 167.
- Liu, Z., Wen, F., Ledwich, G., 2013. Optimal Planning of Electric-Vehicle Charging Stations in Distribution Systems. IEEE Trans. Power Delivery 28 (1), 102–110. Lopes, J.A.P., Soares, F.J., Almeida, P.M.R., 2011. Integration of Electric Vehicles in the Electric Power System. Proc. IEEE 99 (1), 168–183.
- Lu, L., Han, X., Li, J., Hua, J., Ouyang, M., 2013. A review on the key issues for lithium-ion battery management in electric vehicles. J. Power Sources 226, 272–288. Lu, M., Zhang, X., Ji, J., Xu, X., Zhang, Y., 2020. Research progress on power battery cooling technology for electric vehicles. J. Storage Mater. 27.
- Lukic, S.M., Emadi, A., 2004. Effects of Drivetrain Hybridization on Fuel Economy and Dynamic Performance of Parallel Hybrid Electric Vehicles. IEEE Trans. Veh. Technol. 53 (2), 385–389.
- Lukic, S.M., Jian, C., Bansal, R.C., Rodriguez, F., Emadi, A., 2008. Energy Storage Systems for Automotive Applications. IEEE Trans. Ind. Electron. 55 (6), 2258–2267. Machura, P., Li, Q., 2019. A critical review on wireless charging for electric vehicles. Renew. Sustain. Energy Rev. 104, 209–234.
- Madawala, U.K., Thrimawithana, D.J., 2011. A Bidirectional Inductive Power Interface for Electric Vehicles in V2G Systems. IEEE Trans. Ind. Electron. 58 (10), 4789–4796.
- Mahesh, A., Chokkalingam, B., Mihet-Popa, L., 2021. Inductive Wireless Power Transfer Charging for Electric Vehicles—A Review. IEEE Access 9, 137667–137713. Mahmoudzadeh Andwari, A., Pesiridis, A., Rajoo, S., Martinez-Botas, R., Esfahanian, V., 2017. A review of Battery Electric Vehicle technology and readiness levels. Renew. Sustain. Energy Rev. 78, 414–430.
- Mak, H.-Y., Rong, Y., Shen, Z.-J.-M., 2013. Infrastructure Planning for Electric Vehicles with Battery Swapping. Manag. Sci. 59 (7), 1557–1575.
- Mali, V., Saxena, R., Kumar, K., Kalam, A., Tripathi, B., 2021. Review on battery thermal management systems for energy-efficient electric vehicles. Renew. Sustain. Energy Rev. 151.
- Mapelli, F.L., Tarsitano, D., Mauri, M., 2010. Plug-In Hybrid Electric Vehicle: Modeling, Prototype Realization, and Inverter Losses Reduction Analysis. IEEE Trans. Ind. Electron. 57 (2), 598–607.
- Markel, T., Brooker, A., Hendricks, T., Johnson, V., Kelly, K., Kramer, B., O'Keefe, M., Sprik, S., Wipke, K., 2002. ADVISOR: a systems analysis tool for advanced vehicle modeling. J. Power Sources 110 (2), 255–266.
- McNicol, B.D., Rand, D.A.J., Williams, K.R., 1999. Direct methanol-air fuel cells for road transportation. J. Power Sources 83 (1-2), 15-31.
- Meissner, E., 1997. Phosphoric acid as an electrolyte additive for lead/acid batteries in electric-vehicle applications. J. Power Sources 67 (1-2), 135-150.
- Mi, C.C., Buja, G., Choi, S.Y., Rim, C.T., 2016. Modern Advances in Wireless Power Transfer Systems for Roadway Powered Electric Vehicles. IEEE Trans. Ind. Electron. 63 (10), 6533–6545.
- Ming, T., Stuart, T., 2000. Selective buck-boost equalizer for series battery packs. IEEE Trans. Aerosp. Electron. Syst. 36 (1), 201–211.
- Montoya, A., Guéret, C., Mendoza, J.E., Villegas, J.G., 2017. The electric vehicle routing problem with nonlinear charging function. Transp. Res. B Methodol. 103, 87–110.
- Moreno, J., Ortuzar, M.E., Dixon, J.W., 2006. Energy-management system for a hybrid electric vehicle, using ultracapacitors and neural networks. IEEE Trans. Ind. Electron. 53 (2), 614–623.
- Morimoto, S., Takeda, Y., Hirasa, T., Taniguchi, K., 1990. Expansion of operating limits for permanent magnet motor by current vector control considering inverter capacity. IEEE Trans. Ind. Appl. 26 (5), 866–871.
- Morrow, K. P., D. B. Karner and J. E. Francfort (2008). Plug-in Hybrid Electric Vehicle Charging Infrastructure Review.
- Moura, S.J., Fathy, H.K., Callaway, D.S., Stein, J.L., 2011. A Stochastic Optimal Control Approach for Power Management in Plug-In Hybrid Electric Vehicles. IEEE Trans. Control Syst. Technol. 19 (3), 545–555.
- Mullan, J., Harries, D., Bräunl, T., Whitely, S., 2011. Modelling the impacts of electric vehicle recharging on the Western Australian electricity supply system. Energy Policy 39 (7), 4349–4359.
- Musardo, C., Rizzoni, G., Guezennec, Y., Staccia, B., 2005. A-ECMS: An Adaptive Algorithm for Hybrid Electric Vehicle Energy Management. Eur. J. Control. 11 (4–5), 509–524.
- Mutoh, N., Hayano, Y., Yahagi, H., Takita, K., 2007. Electric Braking Control Methods for Electric Vehicles With Independently Driven Front and Rear Wheels. IEEE Trans. Ind. Electron. 54 (2), 1168–1176.
- Nabae, A., Takahashi, I., Akagi, H., 1981. A New Neutral-Point-Clamped PWM Inverter. IEEE Trans. Ind. Appl. IA-17(5), 518-523.
- Namwook, K., Sukwon, C., Huei, P., 2011. Optimal Control of Hybrid Electric Vehicles Based on Pontryagin's Minimum Principle. IEEE Trans. Control Syst. Technol. 19 (5), 1279–1287.
- Neubauer, J., Wood, E., 2014. The impact of range anxiety and home, workplace, and public charging infrastructure on simulated battery electric vehicle lifetime utility. J. Power Sources 257, 12–20.
- Niu, S., Xu, H., Sun, Z., Shao, Z.Y., Jian, L., 2019. The state-of-the-arts of wireless electric vehicle charging via magnetic resonance: principles, standards and core technologies. Renew. Sustain. Energy Rev. 114.
- Nordelöf, A., Messagie, M., Tillman, A.-M., Ljunggren Söderman, M., Van Mierlo, J., 2014. Environmental impacts of hybrid, plug-in hybrid, and battery electric vehicles—what can we learn from life cycle assessment? Int. J. Life Cycle Assess. 19 (11), 1866–1890.

Notter, D.A., Gauch, M., Widmer, R., Wäger, P., Stamp, A., Zah, R., Althaus, H.-J., 2010. Contribution of Li-Ion Batteries to the Environmental Impact of Electric Vehicles. Environ. Sci. Tech. 44 (17), 6550–6556.

Nykvist, B., Nilsson, M., 2015. Rapidly falling costs of battery packs for electric vehicles. Nat. Clim. Chang. 5 (4), 329-332.

Ortuzar, M., Moreno, J., Dixon, J., 2007. Ultracapacitor-based auxiliary energy system for an electric vehicle: Implementation and evaluation. IEEE Trans. Ind. Electron. 54 (4), 2147–2156.

Paganelli, G., Ercole, G., Brahma, A., Guezennec, Y., Rizzoni, G., 2001. General supervisory control policy for the energy optimization of charge-sustaining hybrid electric vehicles. JSAE Rev. 22 (4), 511–518.

Park, H.-S., Kim, C.-E., Moon, G.-W., Lee, J.-H., Oh, J.K., 2007a. Charge Equalization with Series Coupling of Multiple Primary Windings for Hybrid Electric Vehicle Li-Ion Battery System. IEEE Power Electronics Specialists Conference 2007, 266–272.

Park, H.-S., Kim, C.-E., Moon, G.-W., Lee, J.-H., Oh, J.K., 2007b. Two-Stage Cell Balancing Scheme for Hybrid Electric Vehicle Lithium-Ion Battery Strings. IEEE Power Electronics Specialists Conference 2007, 273–279.

Patil, P., Kazemzadeh, K., Bansal, P., 2022. Integration of charging behavior into infrastructure planning and management of electric vehicles: A systematic review and framework. Sustain. Cities Soc. 104265.

Patil, D., McDonough, M.K., Miller, J.M., Fahimi, B., Balsara, P.T., 2018. Wireless Power Transfer for Vehicular Applications: Overview and Challenges. IEEE Trans. Transp. Electrif. 4 (1), 3–37.

Pearre, N.S., Kempton, W., Guensler, R.L., Elango, V.V., 2011. Electric vehicles: How much range is required for a day's driving? Transportation Research Part C: Emerging Technologies 19 (6), 1171–1184.

Perujo, A., Ciuffo, B., 2010. The introduction of electric vehicles in the private fleet: Potential impact on the electric supply system and on the environment. A case study for the Province of Milan, Italy. Energy Policy 38 (8), 4549–4561.

Pesaran, A.A., 2002. Battery thermal models for hybrid vehicle simulations. J. Power Sources 110 (2), 377-382.

Peterson, S.B., Apt, J., Whitacre, J.F., 2010a. Lithium-ion battery cell degradation resulting from realistic vehicle and vehicle-to-grid utilization. J. Power Sources 195 (8), 2385–2392.

Peterson, S.B., Whitacre, J.F., Apt, J., 2010b. The economics of using plug-in hybrid electric vehicle battery packs for grid storage. J. Power Sources 195 (8), 2377–2384.

Pieltain Fernandez, L., T. Gomez San Roman, R. Cossent, C. Mateo Domingo and P. Frias,, 2011. Assessment of the Impact of Plug-in Electric Vehicles on Distribution Networks. IEEE Trans. Power Syst. 26 (1), 206–213.

Piller, S., Perrin, M., Jossen, A., 2001. Methods for state-of-charge determination and their applications. J. Power Sources 96 (1), 113-120.

Pisu, P., Rizzoni, G., 2007. A Comparative Study Of Supervisory Control Strategies for Hybrid Electric Vehicles. IEEE Trans. Control Syst. Technol. 15 (3), 506–518. Plett, G.L., 2004. Extended Kalman filtering for battery management systems of LiPB-based HEV battery packs. J. Power Sources 134 (2), 262–276.

Powell, B.K., Bailey, K.E., Cikanek, S.R., 1998. Dynamic modeling and control of hybrid electric vehicle powertrain systems. IEEE Control Syst. Mag. 18 (5), 17–33. Qian, K., Zhou, C., Allan, M., Yuan, Y., 2011. Modeling of Load Demand Due to EV Battery Charging in Distribution Systems. IEEE Trans. Power Syst. 26 (2), 802–810. Qin, H., Su, X., Ren, T., Luo, Z., 2021. A review on the electric vehicle routing problems: Variants and algorithms. Frontiers of Engineering Management 8 (3), 370–389.

Qiuming, G., Yaoyu, L., Zhong-Ren, P., 2008a. Trip-Based Optimal Power Management of Plug-in Hybrid Electric Vehicles. IEEE Trans. Veh. Technol. 57 (6), 3393–3401.

Qiuming, G., Yaoyu, L., Zhong-Ren, P., 2008b. Trip based optimal power management of plug-in hybrid electric vehicles using gas-kinetic traffic flow model. 2008 American Control Conference.

#### R, R. (2012). Vehicle Dynamics and Control.

Rahman, M., 2007. IPM motor drives for hybrid electric vehicles. International Aegean Conference on Electrical Machines and Power Electronics 2007, 109–115. Rahman, S., Shrestha, G.B., 1993. An investigation into the impact of electric vehicle load on the electric utility distribution system. IEEE Trans. Power Delivery 8 (2), 591–597.

Rand, D. A. J., R. Woods and R. Dell (1998). <u>Batteries for electric vehicles</u>. Warrendale, Pa. Taunton, Somerset, England, Society of Automotive Engineers; Research Studies Press.

Rao, Z., Wang, S., 2011. A review of power battery thermal energy management. Renew. Sustain. Energy Rev. 15 (9), 4554-4571.

Rastani, S., Çatay, B., 2021. A large neighborhood search-based matheuristic for the load-dependent electric vehicle routing problem with time windows. Annals of Operations Research.

Rezvani, Z., Jansson, J., Bodin, J., 2015. Advances in consumer electric vehicle adoption research: A review and research agenda. Transp. Res. Part D: Transp. Environ. 34, 122–136.

Richardson, D.B., 2013. Electric vehicles and the electric grid: A review of modeling approaches, Impacts, and renewable energy integration. Renew. Sustain. Energy Rev. 19, 247–254.

Rodriguez, J., Jih-Sheng, L., Fang Zheng, P., 2002. Multilevel inverters: a survey of topologies, controls, and applications. IEEE Trans. Ind. Electron. 49 (4), 724–738. Rotering, N., Ilic, M., 2011. Optimal Charge Control of Plug-In Hybrid Electric Vehicles in Deregulated Electricity Markets. IEEE Trans. Power Syst. 26 (3), 1021–1029.

Sachan, S., S. Deb, P. P. Singh, M. S. Alam and S. M. Shariff (2021). "A comprehensive review of standards and best practices for utility grid integration with electric vehicle charging stations." WIRES Energy and Environment.

Sadeghi-Barzani, P., Rajabi-Ghahnavieh, A., Kazemi-Karegar, H., 2014. Optimal fast charging station placing and sizing. Appl. Energy 125, 289–299.

Sakai, S., Sado, H., Hori, Y., 1999. Motion control in an electric vehicle with four independently driven in-wheel motors. IEEE/ASME Trans. Mechatron. 4 (1), 9–16. Sallan, J., Villa, J.L., Llombart, A., Sanz, J.F., 2009. Optimal Design of ICPT Systems Applied to Electric Vehicle Battery Charge. IEEE Trans. Ind. Electron. 56 (6), 2140–2149.

Salmasi, F.R., 2007. Control Strategies for Hybrid Electric Vehicles: Evolution, Classification, Comparison, and Future Trends. IEEE Trans. Veh. Technol. 56 (5), 2393–2404.

Samaras, C., Meisterling, K., 2008. Life Cycle Assessment of Greenhouse Gas Emissions from Plug-in Hybrid Vehicles: Implications for Policy. Environ. Sci. Tech. 42 (9), 3170–3176.

Santini, D.J., Patterson, P.D., Vyas, A.D., 2000. Importance of Vehicle Costs, Fuel Prices, and Fuel Efficiency in Hybrid Electric Vehicle Market Success. Transp. Res. Rec. 1738 (1), 11–19.

Schneider, M., Stenger, A., Goeke, D., 2014. The Electric Vehicle-Routing Problem with Time Windows and Recharging Stations. Transp. Sci. 48 (4), 500-520.

Schouten, N.J., Salman, M.A., Kheir, N.A., 2002. Fuzzy logic control for parallel hybrid vehicles. IEEE Trans. Control Syst. Technol. 10 (3), 460–468.

Sciarretta, A., Back, M., Guzzella, L., 2004. Optimal control of parallel hybrid electric vehicles. IEEE Trans. Control Syst. Technol. 12 (3), 352–363.

Sciarretta, A., Guzzella, L., 2007. Control of hybrid electric vehicles. IEEE Control Syst. Mag. 27 (2), 60-70.

Sekyung, H., Soohee, H., Sezaki, K., 2010. Development of an Optimal Vehicle-to-Grid Aggregator for Frequency Regulation. IEEE Trans. Smart Grid 1 (1), 65–72. Shahraki, N., Cai, H., Turkay, M., Xu, M., 2015. Optimal locations of electric public charging stations using real world vehicle travel patterns. Transp. Res. Part D: Transp. Environ. 41, 165–176.

Shang, Y., Zhang, C., Cui, N., Guerrero, J.M., 2015. A Cell-to-Cell Battery Equalizer With Zero-Current Switching and Zero-Voltage Gap Based on Quasi-Resonant <italic>LC</italic> Converter and Boost Converter. IEEE Trans. Power Electron. 30 (7), 3731–3747.

Shang, Y., Xia, B., Lu, F., Zhang, C., Cui, N., Mi, C.C., 2017a. A Switched-Coupling-Capacitor Equalizer for Series-Connected Battery Strings. IEEE Trans. Power Electron. 32 (10), 7694–7706.

Shang, Y., Xia, B., Zhang, C., Cui, N., Yang, J., Mi, C., 2017b. A Modularization Method for Battery Equalizers Using Multiwinding Transformers. IEEE Trans. Veh. Technol. 66 (10), 8710–8722.

Shang, Y., Xia, B., Zhang, C., Cui, N., Yang, J., Mi, C.C., 2017c. An Automatic Equalizer Based on Forward-Flyback Converter for Series-Connected Battery Strings. IEEE Trans. Ind. Electron. 64 (7), 5380–5391.

- Shang, Y., Zhang, Q., Cui, N., Zhang, C., 2017d. A Cell-to-Cell Equalizer Based on Three-Resonant-State Switched-Capacitor Converters for Series-Connected Battery Strings. Energies 10 (2).
- Shareef, H., Islam, M.M., Mohamed, A., 2016. A review of the stage-of-the-art charging technologies, placement methodologies, and impacts of electric vehicles. Renew. Sustain. Energy Rev. 64, 403–420.
- Shiau, C.-S.-N., Samaras, C., Hauffe, R., Michalek, J.J., 2009. Impact of battery weight and charging patterns on the economic and environmental benefits of plug-in hybrid vehicles. Energy Policy 37 (7), 2653–2663.
- Shiau, C.-S.-N., Kaushal, N., Hendrickson, C.T., Peterson, S.B., Whitacre, J.F., Michalek, J.J., 2010. Optimal Plug-In Hybrid Electric Vehicle Design and Allocation for Minimum Life Cycle Cost, Petroleum Consumption, and Greenhouse Gas Emissions. J. Mech. Des. 132 (9).
- Shimizu, H., Harada, J., Bland, C., Kawakami, K., Chan, L., 1997. Advanced concepts in electric vehicle design. IEEE Trans. Ind. Electron. 44 (1), 14-18.
- Shin, J., Shin, S., Kim, Y., Ahn, S., Lee, S., Jung, G., Jeon, S.-J., Cho, D.-H., 2014. Design and Implementation of Shaped Magnetic-Resonance-Based Wireless Power Transfer System for Roadway-Powered Moving Electric Vehicles. IEEE Trans. Ind. Electron. 61 (3), 1179–1192.
- Sierzchula, W., Bakker, S., Maat, K., van Wee, B., 2014. The influence of financial incentives and other socio-economic factors on electric vehicle adoption. Energy Policy 68, 183–194.
- Silva, C., Ross, M., Farias, T., 2009. Evaluation of energy consumption, emissions and cost of plug-in hybrid vehicles. Energ. Conver. Manage. 50 (7), 1635–1643. Sioshansi, R., 2012. OR Forum—Modeling the Impacts of Electricity Tariffs on Plug-In Hybrid Electric Vehicle Charging, Costs, and Emissions. Oper. Res. 60 (3), 506–516.
- Siqi, L., Mi, C.C., 2015. Wireless Power Transfer for Electric Vehicle Applications. IEEE Journal of Emerging and Selected Topics in Power Electronics 3 (1), 4–17. Smith, K., Wang, C.-Y., 2006. Power and thermal characterization of a lithium-ion battery pack for hybrid-electric vehicles. J. Power Sources 160 (1), 662–673.
- Song, Z., Hofmann, H., Li, J., Han, X., Ouyang, M., 2015. Optimization for a hybrid energy storage system in electric vehicles using dynamic programing approach. Appl. Energy 139, 151–162.
- Soong, W.L., 1994. Field-weakening performance of brushless synchronous AC motor drives. IEE Proceedings Electric Power Applications 141 (6).
- Sortomme, E., Hindi, M.M., MacPherson, S.D.J., Venkata, S.S., 2011. Coordinated Charging of Plug-In Hybrid Electric Vehicles to Minimize Distribution System Losses. IEEE Trans. Smart Grid 2 (1), 198–205.
- Sovacool, B.K., Hirsh, R.F., 2009. Beyond batteries: An examination of the benefits and barriers to plug-in hybrid electric vehicles (PHEVs) and a vehicle-to-grid (V2G) transition. Energy Policy 37 (3), 1095–1103.
- Sprei, F., 2018. Disrupting mobility. Energy Res. Soc. Sci. 37, 238-242.
- Stephan, C.H., Sullivan, J., 2008. Environmental and Energy Implications of Plug-In Hybrid-Electric Vehicles. Environ. Sci. Tech. 42 (4), 1185-1190.
- Stielau, O. H. and G. A. Covic (2000). Design of loosely coupled inductive power transfer systems. PowerCon 2000. 2000 International Conference on Power System Technology. Proceedings (Cat. No.00EX409): 85-90.
- Sun, F., Xiong, R., He, H., 2016. A systematic state-of-charge estimation framework for multi-cell battery pack in electric vehicles using bias correction technique. Appl. Energy 162, 1399–1409.
- Taalbi, J., Nielsen, H., 2021. The role of energy infrastructure in shaping early adoption of electric and gasoline cars. Nat. Energy 6 (10), 970-976.
- Takahashi, I., Noguchi, T., 1986. A New Quick-Response and High-Efficiency Control Strategy of an Induction Motor. IEEE Trans. Ind. Appl. IA-22(5), 820-827.
- Teichmann, R., Bernet, S., 2005. A Comparison of Three-Level Converters Versus Two-Level Converters for Low-Voltage Drives, Traction, and Utility Applications. IEEE Trans. Ind. Appl. 41 (3), 855–865.
- Terashima, M., Ashikaga, T., Mizuno, T., Natori, K., Fujiwara, N., Yada, M., 1997. Novel motors and controllers for high-performance electric vehicle with four inwheel motors. IEEE Trans. Ind. Electron. 44 (1), 28–38.
- Thiel, C., Perujo, A., Mercier, A., 2010. Cost and CO2 aspects of future vehicle options in Europe under new energy policy scenarios. Energy Policy 38 (11), 7142–7151.
- Tie, S.F., Tan, C.W., 2013. A review of energy sources and energy management system in electric vehicles. Renew. Sustain. Energy Rev. 20, 82–102.
- Tomić, J., Kempton, W., 2007. Using fleets of electric-drive vehicles for grid support. J. Power Sources 168 (2), 459-468.
- Tremblay, O., L. Dessaint and A. Dekkiche (2007). A Generic Battery Model for the Dynamic Simulation of Hybrid Electric Vehicles. 2007 IEEE Vehicle Power and Propulsion Conference.
- Trovão, J.P., Pereirinha, P.G., Jorge, H.M., Antunes, C.H., 2013. A multi-level energy management system for multi-source electric vehicles An integrated rule-based meta-heuristic approach. Appl. Energy 105, 304–318.
- Van Eck, N., Waltman, L., 2010. Software survey: VOSviewer, a computer program for bibliometric mapping. Scientometrics 84 (2), 523-538.
- Van Raan, A.F.J., 1998. The influence of international collaboration on the impact of research results. Scientometrics 42 (3), 423–428.
- Vetter, J., Novák, P., Wagner, M.R., Veit, C., Möller, K.C., Besenhard, J.O., Winter, M., Wohlfahrt-Mehrens, M., Vogler, C., Hammouche, A., 2005. Ageing mechanisms in lithium-ion batteries. J. Power Sources 147 (1–2), 269–281.
- Wang, R., Chen, Y., Feng, D., Huang, X., Wang, J., 2011b. Development and performance characterization of an electric ground vehicle with independently actuated in-wheel motors. J. Power Sources 196 (8), 3962–3971.
- Wang, C.S., Covic, G.A., Stielau, O.H., 2004. Power Transfer Capability and Bifurcation Phenomena of Loosely Coupled Inductive Power Transfer Systems. IEEE Trans. Ind. Electron. 51 (1), 148–157.
- Wang, J., Liu, P., Hicks-Garner, J., Sherman, E., Soukiazian, S., Verbrugge, M., Tataria, H., Musser, J., Finamore, P., 2011a. Cycle-life model for graphite-LiFePO4 cells. J. Power Sources 196 (8), 3942–3948.
- Wang, C.S., Stielau, O.H., Covic, G.A., 2005. Design considerations for a contactless electric vehicle battery charger. IEEE Trans. Ind. Electron. 52 (5), 1308–1314. Wang, G., Xu, Z., Wen, F., Wong, K.P., 2013. Traffic-Constrained Multiobjective Planning of Electric-Vehicle Charging Stations. IEEE Trans. Power Delivery 28 (4), 2363–2372.
- Williams, J.H., DeBenedictis, A., Ghanadan, R., Mahone, A., Moore, J., Morrow, W.R., Price, S., Torn, M.S., 2012. The Technology Path to Deep Greenhouse Gas Emissions Cuts by 2050: The Pivotal Role of Electricity. Science 335 (6064), 53–59.
- Wipke, K.B., Cuddy, M.R., Burch, S.D., 1999. ADVISOR 2.1: a user-friendly advanced powertrain simulation using a combined backward/forward approach. IEEE Trans. Veh. Technol. 48 (6), 1751–1761.
- Wirasingha, S.G., Emadi, A., 2011. Classification and Review of Control Strategies for Plug-In Hybrid Electric Vehicles. IEEE Trans. Veh. Technol. 60 (1), 111–122. Wolbertus, R., van den Hoed, R., Kroesen, M., Chorus, C., 2021. Charging infrastructure roll-out strategies for large scale introduction of electric vehicles in urban areas: An agent-based simulation study. Transp. Res. A Policy Pract. 148, 262–285.
- Wu, X., Freese, D., Cabrera, A., Kitch, W.A., 2015. Electric vehicles' energy consumption measurement and estimation. Transp. Res. Part D: Transp. Environ. 34, 52–67.
- Xiang, Y., Liu, J., Li, R., Li, F., Gu, C., Tang, S., 2016. Economic planning of electric vehicle charging stations considering traffic constraints and load profile templates. Appl. Energy 178, 647–659.
- Yang, S., Ning, L., Tong, L.C., Shang, P., 2021. Optimizing electric vehicle routing problems with mixed backhauls and recharging strategies in multi-dimensional representation network. Expert Systems With Applications 176.
- Yang, H., Yang, S., Xu, Y., Cao, E., Lai, M., Dong, Z., 2015. Electric Vehicle Route Optimization Considering Time-of-Use Electricity Price by Learnable Partheno-Genetic Algorithm. IEEE Trans. Smart Grid 6 (2), 657–666.
- Yilmaz, M., Krein, P.T., 2013. Review of Battery Charger Topologies, Charging Power Levels, and Infrastructure for Plug-In Electric and Hybrid Vehicles. IEEE Trans. Power Electron. 28 (5), 2151–2169.
- Young-Joo, L., Khaligh, A., Emadi, A., 2009. Advanced Integrated Bidirectional AC/DC and DC/DC Converter for Plug-In Hybrid Electric Vehicles. IEEE Trans. Veh. Technol. 58 (8), 3970–3980.
- Zeraoulia, M., Benbouzid, M.E.H., Diallo, D., 2006. Electric Motor Drive Selection Issues for HEV Propulsion Systems: A Comparative Study. IEEE Trans. Veh. Technol. 55 (6), 1756–1764.

Zhai, L., Sun, T., Wang, J., 2016. Electronic Stability Control Based on Motor Driving and Braking Torque Distribution for a Four In-Wheel Motor Drive Electric Vehicle. IEEE Trans. Veh. Technol. 65 (6), 4726–4739.

Zhang, H., Hu, Z., Xu, Z., Song, Y., 2016. An Integrated Planning Framework for Different Types of PEV Charging Facilities in Urban Area. IEEE Trans. Smart Grid 7 (5), 2273–2284.

Zheng, Y., Dong, Z.Y., Xu, Y., Meng, K., Zhao, J.H., Qiu, J., 2014. Electric Vehicle Battery Charging/Swap Stations in Distribution Systems: Comparison Study and Optimal Planning. IEEE Trans. Power Syst. 29 (1), 221–229.

Zhu, Z.Q., Howe, D., 2007. Electrical Machines and Drives for Electric, Hybrid, and Fuel Cell Vehicles. Proc. IEEE 95 (4), 746–765.

Ziegler, D., Abdelkafi, N., 2022. Business models for electric vehicles: Literature review and key insights. J. Clean. Prod. 330, 129803.