



## Editorial

Downloaded from: <https://research.chalmers.se>, 2025-12-04 11:24 UTC

Citation for the original published paper (version of record):

Nordén, B. (2024). Editorial. QRB Discovery, 5. <http://dx.doi.org/10.1017/qrd.2024.5>

N.B. When citing this work, cite the original published paper.

## Editorial

Professor Bengt Nordén, Chalmers University of Technology, Sweden [Bengt Nordén  
norden@chalmers.se](mailto:norden@chalmers.se)

On the seventieth anniversary of the Watson & Crick paper "*Molecular Structure of Nucleic Acids: A Structure of Deoxyribose Nucleic Acid*" in *Nature*, I would like to draw attention to a journal for original results: **QRB Discovery** that was launched by Cambridge University Press as a sister journal to *Quarterly Reviews of Biophysics* in 2020. Expertise is shared across the journals as they both have the same Editor-in-Chief, and overlapping editorial boards.

Biophysics applies approaches and methods traditionally used in physics, chemistry and mathematics to study the living world, from molecules and cells right up to populations of animals and plants. This interdisciplinary approach has a huge number of applications and has the potential to address some of the biggest challenges facing our species and our planet. It is vital that discoveries with the potential to benefit society are published quickly and transparently. The field has been missing a dedicated place to publish ground-breaking results – ‘discoveries’ – that point towards an exciting direction, rather than presenting a traditional comprehensive study. This is the gap **QRB Discovery** seeks to fill.

Why is the Watson & Crick paper relevant in this context? Well, **QRB Discovery** has an objective that well established results (some might be from the literature) are used to underpin some important hypothesis – a speculation of great impact. Such a speculation is exactly what Watson and Crick put forward: based on available data on fibrous DNA, an intense x-ray diffraction at 3.4 Å consistent with stacked bases with planes orthogonal to fibre axis, and one cross at 34 Å consistent with a helix of 10 base-pairs per turn and pitch 34 Å, they proposed a double helix in which adenine base was bound by two hydrogen bonds to a thymine, and guanine base to a cytosine base. That adenine would base-pair with thymine, and guanine with cytosine – both using two hydrogen-bonds - was an educated guess based on stoichiometry with equal A and T contents (the exocyclic amino group of guanine forming a third hydrogen bond to cytosine – explaining specificity – was thus missed). Their speculated structure was proven correct, although first some 30 years later.

In **QRB Discovery**, authors are encouraged to elaborate on the potential consequences and wider impact of their discoveries. If the research is of high quality and it is a sound result that points in an exciting direction – even if that’s speculative – we will publish. Some recent publications that really exemplify this are:

- [‘Origins of life: first came evolutionary dynamics’](#) (Charles Kocher and Ken A. Dill)
- [‘How sequence alterations enhance the stability and delay expansion of DNA triplet repeat domains’](#) (Jens Völker and Kenneth J. Breslauer)
- [‘On the micelle formation of DNAJB6b’](#) (Andreas Carlsson, Ulf Olsson and Sara Linse)

This peer-reviewed article has been accepted for publication but not yet copyedited or typeset, and so may be subject to change during the production process. The article is considered published and may be cited using its DOI.

10.1017/qrd.2024.5

This is an Open Access article, distributed under the terms of the Creative Commons Attribution-NonCommercial-NoDerivatives licence

(<http://creativecommons.org/licenses/by-nc-nd/4.0/>), which permits non-commercial re-use, distribution, and reproduction in any medium, provided the original work is unaltered and is properly cited. The written permission of Cambridge University Press must be obtained for commercial re-use or in order to create a derivative work.

- [‘Effect of relative humidity on hydrogen peroxid production in water droplets’](#) (Maria T. Dulay, Carlos Alberto Huerta-Aguilar, Christian F. Chamberlayne, Richard N. Zare, Adriaan Davidse and Sinisa Vukovic)

This transparency is further extended by publishing the open peer review reports. This will, expectantly, promote a more constructive type of review for authors but it will also contribute to the recognition of reviewers.

**QRB Discovery** has published a forward looking collection entitled ‘Frontiers of Computational Biophysics’ (Guest Edited by Giulia Palermo), and has a number of other collections in the pipeline for 2024 – such as ‘Single Molecule Challenges in the 21<sup>st</sup> Century’ (Guest Edited by Felix Ritort, Fredrik Westerlund and Giulia Palermo) and ‘Perspectives in Integrated Biophysics: how to probe biological process with complementary multiscale techniques’ (Guest Edited by Alison Rodgers, Wah Chiu and Sheemei Lok).

**QRB Discovery** is indexed in both PMID and PMCID immediately upon online publication. For example: <https://pubmed.ncbi.nlm.nih.gov/34192260/>

I look forward to see what exciting research will be submitted next!

Wishing you all a prosperous 2024!

Bengt Nordén