



## **Structure and electronic properties of stable facets in the 2D material hexagonal boron nitride (hBN) on curved platinum**

Downloaded from: <https://research.chalmers.se>, 2024-12-26 17:27 UTC

Citation for the original published paper (version of record):

Mohammed Idris Bakhit, A., Ali, K., Makarova, A. et al (2022). Structure and electronic properties of stable facets in the 2D material hexagonal boron nitride (hBN) on curved platinum. Science Talks, 4. <http://dx.doi.org/10.1016/j.sctalk.2022.100071>

N.B. When citing this work, cite the original published paper.



## Structure and electronic properties of stable facets in the 2D material hexagonal boron nitride (hBN) on curved platinum

Alaa Mohammed Idris Bakhit <sup>a,b,\*</sup>, Khadiza Ali <sup>c,d</sup>, Anna A. Makarova <sup>e</sup>, Igor Piš <sup>f</sup>,  
Federica Bondino <sup>f</sup>, Frederik Schiller <sup>a,d</sup>

<sup>a</sup> Centro de Física de Materiales (CSIC-UPV-EHU) and Materials Physics Center (MPC), 20018 Donostia-San Sebastián, Spain

<sup>b</sup> Departamento de Física Aplicada I, Universidad del País Vasco UPV/EHU, 20018 Donostia-San Sebastián, Spain

<sup>c</sup> Chalmers University of Technology, Göteborg, Chalmersplatsen 4, 412 96 Göteborg, Sweden, Sweden

<sup>d</sup> Donostia International Physics Center, 20018 Donostia-San Sebastián, Spain

<sup>e</sup> Physikalische Chemie, Institut für Chemie und Biochemie, Freie Universität Berlin, Arnimallee 22, 14195 Berlin, Germany

<sup>f</sup> IOM-CNR, Strada Statale 14 Km 163.5, I-34149 Trieste, Italy

### ARTICLE INFO

#### Keywords:

Hexagonal boron nitride (h-BN) monolayer  
2D materials  
Epitaxy  
Curved crystal  
Stable facets

### ABSTRACT

A hexagonal boron nitride (hBN) monolayer was grown on a curved crystal c-Pt(331) substrate including all vicinal surfaces between Pt(111) and Pt(110) faces. The surface structure has been studied by a combination of low-energy electron diffraction (LEED) and scanning tunnelling microscopy (STM). We observed that the hBN monolayer covers the entire curved crystal, but induces a faceting subsequent to the growth. We encountered (111), (221), (441), (991), and (110) as stable facets. We assign this faceting to two factors i) a better lattice coincidence and ii) the existence of local covalent bonds and non-local Van der Waals interactions.

The electronic structure was characterized by near-edge x-ray absorption fine structure (NEXAFS), X-ray photoemission spectroscopy and angle-resolved photoemission spectroscopy (ARPES). The hBN/Pt(111) has the weakest interacting overlayer system, while the hBN on vicinal surfaces is more strongly bound to the Pt substrate.

Additionally, we determined using angle-resolved photoemission measurements (ARPES) that the  $\pi$  band shifts downward when going away from the hBN/Pt(111) surface towards hBN/Pt(110). In the latter case, the  $\pi$  band shift is the largest.

Video to this article can be found online at <https://doi.org/10.1016/j.sctalk.2022.100071>.

\* Corresponding author at: Centro de Física de Materiales (CSIC-UPV-EHU) and Materials Physics Center (MPC), 20018 Donostia-San Sebastián, Spain.  
E-mail address: [alaa.mohammed@ehu.es](mailto:alaa.mohammed@ehu.es) (A. Mohammed Idris Bakhit).

## Figures and tables

## a) Clean cPt(331)




Fig. 1. Evolution of the Low Energy Electron Diffraction (LEED) patterns of platinum (a) and hBN covered platinum (b) along the curved Pt(331) surface as a function of the vicinal angle. The right-hand images display the intensity variations of the central horizontal rectangle. One observes crossing features in (a) due to the continuous increase of the terrace width in pure Pt and parallel features in (b) due to the facet formation. The kinetic energy of the electrons was set to 70 eV.




Fig. 2. LEED IV Analysis of hBN grown on curved Pt(331): (a) LEED pattern at the indicated positions taken at  $E_{kin} = 38$  eV. (b) LEED IV image profile was taken at the central line indicated by the orange rectangle. The green lines denote the (0,0) spots of the stable facets that are indicated at the top.




Fig. 3. Scanning Tunneling Microscopy (STM) images of hBN-covered c-Pt(331) at different positions of the curved substrate ( $U_{\text{bias}} = 1 \text{ V}$ ,  $I = 2 \text{ nA}$ ). The bottom panels indicate the height profiles for the indicated black lines in the STM images.




Fig. 4. X-ray absorption (XAS) of the K-edges of B and N at different positions of the curved c-Pt(331) crystal after hBN growth.




Fig. 5. X-ray photoemission spectroscopy (XPS) of the N 1 s core level of hBN/c-Pt(331) at different positions of the curved substrate. The photon energy was 480 eV, and the measurements were taken at 300 K.




Fig. 6. Angle-resolved photoemission spectroscopy (ARPES) intensity mappings along the  $\Gamma$ -K-M direction of the surface Brillouin zone of the hBN-covered surfaces at the stable facet positions (111), (221) and (110).

#### CRediT authorship contribution statement

**Alaa Mohammed Idris Bakhit:** Data analysis, Writing- Original draft preparation, Visualization, Software, Experimental work. **Khadiza Ali:** Data collection, Methodology, Investigation, Experimental work. **Anna A. Makarova:** Experimental work. **Igor Piš:** Experimental work. **Federica Bondino:** Experimental work. **Frederik Schiller:** Supervision, Validation, Investigation, Conceptualization, Writing- Reviewing and Editing.

#### Acknowledgements

We acknowledge financial support from grant PID2020-116093RB-C44 funded by the Spanish MCIN/AEI/10.13039/501100011033, as well as the Basque Government Grant IT-1591-22. The research leading to this result

has been further supported by the project CALIPSOplus under Grant Agreement 730872 from the EU Framework Programme for Research Innovation HORIZON 2020. A.A.M. acknowledge BMBF (grant no. 05K19KER).

#### Declaration of interests

The authors declare that they have no known competing financial interests or personal relationships that could have appeared to influence the work reported in this paper.

#### Further reading

- [1] Cory R. Dean, et al., Boron nitride substrates for high-quality graphene electronics, *Nat. Nanotechnol.* 5 (10) (2010) 722–726, <https://doi.org/10.1038/nnano.2010.172>.
- [2] Andrea C. Ferrari, et al., Science and technology roadmap for graphene, related two-dimensional crystals, and hybrid systems, *Nanoscale* 7 (11) (2015) 4598–4810, <https://doi.org/10.1039/C4NR01600A>.

- [3] Chaoliang Tan, et al., Recent advances in ultrathin two-dimensional nanomaterials, *Chem. Rev.* 117 (9) (2017) 6225–6331.
- [4] <https://nanoscore.de/bihurcrystal/curved-crystals/>.
- [5] Nakkiran Arulmozhi, Thomas J.P. Hersbach, Marc T.M. Koper, Nanoscale morphological evolution of monocrystalline Pt surfaces during cathodic corrosion, *Proc. Natl. Acad. Sci.* 117 (51) (2020) 32267–32277, <https://doi.org/10.1073/pnas.2017086117>.
- [6] Sara Blomberg, et al., Strain dependent light-off temperature in catalysis revealed by planar laser-induced fluorescence, *ACS Catal.* 7 (1) (2017) 110–114, <https://doi.org/10.1021/acscatal.6b02440>.
- [7] Martina Corso, et al., Electronic states in faceted Au (111) studied with curved crystal surfaces, *J. Phys. Condens. Matter* 21 (35) (2009), 353001, <https://doi.org/10.1088/0953-8984/21/35/353001>.
- [8] J. Enrique Ortega, et al., Interplay between structure and electronic states in step arrays explored with curved surfaces, *Phys. Rev. B* 83 (8) (2011), 085411, <https://doi.org/10.1103/PhysRevB.83.085411>.
- [9] Andrew L. Walter, et al., X-ray photoemission analysis of clean and carbon monoxide-chemisorbed platinum (111) stepped surfaces using a curved crystal, *Nat. Commun.* 6 (1) (2015) 1–7, <https://doi.org/10.1038/ncomms9903>.
- [10] Katarzyna Krupski, et al., Structure determination of Au on Pt (111) surface: LEED, STM and DFT study, *Materials* 8 (6) (2015) 2935–2952, <https://doi.org/10.3390/ma8062935>.
- [11] A.B. Preobrajenski, et al., Influence of chemical interaction at the lattice-mismatched h – B N/Rh (111) and h – B N/Pt (111) interfaces on the overlayer morphology, *Phys. Rev. B* 75 (24) (2007), 245412, <https://doi.org/10.1103/PhysRevB.75.245412>.
- [12] Laura Fernández, et al., Boron nitride monolayer growth on vicinal Ni (111) surfaces systematically studied with a curved crystal, *2D Mater.* 6 (2) (2019), 025013, <https://doi.org/10.1088/2053-1583/ab01e7>.
- [13] Khadiza Ali, et al., Atomically-precise texturing of hexagonal boron nitride nanostripes, *Adv. Sci.* 8 (17) (2021) 2101455, <https://doi.org/10.1002/adv.202101455>.



**Alaa Mohammed Idris Bakhit** is a PhD student at the University of the Basque Country, working in the Material Physics Center (MPC) in Donostia-San Sebastian, Spain.

She graduated from the Sudan University of Science and Technology, Sudan. She acquired a master's in mathematical sciences from AIMS-Cameroon, Cameroon. Additionally, she earned a master's degree in condensed matter physics from the East African Institute for Fundamental Research (ICTP-EAIFR), Rwanda. Currently, her PhD project is focused on the growth of 2D materials hexagonal boron nitride (hBN) on different

curve crystal substrates, studying the structure and electronic properties using experimental techniques and theoretical methods.



**Khadiza Ali** received her PhD from TIFR (Mumbai, India) in 2018 and spent the next 3 years in CFM-MPC (San Sebastian, Spain) exploring the growth and electronic structure of hBN and graphene on curved crystals. Currently, Khadiza is a postdoctoral researcher at Chalmers university of technology (Gothenburg, Sweden). Her main expertise is in investigating functional materials using angle-resolved photoelectron spectroscopy and X-ray photoelectron spectroscopy.



**Anna A. Makarova** is a researcher at the Free University of Berlin who is taking care of facilities of the Russian-German Laboratory at BESSY II, Helmholtz Centre Berlin for Materials and Energy. She completed her PhD studies in 2014 at St. Petersburg State University and has worked in close cooperation with the Dresden University of Technology. Her expertise includes photoemission and photoabsorption spectroscopies. Current research activities are focused on the studies of electronic structure and physicochemical properties of graphene and graphene-like materials, including their growth on curved crystals.



**Dr Igor Piš** received his PhD degree in surface and interface physics from Charles University in Prague, Czech Republic. Since 2013, he is working at Elettra synchrotron facility (Trieste, Italy) at beamline BACH of the Italian National Research Council (CNR-IOM). His research activities are focused on x-ray photoemission and absorption spectroscopy studies of 2D materials, nanomaterials, surface structures, metal alloys, thin films, catalysts and materials for energy storage and conversion.



**Federica Bondino** is a senior research scientist at CNR - IOM (Trieste) and scientific coordinator of the beamline BACH at the Elettra synchrotron radiation facility. She graduated in Physics with honors and holds a Ph.D. in Physics. She has conducted x-ray spectroscopy experiments in many synchrotron radiation facilities worldwide: Elettra in Italy, ESRF, and Soleil and LURE in France, the Swiss Light Source in Switzerland, and MaxLab in Sweden, ALBA in Spain, Bessy II in Germany, APS in the USA. She has broad experience in the management of state-of-the-art synchrotron beamline instrumentation and ultra-high-vacuum end stations and in x-ray spectroscopic techniques for the study of the electronic, dynamical, magnetic, and physical-chemical properties of materials in surfaces and interfaces.

Her scientific interests include low-dimensional and layered materials, hybrid heterostructures, reactivity at interfaces and surfaces and on-surface processes.



**Frederik Schiller** is a staff scientist at the Material Physics Center in San Sebastian (Spain) belonging to the Spanish Research Council CSIC. He obtained his PhD from TU Dresden (Germany) in 2002 and has been working in Spain since 2003 in the field of nanoscience mainly in the field of electron spectroscopies. His expertise includes the structural changes and electronic structure of vicinal surfaces, especially at curved crystals. He has been dealing with hexagonal boron nitride and graphene growth at different curved crystals in recent years.